

BEFORE

[Lesson 3](#) [Test](#)

From Local Page to Published Interactive Site

Goal

Organize a small site with predictable names and relative paths

Evidence

No test recorded yet.

Record a test

AFTER

From Local Page to Published Interactive Site

Goal

Organize a small site with predictable names and relative paths

[Lesson 3](#) [Test](#)

From Local Page to Published Interactive Site

Goal

Organize a small site with predictable names and relative paths

Evidence

No test recorded yet.

Record a test

Acceptance check

Students diagnose three failures: missing asset, dead fragment link and keyboard-inaccessible action.

GRD405 progressive demo. Local, dependency-free, keyboard operable.

Evidence

Live interaction confirmed.

Record a live test

test

About This Page

This page demonstrates structure, navigation, interaction, and testing.

Acceptance check

Students diagnose three failures: missing asset, dead fragment link and keyboard-inaccessible action.

1.

```
Index.html > html > body > main#content > section.grid > article.card > img
2   <html lang="en">
3   <head>
4     <style>
5       @media(prefers-reduced-motion:no-preference) {
6       }
7     </style>
8   </head>
9   <body>
10    <header>
11      <nav aria-label="Primary">
12        <ul>
13          <li><a href="#content">Lesson 3</a></li>
14          <li><a href="#check">Test</a></li>
15        </ul>
16      </nav>
17      <h1>From Local Page to Published Interactive Site</h1>
18    </header>
19    <main id="content" tabindex="-1">
20      <section class="grid">
21        <article class="card">
22          <h2>Goal</h2>
23          <p>Organize a small site with predictable names and relative paths</p>
24          
25        </article>
26        <article class="card">
27          <h2>Evidence</h2>
28          <p id="status" role="status">No test recorded yet.</p><button type="button" id="test">Record a
29            test</button>
30        </article>
31      </section>
32      <section id="check">
33        <h2>Acceptance check</h2>
34        <p>Students diagnose three failures: missing asset, dead fragment link and keyboard-inaccessible action.</p>
35      </section>
36    </main>
37    <footer>
38      <p>GRD405 progressive demo. Local, dependency-free, keyboard operable.</p>
39    </footer>
40    <script>document.querySelector('#test').addEventListener('click', () => {document.querySelector('#status').textContent
41  </body>
```

2.

```
      <h2>Goal</h2>
      <p>Organize a small site with predictable names and relative paths</p>
      
    </article>
    <article class="card">
      <h2>Evidence</h2>
      <p id="status" role="status">No test recorded yet.</p><button type="button" id="test">Record a
        test</button>
    </article>
  </section>
  <section id="about"> <h2>About This Page</h2> <p>This page demonstrates structure, navigation, interaction, and test
  <section id="check">
    <h2>Acceptance check</h2>
    <p>Students diagnose three failures: missing asset, dead fragment link and keyboard-inaccessible action. </p>
  </section>
</main>
<footer>
  <p>GRD405 progressive demo. Local, dependency-free, keyboard operable.</p>
</footer>
<script>document.querySelector('#test').addEventListener('click', () => {document.querySelector('#status').textContent
</body>

</html>
```

3.

```
visual for the lesson 3 site">

<button type="button" id="test" class="motion">Record a live test</button>

<p>trates structure, navigation, interaction, and testing.</p> </section>

<p>gment link and keyboard-inaccessible action.</p>

table.</p>

=> {document.querySelector('#status').textContent = 'Live interaction confirmed.'};</script>
```