

Homework #4: Insurance Claim Prediction

Data 621 Business Analytics and Data Mining

Aadi Kalloo, Nathan Lim, Asher Meyers, Daniel Smilowitz, Logan Thomson

Due July 10, 2016

Contents

1	Data Exploration	2
2	Data Preparation	8
3	Model Creation	11
3.1	Multiple Linear Regression	11
3.2	Binary Logistic Regression	17
4	Model Selection & Prediction	21
4.1	10-fold Cross Validation	21
Appendix A: Index-wise Results from Predictive Model		24
Appendix B: R Code		61

1 Data Exploration

The dataset of interest contains information about customers of an auto insurance company. The dataset has 8161 rows (each representing a customer) and 25 variables. There are 23 predictor variables and 2 response variables: **TARGET_FLAG**, a binary categorical variable representing whether each customer has been in an accident; and **TARGET_AMT**, a numerical variable indicating the cost of a crash that a customer was in. The class of variables read in from the dataset is presented below:

	Class	Levels
TARGET_FLAG	integer	-
TARGET_AMT	numeric	-
KIDSDRV	integer	-
AGE	integer	-
HOMEKIDS	integer	-
YOJ	integer	-
INCOME	factor	6613
PARENT1	factor	2
HOME_VAL	factor	5107
MSTATUS	factor	2
SEX	factor	2
EDUCATION	factor	5
JOB	factor	9
TRAVTIME	integer	-
CAR_USE	factor	2
BLUEBOOK	factor	2789
TIF	integer	-
CAR_TYPE	factor	6
RED_CAR	factor	2
OLDCLAIM	factor	2857
CLM_FREQ	integer	-
REVOKE	factor	2
MVR_PTS	integer	-
CAR_AGE	integer	-
URBANICITY	factor	2

The very high number of levels for four of the variables (**INCOME**, **HOME_VAL**, **BLUEBOOK**, and **OLDCLAIM**) indicates that these variables are not in fact factors; investigation of the dataset indicates that these are dollar values interpreted as strings due to the presence of dollar signs and commas. The numerical values are extracted for these variables.

Additionally, there are 7 variables with only two levels. These are recast as binary variables as follows:

- **PARENT1**, **MSTATUS**, **RED_CAR**, and **REVOKE**: using 1 to indicate Yes
- **SEX**: using 1 to indicate Male
- **CAR_USE**: using 1 to indicate Commercial
- **URBANICITY**: using 1 to indicate Highly Urban/ Urban

Finally, there are three categorical variables – factors with more than two levels. Dummy variables are created for each of these, as follows:

- **EDUCATION**: 5 dummy variables
- **CAR_TYPE**: 6 dummy variables
- **JOB**: 8 dummy variables

A summary of each variable is presented below:

	MEAN	MEDIAN	IQR	SKEW	r_{FLAG}	r_{AMT}	NAs
TARGET_FLAG	0.26	0	1	1.07	1	0.54	0
TARGET_AMT	1504	0	1036	8.71	0.54	1	0
KIDSDRV	0.17	0	0	3.35	0.09	0.05	0
AGE	44.79	45	12	-0.03	-0.11	-0.05	6
HOMEKIDS	0.72	0	1	1.34	0.11	0.06	0
YOJ	10.5	11	4	-1.2	-0.07	-0.02	454
INCOME	61898	54028	57889	1.19	-0.14	-0.06	445
PARENT1	0.13	0	0	2.17	0.16	0.1	0
HOME_VAL	154867	161160	238724	0.49	-0.18	-0.09	464
MSTATUS	0.6	1	1	-0.41	-0.13	-0.1	0
SEX	0.46	0	1	0.14	-0.02	0.01	0
TRAVTIME	33.49	33	22	0.45	0.05	0.03	0
CAR_USE	0.37	0	1	0.53	0.14	0.1	0
BLUEBOOK	15710	14440	11570	0.79	-0.11	0	0
TIF	5.35	4	6	0.89	-0.08	-0.04	0
RED_CAR	0.29	0	1	0.92	-0.02	0	0
OLDCLAIM	4037	0	4636	3.12	0.14	0.08	0
CLM_FREQ	0.8	0	2	1.21	0.22	0.12	0
REVOKED	0.12	0	0	2.3	0.15	0.06	0
MVR_PTS	1.7	1	3	1.35	0.23	0.14	0
CAR_AGE	8.33	8	11	0.28	-0.11	-0.06	510
URBANICITY	0.8	1	0	-1.46	0.22	0.12	0
HSDropout	0.15	0	0	1.99	0.06	0.04	0
HS	0.29	0	1	0.95	0.11	0.04	0
Bachelors	0.27	0	1	1.01	-0.05	-0.02	0
Masters	0.2	0	0	1.48	-0.09	-0.05	0
PhD	0.09	0	0	2.88	-0.06	-0.02	0
Minivan	0.26	0	1	1.08	-0.14	-0.08	0
Panel_Truck	0.08	0	0	3.03	0	0.04	0
Pickup	0.17	0	0	1.75	0.05	0.02	0
Sports_Car	0.11	0	0	2.47	0.06	0.03	0
Van	0.09	0	0	2.82	0	0.01	0
SUV	0.28	0	1	0.97	0.05	0.01	0
Blank_Job	0.06	0	0	3.55	-0.01	0.01	0
Professional	0.14	0	0	2.11	-0.04	0	0
Blue_Collar	0.22	0	0	1.33	0.1	0.07	0
Clerical	0.16	0	0	1.9	0.04	0	0
Doctor	0.03	0	0	5.49	-0.05	-0.03	0
Lawyer	0.1	0	0	2.62	-0.06	-0.03	0
Manager	0.12	0	0	2.32	-0.12	-0.07	0
Home_Maker	0.08	0	0	3.13	0.01	0	0
Student	0.09	0	0	2.92	0.07	0.02	0


From the table above, it is clear that there are four variables with missing values, with the proportion of values missing ranging from less than < 0.1% to roughly 6.2%; these missing values will need to either be imputed or excluded from the dataset before modeling. The variables exhibit varying levels of skewness, with a few extreme values.

The large number of binary variables in the dataset makes graphical visualization of the distribution of all variables not particularly useful. The proportion of binary variables having a value of 0 or 1 is presented in the table below:

	0	1
TARGET_FLAG	0.74	0.26
PARENT1	0.87	0.13
MSTATUS	0.4	0.6
SEX	0.54	0.46
CAR_USE	0.63	0.37
RED_CAR	0.71	0.29
REVOKE	0.88	0.12
URBANICITY	0.2	0.8
HSDropout	0.85	0.15
HS	0.71	0.29
Bachelors	0.73	0.27
Masters	0.8	0.2
PhD	0.91	0.09
Minivan	0.74	0.26
Panel_Truck	0.92	0.08
Pickup	0.83	0.17
Sports_Car	0.89	0.11
Van	0.91	0.09
SUV	0.72	0.28
Blank_Job	0.94	0.06
Professional	0.86	0.14
Blue_Collar	0.78	0.22
Clerical	0.84	0.16
Doctor	0.97	0.03
Lawyer	0.9	0.1
Manager	0.88	0.12
Home_Maker	0.92	0.08
Student	0.91	0.09


The remaining variables are visualized below in boxplots:

Distribution of Predictor and Target Variables




The boxplots illustrate the high skewness of the distributions of the predictors KIDSDRV, INCOME, HOME_VAL, TRAVTIME, BLUEBOOK, TIF, OLDCLAIM and MVR PTS. The target TARGET_AMT is also highly skewed – this makes sense, as this value is 0 for any customers without claims. Density plots of these variables are presented below:

Density of Skewed Variables




Since TARGET_AMT and OLDCLAIM have such high concentrations at values of zero, separate plots for these two variables are created with values of zero removed:

Density of Non-Zero Claim Amounts



The 8 predictors with the highest correlation to TARGET_FLAG and the 8 predictors with the highest correlation to TARGET_AMT share 7 predictors. The correlation between these variables is investigated and plotted below:


Predictors with High Correlations to Targets



There appears to be evidence of possible multicollinearity between HOME_VAL and OLDCLAIM.

Finally, boxplots are also prepared for non-binary variables split by TARGET_FLAG:

Distribution of Predictors by TARGET_FLAG



Interestingly, there are only a few variables with immediately visible difference in median value based on TARGET_FLAG values, while the range of predictor values for each flag value differs noticeably.

2 Data Preparation

As stated in Part 1, four predictor variables have missing values. Because these missing values represent, in many cases, a non-menial proportion of the dataset at large, they are imputed so the cases containing missing values can be included in modeling. Due to the skewness illustrated by some of the variables with missing data (INCOME and HOME_VAL), the median is used to avoid any bias introduced into the mean by the skewness of these variables' distribution. For the remaining two variables, the median is also used for imputation for consistency.

Additionally, there is one instance of a vehicle's CAR_AGE being -3. Since this variable represents the age of the car in years, this is a nonsensical value. This instance of this variable is removed before imputation.

A summary of the variables with imputation of median values is presented below:

	MEAN	MEDIAN	IQR	SKEW	r_{FLAG}	r_{AMT}	NAs
TARGET_FLAG	0.26	0	1	1.07	1	0.53	0
TARGET_AMT	1504	0	1036	8.71	0.53	1	0
KIDSDRV	0.17	0	0	3.35	0.1	0.06	0
AGE	44.79	45	12	-0.03	-0.1	-0.04	0
HOMEKIDS	0.72	0	1	1.34	0.12	0.06	0
YOJ	10.53	11	4	-1.26	-0.07	-0.02	0
INCOME	61469	54028	53597	1.24	-0.14	-0.06	0
PARENT1	0.13	0	0	2.17	0.16	0.1	0
HOME_VAL	155225	161160	233352	0.49	-0.18	-0.08	0
MSTATUS	0.6	1	1	-0.41	-0.14	-0.09	0
SEX	0.46	0	1	0.14	-0.02	0.01	0
TRAVTIME	33.49	33	22	0.45	0.05	0.03	0
CAR_USE	0.37	0	1	0.53	0.14	0.1	0
BLUEBOOK	15710	14440	11570	0.79	-0.1	0	0
TIF	5.35	4	6	0.89	-0.08	-0.05	0
RED_CAR	0.29	0	1	0.92	-0.01	0.01	0
OLDCLAIM	4037	0	4636	3.12	0.14	0.07	0
CLM_FREQ	0.8	0	2	1.21	0.22	0.12	0
REVOKEDED	0.12	0	0	2.3	0.15	0.06	0
MVR_PTS	1.7	1	3	1.35	0.22	0.14	0
CAR_AGE	8.31	8	8	0.3	-0.1	-0.06	0
URBANICITY	0.8	1	0	-1.46	0.22	0.12	0
HSDropout	0.15	0	0	1.99	0.05	0.03	0
HS	0.29	0	1	0.95	0.11	0.04	0
Bachelors	0.27	0	1	1.01	-0.04	-0.02	0
Masters	0.2	0	0	1.48	-0.08	-0.04	0
PhD	0.09	0	0	2.88	-0.07	-0.02	0
Minivan	0.26	0	1	1.08	-0.14	-0.08	0
Panel_Truck	0.08	0	0	3.03	0	0.03	0
Pickup	0.17	0	0	1.75	0.06	0.02	0
Sports_Car	0.11	0	0	2.47	0.06	0.02	0
Van	0.09	0	0	2.82	0	0.02	0
SUV	0.28	0	1	0.97	0.05	0.01	0
Blank_Job	0.06	0	0	3.55	0	0.02	0
Professional	0.14	0	0	2.11	-0.04	0	0
Blue_Collar	0.22	0	0	1.33	0.1	0.06	0
Clerical	0.16	0	0	1.9	0.03	0.01	0
Doctor	0.03	0	0	5.49	-0.06	-0.03	0
Lawyer	0.1	0	0	2.62	-0.06	-0.03	0
Manager	0.12	0	0	2.32	-0.11	-0.06	0
Home_Maker	0.08	0	0	3.13	0.01	-0.01	0
Student	0.09	0	0	2.92	0.08	0.02	0

The creation of additional or combined predictors did not yield any predictors that would improve models, however due to the skewness of some predictors, log transformations were conducted.

In the table below, we can see the effect of each of the log transformation on the correlations to the two target variables. For many variables, the transformations do not improve the correlation, but the log transformations of **INCOME** and **HOME_VAL** may fit our models better.

	r_{FLAG}	$\log r_{FLAG}$	r_{AMT}	$\log r_{AMT}$
TARGET_FLAG	1	1	0.53	0.53
TARGET_AMT	0.53	1	1	0.58
KIDSDRIV	0.1	0.11	0.06	0.06
AGE	-0.1	-0.12	-0.04	-0.05
HOMEKIDS	0.12	0.13	0.06	0.07
YOJ	-0.07	-0.08	-0.02	-0.02
INCOME	-0.14	-0.11	-0.06	-0.03
PARENT1	0.16	0.16	0.1	0.1
HOME_VAL	-0.18	-0.15	-0.08	-0.07
MSTATUS	-0.14	-0.14	-0.09	-0.09
SEX	-0.02	-0.02	0.01	0.01
TRAVTIME	0.05	0.06	0.03	0.03
CAR_USE	0.14	0.14	0.1	0.1
BLUEBOOK	-0.1	-0.11	0	0
TIF	-0.08	-0.08	-0.05	-0.05
RED_CAR	-0.01	-0.01	0.01	0.01
OLDCLAIM	0.14	0.24	0.07	0.13
CLM_FREQ	0.22	0.24	0.12	0.13
REVOKEDED	0.15	0.15	0.06	0.06
MVR_PTS	0.22	0.17	0.14	0.11
CAR_AGE	-0.1	-0.09	-0.06	-0.05
URBANICITY	0.22	0.22	0.12	0.12
HSDropout	0.05	0.05	0.03	0.03
HS	0.11	0.11	0.04	0.04
Bachelors	-0.04	-0.04	-0.02	-0.02
Masters	-0.08	-0.08	-0.04	-0.04
PhD	-0.07	-0.07	-0.02	-0.02
Minivan	-0.14	-0.14	-0.08	-0.08
Panel_Truck	0	0	0.03	0.03
Pickup	0.06	0.06	0.02	0.02
Sports_Car	0.06	0.06	0.02	0.02
Van	0	0	0.02	0.02
SUV	0.05	0.05	0.01	0.01
Blank_Job	0	0	0.02	0.02
Professional	-0.04	-0.04	0	0
Blue_Collar	0.1	0.1	0.06	0.06
Clerical	0.03	0.03	0.01	0.01
Doctor	-0.06	-0.06	-0.03	-0.03
Lawyer	-0.06	-0.06	-0.03	-0.03
Manager	-0.11	-0.11	-0.06	-0.06
Home_Maker	0.01	0.01	-0.01	-0.01
Student	0.08	0.08	0.02	0.02

3 Model Creation

3.1 Multiple Linear Regression

The second response variable, TARGET_AMT, will have a value of 0 for cases that were not flagged as having a car accident (TARGET_FLAG = 1), and the cost of the accident otherwise. Since we are not dealing with a two-level categorical response, we will use multiple linear regression models for this variable. The training data has been subset to only include cases that were flagged for a car crash.

3.1.1 Full Model

We will start with the full model, including all 38 predictor variables. Median values were imputed into the variables with NAs.

	Estimate	Std. Error	t value	Pr(> t)
KIDSDRV	-171.9	316.6	-0.5429	0.5873
AGE	18.35	21.24	0.8637	0.3879
HOMEKIDS	213.5	207.1	1.031	0.3028
YOJ	19.16	49.18	0.3896	0.6969
INCOME	-0.009014	0.006742	-1.337	0.1814
PARENT1	277.2	587.3	0.4721	0.6369
HOME_VAL	0.002198	0.00202	1.088	0.2767
MSTATUS	-803.6	493.5	-1.628	0.1036
SEX	1397	656.4	2.129	0.03338
TRAVTIME	0.7528	11.08	0.06794	0.9458
CAR_USE	438.4	521.6	0.8405	0.4008
BLUEBOOK	0.1245	0.03053	4.077	4.735e-05
TIF	-15.74	42.52	-0.3702	0.7112
RED_CAR	-193.3	496.5	-0.3894	0.697
OLDCLAIM	0.02502	0.02263	1.105	0.2691
CLM_FREQ	-115.4	158	-0.7305	0.4651
REVOKE	-1125	516.6	-2.177	0.02957
MVR_PTS	110.8	68.53	1.617	0.1061
CAR_AGE	-98.42	44.06	-2.233	0.02562
URBANICITY	97.78	756.2	0.1293	0.8971
HSDropout	-2396	1312	-1.827	0.06787
HS	-2792	1228	-2.273	0.02315
Bachelors	-2136	1141	-1.871	0.06142
Masters	-1202	954.1	-1.26	0.2077
Minivan	-902.5	666.8	-1.354	0.176
Panel_Truck	-1543	1173	-1.315	0.1885
Pickup	-958.9	679.5	-1.411	0.1583
Sports_Car	158.2	536.4	0.2949	0.7681
Van	-839.2	945.3	-0.8878	0.3748
Blank_Job	-114.7	1286	-0.0892	0.9289
Professional	946.2	865.8	1.093	0.2746
Blue_Collar	405.9	706.3	0.5747	0.5656
Clerical	193.7	730.3	0.2653	0.7908
Doctor	-2231	1948	-1.145	0.2521
Lawyer	212.5	1273	0.167	0.8674
Manager	-894.1	1064	-0.8405	0.4007
Home_Maker	-138.2	830.8	-0.1664	0.8679
(Intercept)	5680	1951	2.912	0.003633

(Dispersion parameter for gaussian family taken to be 59138671)

Null deviance: 1.290e+11 on 2152 degrees of freedom

Residual deviance:

1.251e+11 on 2115 degrees of freedom

Less than half (15) of the predictor coefficients are significant under a reasonable α , and 4 are between a 0.05 and 0.1 p-value. The coefficients vary in size, though all of them are quite small, 20 of the coefficients have negative values. Most of the slopes (negative or positive) appear to make sense in predicting the payout if the vehicle was in a crash, such as the value of the bluebook value of the car and vehicle type having a positive relationship with the response variable. 3 of the predictors coefficients were not defined, most likely due to the number of predictors, and some slight correlation with another variable. PhD for instance, has a higher correlation to the Doctor job variable.

3.1.2 Log-Transformed Full Model

As mentioned in the first section, the response variable is quite skewed. Our second multiple linear regression model uses a log transformation on the TARGET_AMT variable allows for a better fit of the full model.

	Estimate	Std. Error	t value	Pr(> t)
KIDSDRV	-0.03288	0.03329	-0.9875	0.3235
AGE	0.001866	0.002234	0.8353	0.4036
HOMEKIDS	0.0231	0.02178	1.061	0.289
YOJ	-0.001023	0.005172	-0.1979	0.8432
INCOME	-1.326e-06	7.09e-07	-1.87	0.06161
PARENT1	0.02438	0.06176	0.3947	0.6931
HOME_VAL	1.478e-07	2.125e-07	0.6956	0.4867
MSTATUS	-0.09766	0.0519	-1.882	0.06001
SEX	0.09313	0.06904	1.349	0.1775
TRAVTIME	-0.0002604	0.001165	-0.2234	0.8232
CAR_USE	0.01333	0.05486	0.2429	0.8081
BLUEBOOK	1.197e-05	3.211e-06	3.729	0.0001973
TIF	-0.00197	0.004471	-0.4406	0.6596
RED_CAR	0.02164	0.05221	0.4146	0.6785
OLDCLAIM	4.45e-06	2.38e-06	1.869	0.06169
CLM_FREQ	-0.03631	0.01662	-2.185	0.029
REVOKE	-0.0953	0.05433	-1.754	0.07957
MVR_PTS	0.01478	0.007207	2.05	0.04045
CAR_AGE	-0.002596	0.004634	-0.5603	0.5753
URBANICITY	0.05696	0.07953	0.7162	0.474
HSDropout	-0.2487	0.138	-1.803	0.07153
HS	-0.24	0.1292	-1.858	0.06334
Bachelors	-0.2772	0.12	-2.31	0.021
Masters	-0.09599	0.1003	-0.9566	0.3389
Minivan	-0.09253	0.07012	-1.32	0.1871
Panel_Truck	-0.09075	0.1234	-0.7357	0.462
Pickup	-0.06364	0.07146	-0.8906	0.3732
Sports_Car	-0.03615	0.05641	-0.6409	0.5217
Van	-0.1044	0.09941	-1.05	0.2937
Blank_Job	-0.01979	0.1352	-0.1464	0.8837
Professional	0.08607	0.09106	0.9452	0.3446
Blue_Collar	0.04131	0.07428	0.5561	0.5782
Clerical	0.03384	0.0768	0.4407	0.6595
Doctor	-0.05833	0.2048	-0.2848	0.7758
Lawyer	-0.03244	0.1338	-0.2424	0.8085
Manager	-0.001392	0.1119	-0.01244	0.9901
Home_Maker	-0.07093	0.08737	-0.8118	0.417
(Intercept)	8.291	0.2052	40.41	4.016e-265

(Dispersion parameter for gaussian family taken to be 0.6540844)

Null deviance:

1421 on 2152 degrees of freedom

Residual deviance:


1383 on 2115 degrees of freedom

Now, the number of our predictors that are significant (under a $.05 \alpha$) has increased, with 19 coefficients being highly significant. Our AIC has also decreased greatly from 44678 to 5235.6, indicating a better “goodness of fit”.

3.1.3 Bayesian Information Criteria


Our third linear regression model uses Bayesian Information Criteria (BIC) to determine the quantity of predictors, as well as specifically which ones to use in the model. For this model and going forward, we will continue to use the log transformation of the response variable as part of the model.

Reordering variables and trying again:



[1] 1

Best subset Selection using BIC



Examining the first plot, the model that results in the lowest “bic” includes the intercept and only one predictor.

Looking at the second plot, the best subset selection using BIC is the Bluebook value predictor. This is the only predictor chosen by the BIC method for all the different models. This makes sense since the biggest factor in determining the cost of a car accident is generally the value of the vehicle (disregarding personal injury or property damage). In the full model, Bluebook value had the most significant p-value, and a positive coefficient, given the higher the value of the vehicle, the higher the cost of the accident.

	Estimate	Std. Error	t value	Pr(> t)
BLUEBOOK	1.052e-05	2.099e-06	5.011	5.849e-07
(Intercept)	8.126	0.03462	234.7	0

(Dispersion parameter for gaussian family taken to be 0.6529404)

Null deviance:	1421 on 2152 degrees of freedom
Residual deviance:	1404 on 2151 degrees of freedom

Compared to our full models, the lone predictor model chosen by the BIC method results in a lower AIC value of 5196.2.

Since BLUEBOOK has a good amount of skew, we will apply a log transformation on the predictor to see if we can improve the fit of the model:

	Estimate	Std. Error	t value	Pr(> t)
log(BLUEBOOK)	0.1598	0.02626	6.085	1.377e-09
(Intercept)	6.778	0.2468	27.46	1.318e-142

(Dispersion parameter for gaussian family taken to be 0.6493857)

Null deviance:	1421 on 2152 degrees of freedom
Residual deviance:	1397 on 2151 degrees of freedom


The transformation of the bluebook value data makes for a better fit of our model, and the resulting AIC is 5184.4, the lowest value yet.

3.1.4 Mallow's C_p

Our next multivariate regression model is created utilizing Mallow's C_p , instead of BIC, to determine the number of predictors used for a best fit model.


Reordering variables and trying again:

Predictor Variables vs. Cp



[1] 6

Best subset Selection using Cp



Similar to the plots for BIC selection, the smaller C_p values correspond with the best-fit model. Using C_p , six predictors result in the lowest “Cp” value, which are MSTATUS, SEX, BLUEBOOK, CLM_FREQ, MVR PTS, and Bachelors. These predictors selected by using the C_p method correspond with most of the statistically significant predictors from our log transformed response full model, with only the SEX predictor over the 0.05 threshold.

	Estimate	Std. Error	t value	Pr(> t)
MSTATUS	-0.07939	0.03487	-2.277	0.02291
SEX	0.05837	0.03507	1.665	0.09614
BLUEBOOK	1.038e-05	2.105e-06	4.932	8.773e-07
CLM_FREQ	-0.0218	0.01458	-1.495	0.1351
MVR PTS	0.01711	0.007059	2.423	0.01547
Bachelors	-0.07107	0.0407	-1.746	0.08093

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	8.142	0.04731	172.1	0

(Dispersion parameter for gaussian family taken to be 0.6493582)

Null deviance:	1421 on 2152 degrees of freedom
Residual deviance:	1394 on 2146 degrees of freedom

As with the model created with BIC, the coefficient of the **BLUEBOOK** predictor is highly statistically significant. The other variables chosen by the C_p method vary in size and significance of their coefficients. **MSTATUS** and **MVR PTS** are below the 0.05 α , and the remaining predictors are slightly above it. The relationship of marital status and sex to the cost of the accident may have something to do with the type of vehicles single vs. married people, and men vs. women choose to drive.

This model provides the second-lowest AIC of 5189.3, up slightly from the lone-predictor model chosen by BIC method.

Using the same thought-process as our BIC selection method, the most significant predictor, **BLUEBOOK** is log transformed, resulting in another slight reduction in AIC to 5177.5.

	Estimate	Std. Error	t value	Pr(> t)
MSTATUS	-0.07834	0.03478	-2.253	0.02438
SEX	0.05497	0.03497	1.572	0.1162
log(BLUEBOOK)	0.1586	0.02633	6.024	2.002e-09
CLM_FREQ	-0.02224	0.01454	-1.529	0.1264
MVR PTS	0.01742	0.007041	2.474	0.01346
Bachelors	-0.07329	0.04059	-1.806	0.07111
(Intercept)	6.804	0.2488	27.35	1.63e-141

(Dispersion parameter for gaussian family taken to be 0.6457992)

Null deviance:	1421 on 2152 degrees of freedom
Residual deviance:	1386 on 2146 degrees of freedom

3.1.5 Model 5: Manual Selection

Lastly, we'll use some intuition to manually select predictors for our model based on what we know about driving habits, and what may logically affect the predicted costs of a car accident. Keeping with the theme of using the **BLUEBOOK** variable, we will use two of the other predictors that were significant in the full model, that may help in determining the cost of a car accident. **CLM_FREQ** and **MVR PTS** are both good indicators of a persons driving habits, and more careless or reckless drivers may get into accidents with higher costs than a safer or more responsible driver would. Both of these variables appeared in the C_p selected model, but we will only use these and not the **SEX** or **MSTATUS** predictors for a more parsimonious model.

	Estimate	Std. Error	t value	Pr(> t)
log(BLUEBOOK)	0.1612	0.02624	6.145	9.497e-10
CLM_FREQ	-0.02301	0.01456	-1.58	0.1143
MVR PTS	0.01743	0.007052	2.472	0.01353
(Intercept)	6.749	0.248	27.21	2.313e-140

(Dispersion parameter for gaussian family taken to be 0.6479137)

Null deviance:	1421 on 2152 degrees of freedom
Residual deviance:	1392 on 2149 degrees of freedom

The result is a model with a slightly higher AIC value of 5181.1, and two of the three predictors being below a 0.05 α . The

positive coefficients of `BLUEBOOK` and `MVR PTS` make sense, and the negative slope on claim frequency (less claims, less costly driving habits) makes sense as well.

3.2 Binary Logistic Regression

Because we are attempting to predict two response variables, instead of doing this with one model, two separate models will be created to predict each response variable. First, we will create models for the `TARGET_FLAG` variable, since this will tell us whether a case was involved in a car accident or not. Binary logistic regression is used, as the flag variable is a two-level categorical response (0 or 1).

3.2.1 Full Model

We'll start with a full model, using all predictors and no transformations.

	Estimate	Std. Error	z value	Pr(> z)
KIDSDRV	0.3862	0.06122	6.308	2.821e-10
AGE	-0.001015	0.00402	-0.2525	0.8007
HOMEKIDS	0.04965	0.03713	1.337	0.1811
YOJ	-0.01105	0.008582	-1.288	0.1977
INCOME	-3.423e-06	1.082e-06	-3.165	0.001551
PARENT1	0.382	0.1096	3.485	0.0004918
HOME_VAL	-1.306e-06	3.42e-07	-3.819	0.0001338
MSTATUS	-0.4938	0.08357	-5.909	3.45e-09
SEX	0.08251	0.112	0.7365	0.4614
TRAVTIME	0.01457	0.001883	7.736	1.028e-14
CAR_USE	0.7564	0.09172	8.247	1.626e-16
BLUEBOOK	-2.084e-05	5.263e-06	-3.959	7.52e-05
TIF	-0.05547	0.007344	-7.553	4.257e-14
RED_CAR	-0.009728	0.08636	-0.1126	0.9103
OLDCLAIM	-1.389e-05	3.91e-06	-3.554	0.00038
CLM_FREQ	0.1959	0.02855	6.864	6.687e-12
REVOKE	0.8874	0.09133	9.716	2.569e-22
MVR PTS	0.1133	0.01361	8.324	8.53e-17
CAR_AGE	-0.0007196	0.007549	-0.09533	0.9241
URBANICITY	2.39	0.1128	21.18	1.43e-99
HSDropout	0.1677	0.214	0.7836	0.4333
HS	0.1853	0.1962	0.9442	0.3451
Bachelors	-0.2136	0.1797	-1.189	0.2345
Masters	-0.1227	0.1527	-0.8032	0.4218
Minivan	-0.7682	0.1113	-6.904	5.055e-12
Panel_Truck	-0.2074	0.2002	-1.036	0.3002
Pickup	-0.2142	0.1166	-1.838	0.06613
Sports_Car	0.257	0.09815	2.618	0.00884
Van	-0.1496	0.1589	-0.9416	0.3464
Blank_Job	-0.2161	0.2145	-1.007	0.3137
Professional	-0.05417	0.154	-0.3518	0.725
Blue_Collar	0.09451	0.1289	0.7333	0.4634
Clerical	0.1946	0.1315	1.48	0.1388
Doctor	-0.6619	0.3018	-2.193	0.02829
Lawyer	-0.1112	0.209	-0.5321	0.5947
Manager	-0.7733	0.1697	-4.557	5.182e-06
Home_Maker	0.01626	0.1507	0.1079	0.9141
(Intercept)	-2.847	0.3325	-8.562	1.112e-17

(Dispersion parameter for binomial family taken to be 1)


Null deviance: 9418 on 8160 degrees of freedom

Residual deviance: 7298 on 8123 degrees of freedom

Error in vif.default(glmflagfull): there are aliased coefficients in the model

Error in if (tail(stdout, 1) == "") {: argument is of length zero

ROC Curve w/ AUC=0.813563568748397



Because we transformed some of the categorical predictors into two-level categorical variables, we have 38 predictors in model. The coefficients vary quite a bit, and we have 13 predictors that are not significant under any reasonable value of α . Many of the predictors with high statistical significance seem reasonable when considering the likelihood of an accident. Number of teen drivers, travel time, car use, claim frequency, driver record, and location all have positive slopes, and have significant p-values.

The full model has an area under the curve of 0.8136, and an accuracy of 0.7927

3.2.2 Reduced Model

For our next Binary logistic regression model, predictors classified as non-significant have been removed from the full model. The remaining coefficients of predictors are now all significant with regards to their p-values. As with the full model, the predictors relating to the use of the car, performance of the driver, and location have the greatest effect.


	Estimate	Std. Error	z value	Pr(> z)
KIDSDRV	0.4283	0.05478	7.82	5.297e-15
INCOME	-6.019e-06	8.966e-07	-6.714	1.898e-11
PARENT1	0.4929	0.09335	5.28	1.289e-07
HOME_VAL	-1.476e-06	3.312e-07	-4.456	8.339e-06
MSTATUS	-0.4198	0.07821	-5.367	7.993e-08
TRAVTIME	0.01426	0.001865	7.644	2.106e-14
CAR_USE	0.7541	0.06373	11.83	2.639e-32
BLUEBOOK	-2.584e-05	3.98e-06	-6.492	8.494e-11
TIF	-0.05476	0.007289	-7.513	5.764e-14

	Estimate	Std. Error	z value	Pr(> z)
OLDCLAIM	-1.368e-05	3.884e-06	-3.522	0.0004289
CLM_FREQ	0.1945	0.02831	6.871	6.385e-12
REVOKED	0.8825	0.09064	9.736	2.114e-22
MVR_PTS	0.1125	0.01348	8.347	6.977e-17
URBANICITY	2.317	0.1119	20.71	3.096e-95
Minivan	-0.6336	0.07513	-8.433	3.358e-17
Sports_Car	0.3073	0.09176	3.349	0.0008114
Doctor	-0.5315	0.221	-2.405	0.01618
Manager	-0.8527	0.1057	-8.07	7.017e-16
(Intercept)	-2.76	0.1553	-17.77	1.238e-70

(Dispersion parameter for binomial family taken to be 1)

Null deviance:	9418 on 8160 degrees of freedom
Residual deviance:	7361 on 8142 degrees of freedom

ROC Curve w/ AUC=0.809110688767336




The reduced model has an area under the curve of 0.80911, and an accuracy of 0.7930

3.2.3 Best Subsets


Our last binary logistic regression model will be created using the `regsubsets` function from the `leaps` R package, which performs model selection for us. Bayesian Information Criterion is used for determining the number of predictors, with 19 determined to be the number resulting in the lowest BIC value.

Reordering variables and trying again:

Predictor Variables vs. BIC



Best Subset Selection Using BIC




	Estimate	Std. Error	z value	Pr(> z)
KIDSDRV	0.4068	0.05429	7.493	6.742e-14
INCOME	-5.011e-06	9.629e-07	-5.204	1.946e-07
PARENT1	0.485	0.09237	5.251	1.515e-07
HOME_VAL	-1.296e-06	3.284e-07	-3.947	7.9e-05
MSTATUS	-0.4433	0.07784	-5.695	1.236e-08
TRAVTIME	0.0148	0.001852	7.995	1.296e-15
CAR_USE	0.8168	0.06601	12.37	3.598e-35
BLUEBOOK	-3.196e-05	4.611e-06	-6.93	4.198e-12
TIF	-0.05354	0.007238	-7.398	1.387e-13
OLDCLAIM	-1.41e-05	3.848e-06	-3.663	0.0002491
CLM_FREQ	0.2016	0.02814	7.164	7.848e-13
REVOKED	0.9073	0.0898	10.1	5.324e-24
MVR PTS	0.1218	0.01344	9.063	1.265e-19

	Estimate	Std. Error	z value	Pr(> z)
URBANICITY	2.277	0.11117	20.39	2.143e-92
HSDropout	0.5508	0.09131	6.032	1.617e-09
HS	0.5046	0.07275	6.936	4.029e-12
Panel_Truck	0.1874	0.1315	1.425	0.1541
Van	0.1751	0.1061	1.65	0.09894
PhD	0.01237	0.1201	0.103	0.918
(Intercept)	-3.253	0.1667	-19.51	8.554e-85

(Dispersion parameter for binomial family taken to be 1)

Null deviance:	9418 on 8160 degrees of freedom
Residual deviance:	7471 on 8141 degrees of freedom

ROC Curve w/ AUC=0.801504635714066



The best subset model has an area under the curve of 0.8015, and an accuracy of 0.7825

	0	1
0	5562	446
1	1329	824

4 Model Selection & Prediction

4.1 10-fold Cross Validation

The model using only the significant predictors as determined by AIC (Model 1) was selected as the best model for prediction of TARGET_AMOUNT in this data set. While the AIC value of this model was not the highest of the models tested, its mean cross-validation error indicates that it has the best predictive value for unseen data. Additionally, it is a parsimonious

model, and the simplicity lends itself to easier understanding of the model by other users.

4.1.0.0.1 Mean CV Error

MLR Model 1	60152520
MLR Model 2	62386094
MLR Model 3	62402465
MLR Model 4	62290747
MLR Model 5	62359927
Logistic Model 1	4.476
Logistic Model 2	4.518
Logistic Model 3	4.304

The linear model is applied to a test dataset containing response variables for 2141 cases. A table of the predicted team wins is presented below.


```
Error: object 'predicted_flag_bin' not found
```

4.1.0.0.2 Predicted Classifications for Test Data, Compared to Training Data


	0	1
1599	313	
6008	2153	

4.1.0.0.3 Predicted Amounts for Test Data, Compared to Training Data

Predicted Test Distribution



Training Distribution



Similar to the training dataset, the predictions for the test data set predictions are weighted toward zero. It is important to note that Model 1 did not achieve the highest AIC on the training data but, given its cross-validation performance, we believe that Model 1 will produce the greatest generalizability of the models explored here for prediction of TARGET_AMOUNT. Likewise, given the Cross Validation results, we believe that Logistic Model 3 would provide the best generalizability for the classification task.

A comparison of the full sets of predictions for the evaluation dataset is available in Appendix A.

Appendix A: Index-wise Results from Predictive Model

Index	Predicted Probability	Predicted Classification	Predicted Cost
3	0.2299	0	0
9	0.4785	0	0
10	0.1265	0	0
18	0.2745	0	0
21	0.3585	0	0
30	NA	NA	0
31	0.3362	0	0
37	0.4575	0	0
39	0.03772	0	0
47	0.08512	0	0
60	0.0454	0	0
62	0.711	1	5688
63	NA	NA	0
64	0.155	0	0
68	0.0564	0	0
75	NA	NA	0
76	0.6276	1	NA
83	0.2066	0	0
87	0.4715	0	0
92	0.3028	0	0
98	0.1526	0	0
106	0.2729	0	0
107	0.1046	0	0
113	0.305	0	0
120	0.2551	0	0
123	0.3679	0	0
125	0.4203	0	0
126	0.2604	0	0
128	0.1115	0	0
129	0.1037	0	0
131	0.1684	0	0
135	0.3891	0	0
141	0.1265	0	0
147	0.1981	0	0
148	0.1434	0	0
151	0.03228	0	0
156	0.2221	0	0
157	0.151	0	0
174	0.09574	0	0
186	0.5354	1	5456
193	0.2922	0	0
195	0.5302	1	5183
212	0.01951	0	0
213	0.4097	0	0
217	0.007808	0	0
223	0.1942	0	0
226	0.07365	0	0
228	0.3156	0	0
230	0.01214	0	0
241	0.5801	1	4134
243	0.1466	0	0
249	0.2083	0	0
281	0.7915	1	5901
288	0.1664	0	0
294	NA	NA	0
295	0.2786	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
300	0.3302	0	0
302	0.3491	0	0
303	0.1295	0	0
308	0.5452	1	4352
319	0.01326	0	0
320	0.07282	0	0
324	0.409	0	0
331	0.2785	0	0
343	0.08062	0	0
347	0.262	0	0
348	0.8178	1	4580
350	0.7081	1	6971
357	0.1501	0	0
358	0.03717	0	0
360	NA	NA	0
366	0.2893	0	0
367	0.7016	1	5169
368	0.3267	0	0
376	0.7039	1	4759
380	0.3274	0	0
388	0.3139	0	0
396	0.3736	0	0
398	0.1981	0	0
403	0.0443	0	0
410	0.5396	1	4331
412	0.3081	0	0
420	0.3034	0	0
434	0.04565	0	0
440	0.4826	0	0
450	0.6142	1	7381
453	0.3592	0	0
464	0.2498	0	0
465	0.1017	0	0
466	NA	NA	0
473	0.1063	0	0
476	0.06112	0	0
478	NA	NA	0
479	0.1486	0	0
493	0.04667	0	0
497	0.2285	0	0
503	0.01529	0	0
504	0.2125	0	0
505	0.3508	0	0
507	0.2584	0	0
513	0.3616	0	0
519	NA	NA	0
521	0.6172	1	5271
522	0.6996	1	5741
545	NA	NA	0
549	0.1079	0	0
551	0.1815	0	0
556	0.08834	0	0
557	0.3432	0	0
559	0.3096	0	0
560	0.6505	1	4399
566	0.04631	0	0
569	0.1906	0	0
573	0.2677	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
578	NA	NA	0
579	0.02793	0	0
582	0.01888	0	0
596	0.5925	1	5386
598	0.6976	1	2138
599	0.1961	0	0
602	0.2033	0	0
605	0.803	1	4865
617	0.5971	1	4256
619	NA	NA	0
630	0.227	0	0
634	0.6112	1	5120
643	0.3907	0	0
645	0.1676	0	0
647	0.3602	0	0
649	0.1246	0	0
656	0.0818	0	0
657	0.1073	0	0
658	0.1793	0	0
667	0.07184	0	0
692	0.1725	0	0
693	NA	NA	0
698	0.7779	1	6230
699	0.5132	1	8366
700	0.04881	0	0
704	0.101	0	0
707	0.1084	0	0
708	0.6346	1	5018
709	0.1803	0	0
713	0.1272	0	0
714	0.09191	0	0
716	0.604	1	4182
718	0.1274	0	0
722	NA	NA	0
729	0.4816	0	0
731	NA	NA	0
733	0.6503	1	4956
746	NA	NA	0
747	NA	NA	0
748	0.4175	0	0
753	0.1897	0	0
757	0.5713	1	5630
763	NA	NA	0
767	0.1267	0	0
774	0.6157	1	3558
776	0.6023	1	4794
788	0.1629	0	0
794	0.1684	0	0
799	0.2102	0	0
803	0.2676	0	0
806	0.6539	1	7385
807	0.1995	0	0
811	0.04843	0	0
816	NA	NA	0
818	0.3013	0	0
819	0.1061	0	0
831	0.1178	0	0
835	0.5386	1	7133

Index	Predicted Probability	Predicted Classification	Predicted Cost
837	NA	NA	0
841	0.826	1	6469
846	0.2846	0	0
856	0.3054	0	0
861	NA	NA	0
862	0.579	1	5662
863	0.5846	1	8139
865	0.6753	1	3994
871	0.6648	1	6278
879	0.1532	0	0
880	0.1102	0	0
881	0.2622	0	0
885	0.2301	0	0
887	0.2512	0	0
892	0.0811	0	0
898	0.1017	0	0
900	0.2329	0	0
904	0.3036	0	0
906	0.5095	1	3916
910	0.6261	1	4745
912	NA	NA	0
913	0.5013	1	3324
919	0.1174	0	0
924	0.4228	0	0
925	0.2741	0	0
930	0.1957	0	0
940	0.1756	0	0
941	0.1202	0	0
946	0.1635	0	0
949	0.2732	0	0
951	0.08371	0	0
962	0.08464	0	0
966	0.1027	0	0
967	0.01183	0	0
971	NA	NA	0
981	0.02554	0	0
982	0.09984	0	0
983	0.09437	0	0
984	0.03188	0	0
989	0.2716	0	0
990	0.5508	1	4327
992	0.4465	0	0
995	0.0447	0	0
996	0.2833	0	0
998	0.4501	0	0
1001	0.1027	0	0
1007	0.1646	0	0
1008	0.03318	0	0
1016	0.05257	0	0
1022	0.06743	0	0
1027	0.5686	1	5976
1032	0.2939	0	0
1033	0.2957	0	0
1041	0.3579	0	0
1065	0.7336	1	5883
1074	0.4697	0	0
1075	0.3958	0	0
1081	0.1002	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
1094	0.0482	0	0
1099	0.09574	0	0
1105	0.5321	1	8015
1123	0.05724	0	0
1135	0.005405	0	0
1142	0.3156	0	0
1155	0.1181	0	0
1169	0.0352	0	0
1176	0.04728	0	0
1178	0.542	1	6336
1180	0.04822	0	0
1184	NA	NA	0
1185	0.6942	1	6897
1193	0.2719	0	0
1196	0.1802	0	0
1199	0.3981	0	0
1203	0.2796	0	0
1205	0.3067	0	0
1207	0.03834	0	0
1208	0.649	1	4465
1212	NA	NA	0
1213	NA	NA	0
1222	0.08023	0	0
1223	0.275	0	0
1226	0.3298	0	0
1227	0.2948	0	0
1229	NA	NA	0
1230	0.2224	0	0
1231	0.4392	0	0
1241	0.1034	0	0
1243	0.04095	0	0
1244	0.2394	0	0
1246	0.1607	0	0
1248	NA	NA	0
1249	0.2583	0	0
1252	0.1276	0	0
1261	0.07548	0	0
1275	0.1549	0	0
1281	0.8907	1	6666
1285	0.3488	0	0
1288	0.481	0	0
1290	0.07012	0	0
1291	0.2093	0	0
1304	NA	NA	0
1305	0.1127	0	0
1323	0.2519	0	0
1342	NA	NA	0
1348	NA	NA	0
1353	0.2225	0	0
1363	0.1995	0	0
1371	0.2926	0	0
1372	0.2252	0	0
1378	0.2055	0	0
1381	0.3177	0	0
1382	0.2964	0	0
1393	0.5309	1	5471
1394	0.02909	0	0
1398	0.23	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
1404	0.5087	1	4551
1405	0.7363	1	4906
1419	0.2155	0	0
1421	0.1949	0	0
1426	0.07789	0	0
1431	0.4544	0	0
1435	0.03864	0	0
1437	0.3595	0	0
1438	0.1717	0	0
1442	0.4258	0	0
1464	0.2207	0	0
1471	0.3437	0	0
1473	0.2598	0	0
1476	0.03502	0	0
1478	0.3105	0	0
1479	0.4407	0	0
1487	0.4354	0	0
1492	0.3792	0	0
1496	0.1481	0	0
1497	0.4135	0	0
1515	0.01855	0	0
1519	0.2265	0	0
1522	NA	NA	0
1526	NA	NA	0
1537	0.07045	0	0
1538	0.9058	1	5564
1540	0.1602	0	0
1543	0.1661	0	0
1548	0.2209	0	0
1549	0.1649	0	0
1556	0.6133	1	5073
1564	0.02741	0	0
1570	0.2745	0	0
1577	0.5922	1	4901
1585	0.2981	0	0
1590	0.2484	0	0
1592	0.6388	1	4856
1594	0.3407	0	0
1596	NA	NA	0
1598	NA	NA	0
1603	NA	NA	0
1607	0.1504	0	0
1612	NA	NA	0
1627	NA	NA	0
1629	0.7772	1	5352
1630	0.1528	0	0
1640	0.55	1	4875
1641	0.3781	0	0
1646	NA	NA	0
1662	0.5494	1	4518
1668	NA	NA	0
1671	0.04603	0	0
1672	0.5323	1	4560
1673	0.6551	1	6878
1686	0.3641	0	0
1688	0.5925	1	4242
1696	0.02242	0	0
1701	0.0472	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
1707	0.1644	0	0
1708	0.04402	0	0
1713	0.0422	0	0
1715	0.1367	0	0
1717	0.03208	0	0
1721	0.3099	0	0
1724	NA	NA	0
1725	0.7121	1	6872
1730	0.06584	0	0
1731	0.6001	1	3634
1734	0.335	0	0
1740	0.1538	0	0
1748	0.05553	0	0
1749	0.05327	0	0
1750	0.5998	1	5039
1763	0.1571	0	0
1768	0.05795	0	0
1773	0.6105	1	4236
1777	0.2188	0	0
1778	0.45	0	0
1780	0.1093	0	0
1782	0.25	0	0
1784	NA	NA	0
1786	0.1525	0	0
1787	0.09853	0	0
1792	0.2588	0	0
1800	0.4474	0	0
1801	0.2816	0	0
1803	0.1342	0	0
1804	0.6527	1	4107
1807	0.01554	0	0
1818	NA	NA	0
1821	0.02862	0	0
1822	0.07757	0	0
1828	0.0629	0	0
1833	0.2536	0	0
1844	0.3419	0	0
1847	0.3262	0	0
1850	0.1427	0	0
1854	NA	NA	0
1858	NA	NA	0
1864	0.1521	0	0
1867	0.1119	0	0
1876	0.754	1	4662
1880	0.2334	0	0
1881	0.2289	0	0
1891	0.1488	0	0
1894	0.1718	0	0
1895	0.04439	0	0
1901	0.3171	0	0
1905	0.03748	0	0
1912	0.2607	0	0
1918	0.4066	0	0
1921	NA	NA	0
1923	0.2135	0	0
1924	NA	NA	0
1931	0.1317	0	0
1941	0.09363	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
1950	0.0666	0	0
1951	0.1551	0	0
1954	0.02677	0	0
1961	0.4458	0	0
1966	0.01902	0	0
1979	0.1004	0	0
1982	NA	NA	0
1987	0.743	1	4052
1997	0.4535	0	0
2004	0.04097	0	0
2011	0.6041	1	4646
2015	0.2506	0	0
2025	0.01711	0	0
2033	0.2488	0	0
2034	0.008388	0	0
2035	0.1198	0	0
2036	0.4453	0	0
2053	0.6898	1	7972
2059	0.7235	1	6821
2060	0.01933	0	0
2073	NA	NA	0
2084	0.4465	0	0
2089	0.07392	0	0
2092	0.1969	0	0
2109	0.4512	0	0
2129	0.2513	0	0
2134	0.3149	0	0
2135	0.02947	0	0
2148	0.02625	0	0
2149	NA	NA	0
2150	0.3305	0	0
2165	0.7297	1	6775
2166	0.04809	0	0
2168	0.07046	0	0
2170	0.2554	0	0
2171	0.1062	0	0
2172	0.03118	0	0
2176	0.2208	0	0
2182	0.0649	0	0
2189	0.1498	0	0
2191	0.08038	0	0
2197	0.02079	0	0
2202	0.09998	0	0
2203	0.1312	0	0
2204	0.5773	1	5885
2206	0.7187	1	5982
2218	0.05236	0	0
2219	0.2112	0	0
2221	0.4666	0	0
2226	0.1108	0	0
2228	NA	NA	0
2232	0.6331	1	6093
2236	0.3778	0	0
2241	0.8309	1	6194
2245	0.09843	0	0
2251	0.2301	0	0
2255	0.04828	0	0
2256	0.0193	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
2259	0.03198	0	0
2263	0.373	0	0
2264	0.07659	0	0
2267	0.1332	0	0
2273	0.7754	1	5930
2277	0.5577	1	2901
2287	0.2155	0	0
2289	NA	NA	0
2291	NA	NA	0
2296	0.8123	1	4021
2299	0.08981	0	0
2306	0.04288	0	0
2314	0.3172	0	0
2317	0.01167	0	0
2318	0.6482	1	6811
2321	0.8607	1	4785
2324	0.03378	0	0
2340	NA	NA	0
2343	NA	NA	0
2349	0.3177	0	0
2352	0.254	0	0
2353	0.3927	0	0
2365	0.7447	1	4408
2370	0.4583	0	0
2378	0.347	0	0
2390	0.3579	0	0
2399	0.2432	0	0
2402	0.7673	1	5465
2403	0.4675	0	0
2404	0.1342	0	0
2414	0.2642	0	0
2422	0.29	0	0
2424	0.1848	0	0
2430	0.5304	1	3467
2435	NA	NA	0
2439	0.05404	0	0
2442	NA	NA	0
2445	0.4158	0	0
2449	0.2499	0	0
2451	NA	NA	0
2461	0.7464	1	5100
2464	NA	NA	0
2465	0.5908	1	6942
2472	0.07099	0	0
2476	0.5588	1	5024
2482	0.1987	0	0
2487	0.1513	0	0
2498	0.1856	0	0
2501	0.09822	0	0
2504	0.2895	0	0
2511	NA	NA	0
2518	0.03951	0	0
2521	0.1298	0	0
2530	0.2025	0	0
2543	NA	NA	0
2545	0.3075	0	0
2561	0.3693	0	0
2566	0.4983	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
2572	0.2654	0	0
2577	0.1446	0	0
2578	0.2544	0	0
2580	0.3266	0	0
2581	0.293	0	0
2582	0.1306	0	0
2584	0.07339	0	0
2590	0.02218	0	0
2598	0.01151	0	0
2602	0.1521	0	0
2605	0.01511	0	0
2616	0.1632	0	0
2618	0.2534	0	0
2619	0.3259	0	0
2624	0.06301	0	0
2632	0.1684	0	0
2640	0.3495	0	0
2646	0.01876	0	0
2651	0.1386	0	0
2660	0.04379	0	0
2661	0.02685	0	0
2668	0.05735	0	0
2670	0.3152	0	0
2680	0.4633	0	0
2681	0.01341	0	0
2689	0.3767	0	0
2694	NA	NA	0
2695	0.8022	1	7500
2696	0.4301	0	0
2702	0.03872	0	0
2704	0.1181	0	0
2708	0.07601	0	0
2709	0.03237	0	0
2714	0.4149	0	0
2716	0.1974	0	0
2723	0.1139	0	0
2725	0.3293	0	0
2738	0.05028	0	0
2750	0.3981	0	0
2756	0.2886	0	0
2758	0.05219	0	0
2766	0.1756	0	0
2767	0.2812	0	0
2771	0.3281	0	0
2775	0.6042	1	3579
2776	0.1958	0	0
2779	0.915	1	6063
2780	0.3504	0	0
2781	0.2776	0	0
2782	0.5208	1	6675
2783	0.2029	0	0
2796	NA	NA	0
2798	0.4121	0	0
2800	0.09902	0	0
2803	0.1389	0	0
2806	0.005981	0	0
2813	0.09904	0	0
2818	0.08394	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
2821	NA	NA	0
2825	0.3064	0	0
2829	0.04146	0	0
2830	0.7053	1	5227
2833	0.06758	0	0
2839	0.8992	1	3878
2843	0.08926	0	0
2846	0.07887	0	0
2847	0.09807	0	0
2848	0.08112	0	0
2856	0.8363	1	6354
2863	0.3808	0	0
2867	0.3407	0	0
2869	0.192	0	0
2873	0.01128	0	0
2874	0.2989	0	0
2875	0.4679	0	0
2880	NA	NA	0
2886	NA	NA	0
2887	0.2846	0	0
2888	0.3363	0	0
2889	0.5934	1	2228
2890	0.453	0	0
2892	0.523	1	4239
2901	0.128	0	0
2902	0.2172	0	0
2905	0.3558	0	0
2917	0.2817	0	0
2922	0.5455	1	6764
2924	NA	NA	0
2930	0.1607	0	0
2931	0.09846	0	0
2946	0.1258	0	0
2955	0.4378	0	0
2962	0.02385	0	0
2964	0.01923	0	0
2965	0.3343	0	0
2967	0.03135	0	0
2970	0.153	0	0
2973	NA	NA	0
2974	NA	NA	0
2976	0.6076	1	7821
2977	0.3302	0	0
2978	0.1795	0	0
2986	0.1398	0	0
2988	NA	NA	0
2989	0.1312	0	0
2995	0.7242	1	6564
3005	0.583	1	NA
3011	0.1501	0	0
3013	0.1084	0	0
3019	0.5346	1	5501
3021	0.03381	0	0
3022	0.2668	0	0
3029	NA	NA	0
3037	0.1782	0	0
3042	0.1021	0	0
3043	0.1363	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
3049	NA	NA	0
3050	0.5438	1	6188
3053	0.2299	0	0
3058	0.1623	0	0
3062	0.2771	0	0
3063	0.2682	0	0
3065	0.04461	0	0
3080	0.09591	0	0
3088	0.1703	0	0
3093	0.3012	0	0
3096	0.4077	0	0
3101	0.3429	0	0
3103	0.5317	1	NA
3107	0.2676	0	0
3109	NA	NA	0
3111	0.1111	0	0
3113	0.7897	1	5122
3116	0.007077	0	0
3132	0.1189	0	0
3141	0.1614	0	0
3153	0.3272	0	0
3154	0.08468	0	0
3160	0.2657	0	0
3167	0.07249	0	0
3170	0.361	0	0
3173	0.4895	0	0
3174	0.295	0	0
3177	0.1705	0	0
3179	0.2767	0	0
3184	0.4412	0	0
3190	0.3591	0	0
3193	NA	NA	0
3199	0.2279	0	0
3201	NA	NA	0
3202	0.2493	0	0
3203	0.5847	1	2741
3206	0.7322	1	4518
3209	0.04534	0	0
3210	0.3781	0	0
3217	0.2151	0	0
3220	0.08447	0	0
3228	0.4469	0	0
3232	0.03913	0	0
3239	0.05667	0	0
3243	0.3465	0	0
3245	0.1423	0	0
3246	0.3833	0	0
3251	0.06941	0	0
3253	0.4492	0	0
3257	0.05335	0	0
3260	0.02819	0	0
3261	0.2538	0	0
3263	0.1851	0	0
3278	0.1407	0	0
3281	NA	NA	0
3283	0.07939	0	0
3290	0.01956	0	0
3297	0.2947	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
3304	0.05614	0	0
3305	0.454	0	0
3307	NA	NA	0
3308	0.2805	0	0
3313	0.275	0	0
3314	0.3831	0	0
3317	0.1743	0	0
3348	0.07017	0	0
3350	0.2277	0	0
3359	0.03217	0	0
3367	0.1104	0	0
3376	0.2008	0	0
3378	0.2995	0	0
3384	0.7648	1	5605
3386	0.1235	0	0
3387	0.1399	0	0
3388	0.06509	0	0
3390	0.03829	0	0
3391	NA	NA	0
3396	0.3428	0	0
3398	0.02641	0	0
3404	0.0666	0	0
3406	0.02672	0	0
3407	0.05707	0	0
3414	0.1083	0	0
3419	NA	NA	0
3423	0.5022	1	5395
3427	0.04676	0	0
3432	0.09246	0	0
3434	0.1134	0	0
3438	0.08295	0	0
3442	0.2844	0	0
3443	0.08278	0	0
3448	0.08944	0	0
3456	0.08536	0	0
3464	0.1998	0	0
3470	0.5138	1	4506
3475	0.4271	0	0
3477	0.3343	0	0
3490	0.1119	0	0
3493	0.3364	0	0
3502	NA	NA	0
3508	0.02703	0	0
3516	0.0553	0	0
3517	0.1864	0	0
3525	0.2695	0	0
3532	0.5775	1	5628
3535	0.235	0	0
3536	0.7043	1	4601
3540	0.07429	0	0
3547	0.2876	0	0
3550	0.3728	0	0
3557	NA	NA	0
3562	0.1409	0	0
3563	0.08331	0	0
3564	0.2427	0	0
3570	0.1189	0	0
3573	0.3985	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
3577	0.4778	0	0
3579	0.5739	1	NA
3581	NA	NA	0
3587	0.2651	0	0
3602	0.3084	0	0
3609	0.5581	1	4301
3612	0.2001	0	0
3621	0.3502	0	0
3642	0.1941	0	0
3647	0.7175	1	6484
3649	0.5499	1	7868
3654	0.5537	1	7807
3660	0.5641	1	3704
3665	0.6805	1	4920
3669	0.3239	0	0
3673	0.2078	0	0
3675	0.5674	1	8358
3678	0.04528	0	0
3680	0.3921	0	0
3686	0.544	1	6247
3693	0.2518	0	0
3710	NA	NA	0
3713	0.04243	0	0
3718	0.3031	0	0
3725	0.07896	0	0
3726	0.3307	0	0
3747	0.1105	0	0
3753	0.01795	0	0
3754	0.2575	0	0
3760	0.8297	1	6590
3763	0.1092	0	0
3765	0.3352	0	0
3769	0.1903	0	0
3771	0.6109	1	6040
3784	0.09762	0	0
3787	NA	NA	0
3794	0.2638	0	0
3796	0.08333	0	0
3798	0.0973	0	0
3809	0.2716	0	0
3812	0.2933	0	0
3819	0.2143	0	0
3828	0.1197	0	0
3831	0.2327	0	0
3833	0.1504	0	0
3837	0.6687	1	4308
3839	0.7909	1	5080
3843	0.385	0	0
3846	NA	NA	0
3854	0.04198	0	0
3861	0.08067	0	0
3864	0.4054	0	0
3868	0.0952	0	0
3869	0.1128	0	0
3870	0.2103	0	0
3883	0.2711	0	0
3886	0.04617	0	0
3889	0.2433	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
3894	0.4273	0	0
3907	0.05348	0	0
3910	NA	NA	0
3913	0.0223	0	0
3914	0.1486	0	0
3921	0.2951	0	0
3923	0.03789	0	0
3929	0.5008	1	7715
3931	0.5581	1	4869
3932	0.2386	0	0
3937	0.5107	1	3580
3943	0.3512	0	0
3956	NA	NA	0
3957	0.367	0	0
3961	0.5568	1	4863
3971	NA	NA	0
4004	NA	NA	0
4005	0.0465	0	0
4006	0.01144	0	0
4011	NA	NA	0
4013	0.1348	0	0
4014	0.1363	0	0
4016	0.6042	1	NA
4017	0.02113	0	0
4020	0.05775	0	0
4022	0.1217	0	0
4026	NA	NA	0
4032	NA	NA	0
4043	0.02347	0	0
4045	0.2303	0	0
4048	0.2161	0	0
4051	0.06768	0	0
4052	0.2628	0	0
4056	0.04187	0	0
4059	0.04067	0	0
4069	NA	NA	0
4074	0.3328	0	0
4076	0.2837	0	0
4077	0.677	1	7240
4079	0.7121	1	4994
4081	0.4838	0	0
4088	0.129	0	0
4105	0.2427	0	0
4125	0.215	0	0
4134	0.4783	0	0
4139	NA	NA	0
4146	0.04168	0	0
4149	0.1168	0	0
4151	0.7609	1	4075
4155	0.213	0	0
4157	0.1291	0	0
4168	0.5873	1	4938
4170	0.2448	0	0
4174	0.1172	0	0
4179	0.3014	0	0
4185	0.09431	0	0
4199	0.6694	1	6337
4205	0.08463	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
4208	0.02085	0	0
4211	NA	NA	0
4212	0.08175	0	0
4215	0.5791	1	6582
4217	NA	NA	0
4219	0.8092	1	4929
4226	0.4115	0	0
4227	0.1805	0	0
4229	0.02944	0	0
4231	0.152	0	0
4233	0.01316	0	0
4237	0.2933	0	0
4243	0.3511	0	0
4248	0.1884	0	0
4255	0.1316	0	0
4262	0.07495	0	0
4266	0.5524	1	4949
4268	0.3333	0	0
4270	0.6729	1	6968
4273	0.1076	0	0
4276	0.1374	0	0
4277	0.1508	0	0
4279	0.3578	0	0
4299	0.1964	0	0
4313	0.04026	0	0
4322	0.05013	0	0
4324	0.09521	0	0
4328	0.2688	0	0
4331	0.4019	0	0
4335	0.0425	0	0
4337	NA	NA	0
4338	0.3296	0	0
4343	0.06121	0	0
4347	0.1677	0	0
4355	0.6505	1	6334
4357	0.003136	0	0
4359	0.1355	0	0
4362	0.1122	0	0
4368	0.4968	0	0
4374	0.05977	0	0
4375	0.4623	0	0
4378	0.3529	0	0
4381	0.5958	1	6729
4387	0.1461	0	0
4400	0.04302	0	0
4423	0.1543	0	0
4424	0.03687	0	0
4428	NA	NA	0
4433	0.7588	1	6204
4436	0.4273	0	0
4437	0.2793	0	0
4439	0.3456	0	0
4449	0.1499	0	0
4456	0.05948	0	0
4463	0.09729	0	0
4467	0.133	0	0
4468	0.09895	0	0
4469	0.1063	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
4472	0.2894	0	0
4473	0.05121	0	0
4476	0.7027	1	4506
4500	0.04712	0	0
4509	0.3207	0	0
4513	0.8505	1	5283
4521	NA	NA	0
4527	0.4165	0	0
4530	NA	NA	0
4532	0.4015	0	0
4533	0.06814	0	0
4535	NA	NA	0
4536	0.535	1	6616
4542	0.3684	0	0
4551	0.7343	1	5551
4554	0.06092	0	0
4555	0.3652	0	0
4564	0.2369	0	0
4572	0.3326	0	0
4573	NA	NA	0
4577	0.1833	0	0
4579	0.3873	0	0
4583	0.1045	0	0
4584	0.489	0	0
4596	0.05091	0	0
4599	0.1362	0	0
4607	0.245	0	0
4609	0.4018	0	0
4610	0.1238	0	0
4616	0.2197	0	0
4617	0.1714	0	0
4633	0.194	0	0
4638	0.3908	0	0
4641	0.03366	0	0
4653	0.3794	0	0
4655	0.3039	0	0
4659	0.3424	0	0
4669	0.1037	0	0
4678	0.1135	0	0
4685	0.6611	1	6501
4686	0.1769	0	0
4691	0.3188	0	0
4695	0.2453	0	0
4698	NA	NA	0
4700	0.5515	1	4914
4711	NA	NA	0
4722	0.03401	0	0
4727	0.3632	0	0
4756	0.02201	0	0
4762	0.4654	0	0
4763	0.3511	0	0
4766	0.1098	0	0
4770	0.1507	0	0
4784	0.4037	0	0
4791	0.08122	0	0
4795	0.107	0	0
4799	0.5691	1	5766
4802	0.4023	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
4805	0.6919	1	4706
4814	0.5784	1	4955
4816	NA	NA	0
4817	0.05815	0	0
4822	0.4079	0	0
4827	0.5434	1	NA
4833	0.1334	0	0
4836	NA	NA	0
4842	0.1584	0	0
4844	0.1395	0	0
4845	0.4252	0	0
4849	0.1676	0	0
4850	0.2508	0	0
4860	0.03446	0	0
4863	0.1891	0	0
4871	NA	NA	0
4878	0.3322	0	0
4881	0.5706	1	7248
4888	0.4855	0	0
4900	0.1154	0	0
4906	0.3887	0	0
4909	0.02061	0	0
4916	0.1288	0	0
4918	NA	NA	0
4926	0.3068	0	0
4928	0.1759	0	0
4941	0.4627	0	0
4946	0.08544	0	0
4949	0.1553	0	0
4956	NA	NA	0
4966	0.1129	0	0
4969	0.3948	0	0
4973	0.1207	0	0
4978	0.3812	0	0
4982	0.239	0	0
4985	0.09169	0	0
4991	0.1651	0	0
4998	0.06206	0	0
5000	0.5743	1	7228
5004	0.5022	1	5989
5005	0.4427	0	0
5011	0.6394	1	5029
5016	0.3421	0	0
5018	0.06121	0	0
5034	NA	NA	0
5038	0.03832	0	0
5042	0.1285	0	0
5046	0.05871	0	0
5051	0.2672	0	0
5054	0.1897	0	0
5057	0.3328	0	0
5062	0.04124	0	0
5063	0.04521	0	0
5065	0.1158	0	0
5066	0.1539	0	0
5076	0.2081	0	0
5089	0.2369	0	0
5092	0.32	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
5093	0.5211	1	3305
5094	0.0277	0	0
5098	0.6807	1	3942
5102	0.08569	0	0
5112	0.3141	0	0
5117	0.4611	0	0
5127	0.5048	1	4746
5130	NA	NA	0
5131	0.4345	0	0
5132	0.5272	1	7285
5135	0.8486	1	4665
5136	0.0227	0	0
5147	0.3969	0	0
5157	0.1199	0	0
5160	0.2355	0	0
5165	0.02781	0	0
5166	0.4566	0	0
5172	0.7028	1	6122
5173	0.1936	0	0
5179	NA	NA	0
5184	0.4423	0	0
5187	NA	NA	0
5191	0.1173	0	0
5193	0.1382	0	0
5194	0.08933	0	0
5199	0.2292	0	0
5212	0.05072	0	0
5213	0.5752	1	3515
5224	0.2462	0	0
5226	NA	NA	0
5239	0.3504	0	0
5252	0.7401	1	6780
5264	0.1099	0	0
5266	0.01282	0	0
5271	0.01304	0	0
5273	0.02625	0	0
5276	0.6687	1	4465
5278	0.07404	0	0
5281	0.6665	1	6406
5283	0.692	1	7007
5291	0.08633	0	0
5294	0.2803	0	0
5296	0.3972	0	0
5297	0.83	1	5893
5313	0.02684	0	0
5314	0.4245	0	0
5321	0.1992	0	0
5325	0.02505	0	0
5326	0.2361	0	0
5328	0.02331	0	0
5334	0.1845	0	0
5338	0.4033	0	0
5344	NA	NA	0
5348	0.3038	0	0
5352	0.3064	0	0
5353	0.08067	0	0
5354	0.3226	0	0
5361	0.9063	1	4109

Index	Predicted Probability	Predicted Classification	Predicted Cost
5364	0.05128	0	0
5365	0.1097	0	0
5367	0.4252	0	0
5379	0.3142	0	0
5382	0.2946	0	0
5386	0.2572	0	0
5395	0.1244	0	0
5410	0.3705	0	0
5411	NA	NA	0
5416	0.2978	0	0
5424	0.6798	1	4093
5426	NA	NA	0
5428	0.09761	0	0
5430	0.3306	0	0
5433	0.1709	0	0
5437	0.003248	0	0
5440	0.2152	0	0
5442	0.8528	1	6362
5445	0.62	1	5431
5449	0.2348	0	0
5452	0.3593	0	0
5460	0.5758	1	2870
5461	0.05004	0	0
5465	0.3057	0	0
5467	0.1095	0	0
5471	0.2492	0	0
5474	0.6748	1	7979
5475	0.04686	0	0
5480	0.1003	0	0
5481	0.2834	0	0
5484	NA	NA	0
5494	0.0622	0	0
5495	0.823	1	4643
5497	0.05216	0	0
5499	0.5334	1	6052
5507	0.05373	0	0
5510	0.0991	0	0
5515	0.189	0	0
5516	0.0905	0	0
5517	0.2044	0	0
5524	0.0908	0	0
5530	0.1455	0	0
5534	0.2884	0	0
5543	0.4106	0	0
5545	0.634	1	5305
5558	0.06965	0	0
5562	0.1857	0	0
5573	0.7614	1	7682
5581	0.1152	0	0
5583	0.5387	1	7238
5587	0.5814	1	3679
5589	0.7622	1	5298
5591	0.07318	0	0
5596	NA	NA	0
5606	0.7603	1	5994
5608	0.3715	0	0
5611	0.06992	0	0
5612	0.2669	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
5614	0.3595	0	0
5620	0.06002	0	0
5623	0.1613	0	0
5624	0.2487	0	0
5626	0.3201	0	0
5633	0.1755	0	0
5635	0.06529	0	0
5640	0.5631	1	4184
5643	0.09018	0	0
5644	0.349	0	0
5653	0.3405	0	0
5663	0.02067	0	0
5664	0.5043	1	4688
5667	NA	NA	0
5671	0.5464	1	5815
5673	0.6395	1	7243
5676	0.05075	0	0
5678	0.1066	0	0
5698	NA	NA	0
5700	0.02849	0	0
5705	0.2386	0	0
5706	0.6907	1	NA
5711	NA	NA	0
5712	0.7802	1	3797
5716	0.4161	0	0
5719	0.2428	0	0
5725	0.8244	1	3034
5728	NA	NA	0
5734	0.05967	0	0
5735	0.05367	0	0
5743	NA	NA	0
5754	0.1954	0	0
5755	0.2969	0	0
5756	0.06026	0	0
5766	NA	NA	0
5770	0.4349	0	0
5774	0.2638	0	0
5775	0.02678	0	0
5776	0.07782	0	0
5778	0.02868	0	0
5786	0.4113	0	0
5787	0.4244	0	0
5791	0.2429	0	0
5794	0.2156	0	0
5803	0.1834	0	0
5804	0.399	0	0
5808	0.195	0	0
5810	0.03952	0	0
5813	NA	NA	0
5828	0.2418	0	0
5839	0.2139	0	0
5842	0.5042	1	NA
5843	0.05036	0	0
5844	0.2785	0	0
5847	0.6156	1	7708
5851	0.03762	0	0
5854	0.02815	0	0
5857	0.03152	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
5866	0.3817	0	0
5874	0.2821	0	0
5886	0.07496	0	0
5895	0.0954	0	0
5897	0.0227	0	0
5898	0.2233	0	0
5900	0.6555	1	5668
5902	0.3321	0	0
5908	NA	NA	0
5909	0.05071	0	0
5912	0.02563	0	0
5913	0.1404	0	0
5917	0.3553	0	0
5918	0.7211	1	6262
5921	0.06835	0	0
5931	0.2579	0	0
5942	0.418	0	0
5943	0.6797	1	6297
5950	0.05245	0	0
5954	0.008763	0	0
5983	0.03435	0	0
5995	0.6046	1	4709
6002	0.08344	0	0
6005	0.04378	0	0
6009	0.2565	0	0
6011	0.00605	0	0
6012	0.02339	0	0
6019	0.2088	0	0
6021	0.2598	0	0
6029	0.7134	1	7110
6036	0.4783	0	0
6037	0.01052	0	0
6038	0.03844	0	0
6043	0.06195	0	0
6045	0.1277	0	0
6047	0.7159	1	5251
6048	0.03403	0	0
6061	0.3363	0	0
6063	0.1591	0	0
6064	0.06898	0	0
6068	0.7316	1	NA
6069	0.04758	0	0
6070	0.4417	0	0
6071	0.122	0	0
6074	0.4913	0	0
6079	0.2214	0	0
6082	0.06613	0	0
6088	0.8593	1	NA
6094	NA	NA	0
6095	0.3055	0	0
6098	0.3826	0	0
6102	0.01543	0	0
6105	0.3615	0	0
6113	0.1297	0	0
6116	0.4341	0	0
6120	0.4339	0	0
6121	0.3066	0	0
6126	0.2844	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
6144	0.1433	0	0
6145	0.02232	0	0
6153	0.3558	0	0
6156	0.1249	0	0
6159	0.3659	0	0
6162	0.1421	0	0
6184	0.6431	1	5577
6188	0.2934	0	0
6189	0.3517	0	0
6191	NA	NA	0
6211	0.4383	0	0
6216	0.1854	0	0
6218	0.4688	0	0
6222	0.2554	0	0
6235	0.2998	0	0
6245	0.1251	0	0
6248	0.569	1	6031
6253	NA	NA	0
6256	0.008421	0	0
6257	0.5445	1	5078
6259	NA	NA	0
6266	0.07119	0	0
6268	0.2739	0	0
6275	NA	NA	0
6280	0.6166	1	6730
6283	NA	NA	0
6288	0.06338	0	0
6289	0.07853	0	0
6301	NA	NA	0
6308	0.2766	0	0
6314	0.02575	0	0
6315	0.09277	0	0
6316	0.5572	1	NA
6317	0.3293	0	0
6318	0.06813	0	0
6323	0.6834	1	4460
6329	0.719	1	2596
6336	0.2557	0	0
6341	NA	NA	0
6348	0.2184	0	0
6349	0.03797	0	0
6365	0.08989	0	0
6372	0.1285	0	0
6376	NA	NA	0
6378	0.07544	0	0
6379	0.8021	1	NA
6382	0.1271	0	0
6383	NA	NA	0
6389	0.6254	1	4495
6390	0.05171	0	0
6392	0.03886	0	0
6394	0.5036	1	NA
6402	0.1031	0	0
6404	0.3743	0	0
6405	0.01807	0	0
6406	NA	NA	0
6409	0.1268	0	0
6410	0.08248	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
6411	0.1048	0	0
6421	0.1339	0	0
6428	0.3066	0	0
6429	NA	NA	0
6432	0.1144	0	0
6436	0.05858	0	0
6437	0.2758	0	0
6438	0.1546	0	0
6445	0.1349	0	0
6447	0.4651	0	0
6450	0.03273	0	0
6462	0.2435	0	0
6467	0.6983	1	NA
6478	0.04774	0	0
6484	0.1633	0	0
6492	0.3629	0	0
6497	0.04436	0	0
6504	NA	NA	0
6505	0.1704	0	0
6513	0.4569	0	0
6525	0.2021	0	0
6526	0.388	0	0
6528	0.05318	0	0
6540	0.006759	0	0
6542	0.1762	0	0
6544	NA	NA	0
6548	0.1232	0	0
6552	0.2023	0	0
6558	0.01365	0	0
6567	0.09187	0	0
6569	0.5166	1	7590
6572	0.05963	0	0
6577	NA	NA	0
6581	0.3797	0	0
6588	0.6719	1	5447
6591	0.5671	1	3295
6594	0.3088	0	0
6600	0.4021	0	0
6602	0.2336	0	0
6604	0.07878	0	0
6605	0.0783	0	0
6614	0.1593	0	0
6616	0.3072	0	0
6621	0.3697	0	0
6640	0.3197	0	0
6641	NA	NA	0
6643	0.07701	0	0
6644	NA	NA	0
6649	0.6356	1	6730
6650	0.5847	1	5869
6655	0.6256	1	4819
6661	0.02306	0	0
6672	0.2541	0	0
6677	0.04127	0	0
6688	0.11	0	0
6689	NA	NA	0
6691	0.03065	0	0
6692	0.4038	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
6694	0.6636	1	5587
6702	0.6072	1	5175
6714	0.03663	0	0
6716	0.3606	0	0
6724	0.08383	0	0
6725	0.05098	0	0
6730	0.2237	0	0
6735	0.4917	0	0
6738	0.4072	0	0
6739	0.3799	0	0
6743	0.2274	0	0
6747	0.1142	0	0
6750	0.7208	1	5007
6751	0.4674	0	0
6753	NA	NA	0
6754	0.4136	0	0
6755	0.172	0	0
6762	0.1748	0	0
6764	0.07654	0	0
6772	0.6741	1	5234
6774	0.06776	0	0
6787	0.303	0	0
6789	NA	NA	0
6793	0.1155	0	0
6798	0.01331	0	0
6799	0.02995	0	0
6800	0.08099	0	0
6802	0.05184	0	0
6808	0.5028	1	2508
6809	0.09605	0	0
6812	0.02514	0	0
6814	0.7911	1	5969
6816	0.6203	1	4753
6822	0.1307	0	0
6829	0.4555	0	0
6834	0.8587	1	6721
6836	0.04837	0	0
6839	0.07215	0	0
6840	0.38	0	0
6843	0.06241	0	0
6846	0.5547	1	2710
6848	0.01952	0	0
6852	0.09116	0	0
6856	0.1607	0	0
6860	0.1267	0	0
6866	0.3845	0	0
6870	0.5924	1	3453
6878	0.4673	0	0
6880	0.2727	0	0
6885	0.02612	0	0
6897	0.07085	0	0
6902	0.7651	1	5849
6904	0.5127	1	6917
6907	0.05124	0	0
6909	NA	NA	0
6914	0.5012	1	5155
6915	0.4846	0	0
6922	0.2736	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
6924	0.1831	0	0
6933	0.06935	0	0
6934	0.09964	0	0
6941	0.2205	0	0
6957	0.3988	0	0
6960	0.07196	0	0
6969	NA	NA	0
6975	NA	NA	0
6980	0.7211	1	6172
6983	NA	NA	0
6987	0.07809	0	0
6994	0.03858	0	0
6997	0.01219	0	0
7002	0.1195	0	0
7010	NA	NA	0
7015	0.5559	1	3138
7019	0.3025	0	0
7022	0.2591	0	0
7025	0.02192	0	0
7029	0.07229	0	0
7031	0.17	0	0
7037	0.3542	0	0
7038	0.3134	0	0
7043	0.1388	0	0
7049	0.06991	0	0
7052	0.2715	0	0
7053	0.3136	0	0
7056	0.009383	0	0
7057	0.4901	0	0
7080	0.1886	0	0
7086	0.3285	0	0
7087	0.121	0	0
7105	0.4724	0	0
7108	NA	NA	0
7121	0.4042	0	0
7122	0.2193	0	0
7125	0.4101	0	0
7132	0.2744	0	0
7134	0.1407	0	0
7151	0.2507	0	0
7152	0.6994	1	4520
7157	0.1907	0	0
7159	0.2921	0	0
7166	0.6377	1	3679
7167	0.08439	0	0
7177	0.04687	0	0
7179	0.616	1	5512
7181	0.2821	0	0
7183	0.1596	0	0
7186	0.03455	0	0
7193	0.03031	0	0
7205	0.03251	0	0
7207	0.03658	0	0
7209	0.373	0	0
7216	0.2822	0	0
7232	0.7265	1	6303
7235	0.1085	0	0
7238	NA	NA	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
7240	0.6323	1	5039
7243	NA	NA	0
7252	0.195	0	0
7269	0.2055	0	0
7275	0.03975	0	0
7281	NA	NA	0
7283	0.05575	0	0
7287	0.2093	0	0
7289	0.2778	0	0
7291	0.3913	0	0
7294	0.04737	0	0
7304	0.437	0	0
7308	0.2702	0	0
7313	0.05841	0	0
7319	0.3014	0	0
7325	0.1703	0	0
7326	0.1533	0	0
7330	NA	NA	0
7332	NA	NA	0
7337	0.2657	0	0
7341	0.2131	0	0
7346	NA	NA	0
7353	0.5371	1	6035
7354	0.579	1	5631
7361	0.3918	0	0
7366	0.5091	1	7922
7368	0.03048	0	0
7372	0.05445	0	0
7375	0.3875	0	0
7377	0.3066	0	0
7380	0.1073	0	0
7382	0.2623	0	0
7385	0.6099	1	7450
7392	0.6307	1	5912
7395	0.1253	0	0
7397	0.2113	0	0
7403	NA	NA	0
7406	0.2555	0	0
7409	NA	NA	0
7410	0.3106	0	0
7412	0.07648	0	0
7419	0.3681	0	0
7425	0.08251	0	0
7435	NA	NA	0
7438	NA	NA	0
7440	0.245	0	0
7447	0.1587	0	0
7449	0.5959	1	5272
7456	NA	NA	0
7464	0.1957	0	0
7478	0.1425	0	0
7480	0.01682	0	0
7481	0.4132	0	0
7483	0.2004	0	0
7484	0.1978	0	0
7491	0.5541	1	8070
7494	0.3817	0	0
7501	0.3754	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
7503	0.8052	1	7866
7509	NA	NA	0
7517	NA	NA	0
7518	0.15	0	0
7519	0.3656	0	0
7521	0.4103	0	0
7522	0.4702	0	0
7536	0.06065	0	0
7539	0.04095	0	0
7547	NA	NA	0
7549	NA	NA	0
7552	0.577	1	4469
7554	0.3423	0	0
7556	0.03725	0	0
7564	0.1056	0	0
7566	0.2041	0	0
7570	0.2367	0	0
7571	0.0293	0	0
7572	0.2053	0	0
7575	0.09879	0	0
7586	0.1113	0	0
7589	0.06295	0	0
7590	0.04135	0	0
7597	0.2425	0	0
7602	0.05224	0	0
7604	0.4658	0	0
7605	0.3691	0	0
7612	0.7963	1	NA
7615	NA	NA	0
7617	NA	NA	0
7624	0.1142	0	0
7632	0.1996	0	0
7639	0.3158	0	0
7642	NA	NA	0
7643	0.09522	0	0
7649	0.3671	0	0
7650	0.3813	0	0
7653	0.3766	0	0
7654	0.3051	0	0
7657	0.4942	0	0
7662	0.2924	0	0
7669	0.8235	1	7237
7671	0.02389	0	0
7675	0.08791	0	0
7678	0.2313	0	0
7682	0.7825	1	6017
7688	0.3104	0	0
7689	0.2093	0	0
7690	0.1319	0	0
7692	NA	NA	0
7699	0.341	0	0
7705	0.557	1	4965
7712	0.1447	0	0
7726	0.5454	1	5345
7728	0.1508	0	0
7735	NA	NA	0
7737	0.6557	1	4446
7739	0.04481	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
7743	0.6116	1	5531
7744	0.1831	0	0
7746	0.2833	0	0
7749	0.3382	0	0
7750	0.2593	0	0
7752	0.04092	0	0
7755	0.1087	0	0
7756	0.8198	1	5561
7762	0.1215	0	0
7764	0.5826	1	4907
7769	0.1158	0	0
7770	0.3992	0	0
7776	0.2632	0	0
7778	0.4155	0	0
7784	0.4647	0	0
7786	0.2194	0	0
7789	0.1934	0	0
7793	0.1951	0	0
7794	0.08699	0	0
7804	0.231	0	0
7811	NA	NA	0
7813	0.1699	0	0
7815	0.3152	0	0
7817	0.02225	0	0
7818	0.2217	0	0
7821	0.2253	0	0
7825	0.02431	0	0
7830	0.467	0	0
7832	0.1691	0	0
7835	0.0165	0	0
7839	0.1231	0	0
7842	0.07586	0	0
7849	0.5016	1	7480
7856	0.3876	0	0
7857	0.004831	0	0
7863	0.09146	0	0
7866	0.17	0	0
7871	0.1494	0	0
7875	NA	NA	0
7882	0.8144	1	6435
7887	0.62	1	5153
7888	NA	NA	0
7891	0.8335	1	6991
7895	0.01574	0	0
7901	NA	NA	0
7906	0.2365	0	0
7908	0.8055	1	5837
7917	NA	NA	0
7924	0.6438	1	4583
7948	0.1741	0	0
7950	0.7433	1	6009
7955	NA	NA	0
7957	0.07371	0	0
7959	0.2317	0	0
7967	0.09708	0	0
7969	0.05027	0	0
7971	0.1729	0	0
7974	0.2578	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
7976	0.0894	0	0
7986	0.7631	1	4053
7987	NA	NA	0
7993	0.3705	0	0
7996	0.4322	0	0
7998	0.283	0	0
8018	0.05636	0	0
8019	0.3795	0	0
8027	0.01575	0	0
8036	0.1314	0	0
8040	0.06262	0	0
8044	0.08932	0	0
8050	0.04643	0	0
8052	0.5795	1	NA
8054	0.2211	0	0
8057	0.5018	1	3782
8058	0.1821	0	0
8059	0.631	1	4441
8066	0.7646	1	4996
8070	0.03201	0	0
8072	0.349	0	0
8078	0.03621	0	0
8079	0.05216	0	0
8080	0.2261	0	0
8081	0.1813	0	0
8088	0.1229	0	0
8091	NA	NA	0
8094	NA	NA	0
8095	0.6986	1	5449
8099	0.1037	0	0
8101	0.2943	0	0
8102	0.007156	0	0
8116	0.3713	0	0
8125	0.4551	0	0
8134	0.3021	0	0
8139	0.03433	0	0
8141	0.06425	0	0
8147	0.07794	0	0
8158	0.2018	0	0
8160	NA	NA	0
8165	0.3245	0	0
8187	0.3396	0	0
8205	0.4436	0	0
8209	0.2999	0	0
8211	0.3795	0	0
8232	NA	NA	0
8236	NA	NA	0
8237	0.2556	0	0
8238	0.7427	1	5809
8245	0.3455	0	0
8256	0.2717	0	0
8268	0.06638	0	0
8269	0.02077	0	0
8270	0.4714	0	0
8286	0.1151	0	0
8289	0.08858	0	0
8301	0.4462	0	0
8305	NA	NA	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
8310	0.348	0	0
8312	0.03615	0	0
8318	0.8631	1	5276
8321	0.141	0	0
8328	0.05982	0	0
8331	0.02815	0	0
8334	0.2613	0	0
8344	0.2755	0	0
8345	0.1146	0	0
8352	0.3849	0	0
8358	0.4372	0	0
8359	0.4035	0	0
8360	0.1522	0	0
8365	0.3022	0	0
8366	0.1697	0	0
8369	0.7122	1	3161
8373	0.03738	0	0
8378	0.09843	0	0
8392	0.123	0	0
8397	0.3753	0	0
8399	0.1758	0	0
8400	0.1578	0	0
8405	0.6483	1	7243
8406	0.05891	0	0
8410	0.2018	0	0
8413	0.09536	0	0
8414	0.399	0	0
8416	NA	NA	0
8426	0.0429	0	0
8434	0.2304	0	0
8439	0.1348	0	0
8440	0.1855	0	0
8475	0.01483	0	0
8480	NA	NA	0
8497	0.1836	0	0
8499	0.7658	1	6847
8500	0.3599	0	0
8501	0.1202	0	0
8502	NA	NA	0
8518	0.2708	0	0
8520	0.537	1	4351
8523	0.4462	0	0
8525	NA	NA	0
8532	0.1434	0	0
8535	0.4381	0	0
8543	0.1988	0	0
8554	0.2508	0	0
8560	0.08541	0	0
8561	0.2514	0	0
8563	0.03022	0	0
8566	0.8024	1	3257
8570	0.3469	0	0
8572	0.0684	0	0
8582	0.1855	0	0
8583	0.2025	0	0
8587	0.1492	0	0
8592	NA	NA	0
8593	0.3812	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
8607	0.01679	0	0
8609	0.2819	0	0
8610	0.03462	0	0
8614	0.2976	0	0
8616	0.4793	0	0
8622	NA	NA	0
8623	0.1635	0	0
8624	0.3441	0	0
8633	0.144	0	0
8641	NA	NA	0
8644	NA	NA	0
8649	0.6433	1	NA
8653	0.1616	0	0
8657	0.1148	0	0
8658	0.1252	0	0
8663	0.06849	0	0
8672	0.7013	1	4442
8680	0.5056	1	3072
8684	0.3838	0	0
8687	0.1123	0	0
8688	0.1277	0	0
8690	0.1254	0	0
8712	0.3817	0	0
8717	0.2302	0	0
8730	0.1237	0	0
8739	0.1633	0	0
8744	0.02648	0	0
8747	0.3095	0	0
8748	0.2913	0	0
8751	0.7506	1	NA
8758	0.3361	0	0
8761	0.4553	0	0
8763	0.0132	0	0
8764	0.1486	0	0
8765	0.1241	0	0
8773	0.09849	0	0
8780	0.203	0	0
8781	0.1377	0	0
8782	0.3932	0	0
8785	0.1272	0	0
8786	0.3653	0	0
8797	0.8042	1	NA
8799	0.07846	0	0
8807	0.7271	1	4909
8816	0.05086	0	0
8817	0.1155	0	0
8826	0.2336	0	0
8833	NA	NA	0
8834	0.08508	0	0
8835	0.1423	0	0
8840	0.1449	0	0
8843	0.09092	0	0
8849	NA	NA	0
8855	0.09769	0	0
8861	0.225	0	0
8862	0.2776	0	0
8865	0.2967	0	0
8868	NA	NA	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
8870	0.03048	0	0
8880	0.2432	0	0
8885	0.07277	0	0
8894	0.2391	0	0
8895	0.1662	0	0
8899	0.06422	0	0
8912	0.429	0	0
8922	0.01717	0	0
8924	0.1148	0	0
8928	0.2885	0	0
8932	0.3277	0	0
8943	0.1271	0	0
8945	0.2123	0	0
8946	0.04513	0	0
8954	0.3807	0	0
8958	0.4342	0	0
8960	NA	NA	0
8965	0.1718	0	0
8966	NA	NA	0
8967	0.05851	0	0
8969	0.3727	0	0
8980	0.1666	0	0
8984	0.04374	0	0
8985	0.8273	1	4801
8988	0.3072	0	0
8989	0.3352	0	0
8995	NA	NA	0
9004	NA	NA	0
9010	0.06323	0	0
9012	0.275	0	0
9018	0.5613	1	1839
9036	0.2747	0	0
9037	0.2999	0	0
9040	0.1127	0	0
9041	0.4715	0	0
9044	0.1972	0	0
9045	0.1054	0	0
9047	0.4465	0	0
9049	0.02392	0	0
9061	0.02962	0	0
9062	0.3022	0	0
9076	NA	NA	0
9079	0.3321	0	0
9081	0.1813	0	0
9082	0.1392	0	0
9089	0.5501	1	4715
9092	0.166	0	0
9094	0.324	0	0
9115	0.02599	0	0
9117	0.3096	0	0
9118	0.222	0	0
9120	0.06577	0	0
9124	0.015	0	0
9128	0.2802	0	0
9135	0.4415	0	0
9136	0.7532	1	4784
9138	0.206	0	0
9157	0.3342	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
9176	0.07935	0	0
9183	0.2604	0	0
9187	0.4435	0	0
9188	NA	NA	0
9190	0.08825	0	0
9197	0.03688	0	0
9200	NA	NA	0
9201	0.1916	0	0
9203	0.04329	0	0
9212	0.3732	0	0
9213	0.1261	0	0
9214	0.1053	0	0
9217	0.2421	0	0
9219	0.00804	0	0
9220	NA	NA	0
9221	0.2355	0	0
9237	0.01137	0	0
9240	0.2166	0	0
9241	NA	NA	0
9248	0.3196	0	0
9253	0.5256	1	5937
9259	0.653	1	6516
9267	0.123	0	0
9271	0.318	0	0
9273	0.222	0	0
9285	0.05782	0	0
9290	0.1697	0	0
9291	0.09845	0	0
9293	0.03804	0	0
9294	0.0713	0	0
9301	NA	NA	0
9302	0.04199	0	0
9312	0.01649	0	0
9316	0.2925	0	0
9319	NA	NA	0
9328	NA	NA	0
9331	0.637	1	2924
9338	0.03824	0	0
9350	0.2803	0	0
9356	0.14	0	0
9359	0.4976	0	0
9362	0.3584	0	0
9364	0.1696	0	0
9370	NA	NA	0
9380	0.1156	0	0
9386	0.08842	0	0
9394	0.3817	0	0
9407	NA	NA	0
9411	0.5364	1	8553
9422	NA	NA	0
9423	0.2331	0	0
9429	0.2693	0	0
9433	0.2903	0	0
9439	NA	NA	0
9451	0.2769	0	0
9452	0.4304	0	0
9453	0.02913	0	0
9460	NA	NA	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
9465	0.0508	0	0
9470	0.05306	0	0
9476	0.4148	0	0
9485	0.7606	1	4836
9486	0.04545	0	0
9488	0.3253	0	0
9507	0.009853	0	0
9508	0.4014	0	0
9517	0.4361	0	0
9521	NA	NA	0
9528	0.1095	0	0
9532	0.4352	0	0
9536	NA	NA	0
9540	0.05736	0	0
9542	0.2386	0	0
9546	0.29	0	0
9548	0.1185	0	0
9549	0.1253	0	0
9554	NA	NA	0
9555	0.4198	0	0
9558	0.04894	0	0
9573	NA	NA	0
9575	0.7255	1	6446
9584	0.6235	1	6243
9586	0.09117	0	0
9588	0.119	0	0
9591	0.345	0	0
9592	0.7721	1	6312
9597	0.3097	0	0
9600	NA	NA	0
9603	0.5389	1	5006
9605	0.3452	0	0
9614	NA	NA	0
9616	NA	NA	0
9622	0.5842	1	4993
9624	0.1553	0	0
9629	0.5418	1	8132
9633	0.04865	0	0
9640	0.1784	0	0
9644	0.3905	0	0
9645	0.4841	0	0
9646	0.1761	0	0
9648	0.944	1	4526
9649	0.05664	0	0
9660	0.1575	0	0
9664	0.5752	1	5517
9675	0.09032	0	0
9679	0.7769	1	3921
9680	0.5163	1	6229
9682	0.07569	0	0
9697	0.02094	0	0
9701	0.1502	0	0
9704	NA	NA	0
9705	0.09088	0	0
9707	0.3823	0	0
9714	0.05054	0	0
9718	0.1165	0	0
9722	0.164	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
9739	0.1776	0	0
9747	0.6033	1	5284
9751	0.103	0	0
9757	0.1169	0	0
9759	0.02218	0	0
9760	0.05431	0	0
9764	0.6818	1	3329
9776	0.3673	0	0
9778	0.1447	0	0
9786	0.06316	0	0
9803	0.4329	0	0
9804	0.07889	0	0
9815	0.1113	0	0
9824	0.0149	0	0
9825	0.2794	0	0
9826	0.32	0	0
9827	0.0168	0	0
9833	0.1225	0	0
9835	0.08799	0	0
9860	0.4045	0	0
9865	0.2768	0	0
9871	0.2203	0	0
9874	0.3189	0	0
9880	0.2624	0	0
9882	0.3029	0	0
9885	0.1066	0	0
9888	NA	NA	0
9892	0.02425	0	0
9893	0.2984	0	0
9896	0.3259	0	0
9902	0.1768	0	0
9906	0.06683	0	0
9910	0.4343	0	0
9914	0.2443	0	0
9918	0.4308	0	0
9920	0.2631	0	0
9926	0.3784	0	0
9931	0.09788	0	0
9935	0.3427	0	0
9945	0.854	1	4658
9953	0.2212	0	0
9957	0.01484	0	0
9963	0.13	0	0
9972	0.1778	0	0
9976	NA	NA	0
9979	0.5026	1	5954
9980	0.01824	0	0
9982	0.1512	0	0
9991	0.6451	1	5359
10000	0.1839	0	0
10003	0.167	0	0
10005	0.9337	1	4121
10014	0.01445	0	0
10032	0.5678	1	5538
10034	NA	NA	0
10041	0.01599	0	0
10042	0.03011	0	0
10044	0.0469	0	0

Index	Predicted Probability	Predicted Classification	Predicted Cost
10045	0.2849	0	0
10054	0.4123	0	0
10061	NA	NA	0
10062	0.4764	0	0
10073	0.2322	0	0
10081	0.02793	0	0
10084	0.3894	0	0
10086	0.1118	0	0
10093	0.3716	0	0
10101	0.6142	1	4890
10105	0.411	0	0
10110	0.3591	0	0
10113	0.6011	1	8367
10115	0.5234	1	3635
10119	0.5791	1	NA
10121	0.3985	0	0
10124	0.8426	1	NA
10126	0.2683	0	0
10127	NA	NA	0
10145	0.1125	0	0
10147	0.5059	1	4720
10148	NA	NA	0
10162	0.4572	0	0
10163	0.03793	0	0
10166	0.7866	1	5541
10172	0.1375	0	0
10173	0.4826	0	0
10175	0.02112	0	0
10180	0.05746	0	0
10186	NA	NA	0
10192	0.3808	0	0
10199	0.3682	0	0
10209	0.9409	1	5701
10210	0.1499	0	0
10214	0.05019	0	0
10215	0.3252	0	0
10216	0.706	1	5637
10232	0.3777	0	0
10239	0.3939	0	0
10249	0.02392	0	0
10253	NA	NA	0
10255	0.09654	0	0
10262	0.02873	0	0
10264	0.03736	0	0
10266	0.2502	0	0
10268	0.2075	0	0
10271	0.174	0	0
10272	0.1709	0	0
10276	0.2947	0	0
10277	0.05329	0	0
10279	0.2621	0	0
10281	0.0423	0	0
10285	0.004129	0	0
10294	0.2514	0	0
10300	0.1303	0	0

Appendix B: R Code