



eTwilio Compliance Embeddable Implementation Guide

Feb 28, 2025

[Overview](#)

[Server-Side Integration](#)

[Secondary Customer Profiles](#)

[New Secondary Customer Profile ComplianceInquiry](#)

[Resume Secondary Customer Profile ComplianceInquiry](#)

[Toll-free Verification](#)

[Regulatory Compliance \(RC\) Bundles](#)

[New RC Bundle ComplianceInquiry](#)

[Resume RC Bundle ComplianceInquiry](#)

[Branded Calling](#)

[New Branded Calling ComplianceInquiry](#)

[Client-Side Integration](#)

[Installation](#)

[Usage](#)

[React](#)

[An event handler that fires at certain points. It takes two arguments, an eventName string and a metadata object.](#)

[Other Frameworks](#)

[Security](#)

[Known Limitations](#)

[Known Issues](#)

[Changelog](#)

[Frequently Asked Questions](#)

Overview

This implementation guide outlines the steps to integrate Twilio's embedded UI (named "*Compliance Inquiry*") into your secure site for your customers.

We support the following products in the embedded product:

- [US Toll-free Verification \(Public Beta\)](#)
- Secondary Customer Profiles
- Regulatory Compliance Bundles
- Branded Calling

Two integrations need to be implemented to integrate the embedded UI for any supported product:



- **Server-side** integration to invoke the Twilio ComplianceInquiry APIs to initialize the *ComplianceInquiry* and get back a session token and inquiry ID;
- **Client-side** integration to iframe the ComplianceInquiry UI in your existing web application using the returned session token and inquiry ID. You will also need to implement sending the returned session token to your client-side integration in your site.

Twilio designed the integration to facilitate a quick and secure implementation requiring nominal development effort on your part. Customization of the styling of the UI including the font and the color scheme will be a Twilio supported service for this pilot - please reach out to us if you have a need.

ISV Responsibility

- Adjust any iframe restrictions on your site that will block rendering of the *ComplianceInquiry* UI;
- Secure implementation that protects sensitive data in accordance with industry standards and your corporate security policies

Server-Side Integration

The server-side integration is mostly similar across different compliance products. However, the details around which API endpoints to hit / what fields are required or returned are different. Please refer to the section that best suits your needs:

- [Secondary Customer Profiles \(used in US voice products\)](#)
- [Regulatory Compliance Bundles](#)
- [Branded Calling](#)

Secondary Customer Profiles

Please note that the Compliance Embeddable is NOT natively supported in Twilio SDKs. See [Known Limitations](#).

New Secondary Customer Profile ComplianceInquiry

In order to initialize a new ComplianceInquiry for a Customer Profile, make an HTTPS request to the following API:

POST <https://trusthub.twilio.com/v1/ComplianceInquiries/Customers/Initialize>

This call must be authenticated using Twilio's REST API credentials (<https://www.twilio.com/docs/iam/credentials/api>) where the account SID is either your primary Twilio account SID or a sub-account SID.

The body of the request supports the following **x-www-form-urlencoded** parameters:

Name		Description
PrimaryProfileSid	Required	The SID of the Primary Customer Profile that exists in your parent Twilio account (e.g. "BU00000000000000000000000000000000"). The Primary Customer Profile must



		be in an “approved” status, and your business identity should be of the “ISV / Reseller” type. See instructions here for creating a Primary Customer Profile
NotificationEmail	Optional	The email address that Customer Profile status update notifications will be sent to. If omitted, notifications will be sent to the email address defined in the Primary Business Profile.
ThemeSetId	Optional	Theme Id for the UI. Relevant for customers who’ve requested customized font / color

Sample Request

None

```
curl -X POST 'https://trusthub.twilio.com/v1/ComplianceInquiries/Customers/Initialize' \
--header 'Content-Type: application/x-www-form-urlencoded' \
--data-urlencode 'PrimaryProfileSid=BU00000000000000000000000000000000' \
--user MY_ACCOUNT_SID:MY_AUTH_TOKEN
```

Note: The account SID given in the credentials is the (sub)account that the Customer Profile will be linked to after completion of the ComplianceInquiry.

A successful request will return a JSON response body with the following attributes:

Name	Description
customer_id	A reference for your customer resource in Twilio. This reference should be saved for use in subsequent API calls. This string is formatted as <pre>tri1.us1.trusthub.<<Your ASID ACxxxxxxxxxxxxxxxxxxxx>>.customer.<<Secondary Profile Bundle SID BUxxxxxxxxxxxxxxxx>></pre> You can use the Bundle SID starting with BU to identify the Secondary Profile that’s been created. You can use this unique identifier to fetch the user inputs by calling our API
inquiry_id	A reference for your Compliance Inquiry in Twilio. This value will be used to initialize the client component.
inquiry_session_token	An ephemeral session token for your Compliance Inquiry in Twilio. This value will be used to initialize the client component. Expires in 1440 minutes from creation. Note: If your session token expires, a fresh session token can be generated using the Customer Resume/Resubmit endpoint below.

API Error Responses and their meaning:

Error	Status Code	Error Message
Missing PrimaryProfileSid	400	Missing required parameter PrimaryProfileSid in the post body
Malformed PrimaryProfileSid	400	<primary-profile-sid> is invalid



Account does not have a Primary Customer Profile	400	No primary customer profile present for this account
PrimaryProfileSid does not exist in your account	400	primaryProfileSid not found
Primary Customer Profile is for a Direct business, not an ISV Reseller	400	Secondary Customer Profile for direct_customer can only be created through the Twilio console.
Account is in trial mode	400	The trial account: <account-sid> cannot be used for this operation
An unexpected error has occurred	500	Sorry, something went wrong. Please try again later.

Resume Secondary Customer Profile ComplianceInquiry

You should leverage the capability to resume an existing ComplianceInquiry to serve the following use cases:

1. **Customer Profile in “DRAFT” status** - If the end customer has not submitted the Customer Profile in a single session before the ComplianceInquiry timed out, you should resume it instead of initializing a new one. The resumed ComplianceInquiry will retain the information that has been submitted for 30 days. After 30 days, the ComplianceInquiry will permanently expire and the end customer will lose previously-submitted data
2. **Customer Profile in “REJECTED” status** - If the end customer has received a rejection decision for the Customer Profile, you can resume the ComplianceInquiry. The customer will find rejection reasons and existing-submitted data in the ComplianceInquiry, and they will be able to make changes accordingly and resubmit the ComplianceInquiry

In order to resume an existing ComplianceInquiry, make an HTTPS request to the following API using the “CustomerId” that was generated when the ComplianceInquiry was originally initialized:

POST <https://trusthub.twilio.com/v1/ComplianceInquiries/Customers/<CustomerId>/Initialize>

This call must be authenticated using Twilio’s REST API credentials (<https://www.twilio.com/docs/iam/credentials/api>) where the account SID is either your primary Twilio account SID or a sub-account SID.

Note: The account SID given in the credentials must be the same account that the customer ID was initially created in.

The body of the request will require the following **x-www-form-urlencoded** parameters:

Name		Description
PrimaryProfileSid	Required	The SID of the Primary Business Profile that exists in your primary Twilio account (e.g. “BU00000000000000000000000000000000”)
ThemeSetId	Optional	Theme Id for the UI. Relevant for customers who’ve requested customized font / color



--	--	--

Sample Request

C/C++

```
curl -X POST
'https://trusthub.twilio.com/v1/ComplianceInquiries/Customers/MY_CUSTOMER_ID/Initialize' \
--header 'Content-Type: application/x-www-form-urlencoded' \
--data-urlencode 'PrimaryProfileSid=BU000000000000000000000000000000' \
--user MY_ACCOUNT_SID:MY_AUTH_TOKEN
```

A successful request will return a JSON response body with the following attributes:

Name	Description
customer_id	A reference for your customer resource in Twilio. This reference should be saved for use in subsequent API calls.
inquiry_id	A reference for your Compliance Inquiry in Twilio. This value will be used to initialize the client component.
inquiry_session_token	An ephemeral session token for your Compliance Inquiry in Twilio. This value will be used to initialize the client component. Expires in 1440 minutes from creation.

API Error Responses and their meaning:

Error	Status Code	Error Message
Malformed customerId	400	Invalid customerId.
Customer given by customerId does not exist	400	The requested resource /ComplianceInquiries/Customers/<CustomerId>/Initialize was not found
Customer is not a secondary customer	400	Supplied customerId is not a Secondary Customer Profile
Customer is not in a valid status (i.e. status is not DRAFT or REJECTED)	400	Bundle does not have a valid status.
An unexpected error has occurred	500	Sorry, something went wrong. Please try again later.



Toll-free Verification

The Compliance Embeddable for Toll-Free Verification has been launched in Public Beta. Please refer to [Twilio API Docs](#) for instructions. No approvals needed to start using the product.

Regulatory Compliance (RC) Bundles

Please note that the Compliance Embeddable is NOT natively supported in Twilio SDKs. See [Known Limitations](#).

New RC Bundle ComplianceInquiry

In order to initialize a new *ComplianceInquiry* for a (RC) Bundles, make an HTTPS request to the following API:

POST

<https://trusthub.twilio.com/v3/ComplianceRegistrations/InitializeInquiry?RegulationSid=RNXXXXXXXXXXXXXXXXXXXXXXXXXXXX>

Notes:

- This call must be authenticated using Twilio's REST API credentials (<https://www.twilio.com/docs/iam/credentials/api>) where the account SID is either your primary Twilio account SID or a sub-account SID.
- The account SID given in the credentials is the account that the (RC) Bundles will be linked to after completion of the ComplianceInquiry.
- **RegulationSid** for each country, end user, and phone number type combination. To find your **RegulationSid**, please refer to [this table](#). Later, we will add a new API endpoint to list and filter for Regulation Sids.
- For the vast majority of countries, the compliance embeddable does not have any reference to Twilio. However, Japan is an exception where we're required by local regulators to collect documents specifically calling out Twilio as the wholesale channel. There're no workarounds here unfortunately.
- **ISVs** must provide either **RegulationSid**, or [**ComplianceRegulationSubType**, **ComplianceRegulationEndUserType** and **ComplianceRegulationCountry**] in the initialize API call
 - If neither is provided, the API request will fail with 400 error messages "please specify the type of bundle you wish to create".
 - If both sets are provided, the regulation SID takes priority.

Query Parameters:

Name	Required / Optional	Description
RegulationSid	Optional	RegulationSid communicates what type of RC bundle you wish to set up, and there is a unique RegulationSid for each country, end user, and phone number type combination.
ComplianceRegulationSubType	Optional	The type of phone number of the Bundle's ownership request. Can be LOCAL_PHONE_NUMBER ,



		MOBILE_PHONE_NUMBER, NATIONAL_PHONE_NUMBER, or TOLLFREE_PHONE_NUMBER
ComplianceRegulationCountry	Optional	The ISO country code for the compliance regulation. To find your country code, please refer to this table
ComplianceRegulationEndUserType	Optional	The identity of the end user (Customer Type) who will be placing / receiving messages and calls. Can be BUSINESS or INDIVIDUAL

The body of the request will require the following attributes:

Name	Required / Optional	Description	Is question shown on UI to end customers
friendly_name	Required	The string that you assigned to describe the resource. This will be the friendly name of your bundle	No
status_notification_email	Required	The email id to which all notifications for the status of RC Bundle will be sent. This address will receive emails from Twilio with links to Twilio Console to fix the registration, so please use your (i.e., the ISV's) own support email here.	No
status_callback_url	Optional (Recommended)	The URL we call to inform you of bundle status changes.	No
is_test	Optional	Value true will mark the bundle as a test bundle. The test bundle will be auto-rejected without verification and cannot be used for phone number purchases. If this field is not provided, by default the bundle will NOT be created as a test bundle	No
theme_set_id	Optional	Theme ID for the UI. Relevant for customers who've requested customized font / color	No



Sample Request

```
None
curl -X POST
'https://trusthub.twilio.com/v3/ComplianceRegistrations/InitializeInquiry?regulation_sid=RNA0
b74679be7511921f4d2e3094fa6d23&ComplianceRegulationSubType=MOBILE_PHONE_NUMBER&ComplianceRegu
lationCountry=AU&ComplianceRegulationEndUserType=INDIVIDUAL' \
--header 'Content-Type: application/json' \
--data-raw '{
  "data": {
    "type": "ComplianceRegistration",
    "attributes": {
      "friendly_name": "Test bundle",
      "status_notification_email": "sammy@twilio.com",
      "status_callback_url": "http://www.twilio.com"
    }
  }
}' \
--user MY_ACCOUNT_SID:MY_AUTH_TOKEN
```

A successful request will return a JSON response body with the following attributes:

Name	Description
compliance_registration_id	A reference for your RC Bundle resource in Twilio. This is formatted as <code>tri1.us1.account.ACXXXXXXXXXXXXXXXXXXXXXXXXXXXXX.registration.BUXXXXXXXXXXXXX</code> The last part starting with BU is the Regulatory Compliance Bundle SID in this string
inquiry_id	A reference for your Compliance Inquiry in Twilio. This value will be used to initialize the client component.
inquiry_session_token	An ephemeral session token for your Compliance Inquiry in Twilio. This value will be used to initialize the client component. Expires in 1440 minutes from creation.

API Error Responses and their meaning:

Error	Error Code	Error Message
Missing parameter status_notification_email	400	Notification email is required for ISV requests
Missing parameter friendly_name	400	Friendly name is required for ISV requests
friendly_name should not exceed 64 characters	400	Length of the friendly name should be less than 64 characters



This is a generic error. A common reason for this error is when you've reached the session limit. Please note that for a single inquiry_id, there's a limit that you can generate max 25 inquiry_session_tokens.	500	Internal Server Error
--	-----	-----------------------

Resume RC Bundle ComplianceInquiry

You should leverage the capability to resume an existing ComplianceInquiry to serve the following use cases:

1. **RC Bundle in “DRAFT” status** - If the end customer has not submitted the RC Bundle in a single session before the ComplianceInquiry timed out, you should resume it instead of initializing a new one. The resumed ComplianceInquiry will retain the information that has been submitted for 30 days. After 30 days, the ComplianceInquiry will permanently expire and the end customer will lose previously-submitted data
2. **RC Bundle in “REJECTED” status** - If the end customer has received a rejection decision for the RC Bundle, you can resume the ComplianceInquiry so they can fix it via self-service. The customer will find rejection reasons and existing-submitted data in the ComplianceInquiry, and they will be able to make necessary changes of the bundles (such as providing a new address) and resubmit the bundle for review.

In order to resume an existing ComplianceInquiry, make an HTTPS request to the following API using the “registration_id” that was generated when the ComplianceInquiry was originally initialized:

POST <https://trusthub.twilio.com/v3/ComplianceRegistrations/<ComplianceRegistrationId>/InitializeInquiry>

This call must be authenticated using Twilio's REST API credentials (<https://www.twilio.com/docs/iam/credentials/api>). The account SID given in the credentials must be the same account that the registration ID was initially created with.

Sample Request

```
None
curl -X POST
'https://trusthub.twilio.com/v3/ComplianceRegistrations/<ComplianceRegistrationId>/InitializeInquiry' \
--header 'Content-Type: application/json' \
--user MY_ACCOUNT_SID:MY_AUTH_TOKEN
```

A successful request will return a JSON response body with the following attributes:

Name	Description
compliance_registration_id	A reference for your RC Bundle resource in Twilio. You can find the RC Bundle SID in this string



inquiry_id	A reference for your Compliance Inquiry in Twilio. This value will be used to initialize the client component.
inquiry_session_token	An ephemeral session token for your Compliance Inquiry in Twilio. This value will be used to initialize the client component. Expires in 1440 minutes from creation.

Note: The account SID given in the credentials must be the same account that the registration ID was initially created with.

API Error Responses and their meaning:

Error	Error Code	Error Message
Bundle is not in editable state (DRAFT, REJECTED)	400	Bundle does not have a valid status.
Invalid bundle sid is provided	400	BUXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXX is invalid
This is a generic error. A common reason for this error is when you've reached the session limit. Please note that for a single inquiry_id, there's a limit that you can generate max 25 inquiry_session_tokens.	500	Internal Server Error

Client-Side Integration

After initializing a ComplianceInquiry using the above server-side integration, you may render the embedded experience in your website using the TwilioComplianceEmbed React client. The client-side integration is the same process across all supported products such as customer profiles, toll-free verification, etc.

Installation

- Install the package in your React project using your preferred package manager
 - **NPM:** `npm install @twilio/twilio-compliance-embed`
 - **Yarn:** `yarn add @twilio/twilio-compliance-embed`

Usage

React

The ComplianceInquiry UI can be embedded into your site with the following code snippet:



JavaScript

```
import * as React from "react";
import { TwilioComplianceEmbed } from "@twilio/twilio-compliance-embed";

const ComplianceInquiry = () => {
  return (
    <TwilioComplianceEmbed
      inquiryId='<your inquiry id from server-side request>'
      inquirySessionToken='<your inquiry session token from server-side request>'
    />
  );
};
```

Note: launching the *ComplianceInquiry* UI may take a few seconds to load & render.

Example with widget padding.

Available Properties

Name	Type	Description				
inquiryId	(Required) String	A valid inquiryId returned by the server-side initialize call				
inquirySessionToken	(Required) String	A valid inquirySessionToken returned by the server-side initialize call				
onInquirySubmitted	() => void	An event handler that fires when the user has completed the ComplianceInquiry process. This event is fired when the user lands on the last screen.				
onCancel	() => void	An event handler that fires when the user has canceled the ComplianceInquiry process				
onError	() => void	An event handler that fires when an unexpected error occurs during the ComplianceInquiry process				
onReady	() => void	An event handler that fires when the ComplianceInquiry UI has finished loading				
onEvent	() => void	An event handler that fires at certain points. It takes two arguments, an eventName string and a metadata object.<table><tr><th>eventName</th><th>Description</th></tr><tr><td>page-change</td><td>page-change events receive a metadata object containing the following fields: - metadata.pageHeight: height in pixels of the content on the current page</td></tr></table>	eventName	Description	page-change	page-change events receive a metadata object containing the following fields: - metadata.pageHeight : height in pixels of the content on the current page
eventName	Description					
page-change	page-change events receive a metadata object containing the following fields: - metadata.pageHeight : height in pixels of the content on the current page					



widgetPadding	{ top?: number; bottom?: number; left?: number; right?: number; }	Allows customizing the internal padding inside the iframe. If this is not passed it will use the default values <code>{top: 74, left: 24, right: 24, bottom: 24}</code> Value should be an object with shape <code>{top?: number; bottom?: number; left?: number; right?: number;}</code>
---------------	--	--

Sample Usage

JavaScript

```
import * as React from "react";
import { Spinner } from "@twilio-paste/core/spinner";
import { TwilioComplianceEmbed } from "@twilio/twilio-compliance-embed";

function MyComplianceInquiry() {
  const [data, setData] = React.useState(null);
  const [isLoading, setLoading] = React.useState(true);

  React.useEffect(() => {
    fetch("/my/backend/server/api", {
      method: "get",
    })
      .then((res) => res.json())
      .then((data) => {
        setData(data);
        setLoading(false);
      });
  }, []);

  return !isLoading ? (
    <TwilioComplianceEmbed
      inquiryId={data.inquiry_id}
      sessionToken={data.inquiry_session_token}
      onReady={() => {
        console.log("Ready!");
      }}
      onInquirySubmitted={() => {
        console.log("Registration complete");
      }}
      widgetPadding={{top: 0, left: 100, right: 100, bottom: 0}}
      onEvent={(eventName, metadata) => {
        if (eventName === 'page-change') {
          console.log("Height in pixels", metadata?.metadata?.pageHeight);
        }
      }}
    />
  ) : (
    <Spinner decorative={false} title="Loading" />
  );
}

export default MyComplianceInquiry;
```



Other Frameworks

The Compliance UI can be embedded directly into your site with the following iframe code snippet. **This is an early, immature proof of concept. You can use to test but do not use in production.**

None

```
<iframe
src="https://compliance-embed-poc-2156-dev.twil.io/index.html?token={inquirySessionToken}&inq
uiryId={inquiryId}"></iframe>
```

Note: launching the *ComplianceInquiry* UI may take a few seconds to load & render.

Subscribing to Callbacks

The hosted embed will provide access to callback methods via the [postMessage window method](#). You can utilize the “message” event listener within the browser window object to optionally subscribe to the callback functions from the Twilio Compliance Embed. For example, to subscribe to the onReady event:

None

```
<script type="text/javascript">
  function initEmbedEvents() {
    // Listen for messages from iframes or other windows
    window.addEventListener("message", (event) => {
      // Check the type of the event data to handle custom events.
      // Change "onReady" to subscribe to other events
      if (event.data && event.data.type === "onReady") {
        console.log("Received custom event data:", event.data.data);
        // Add code here to do something onReady
      }
    });
  }

  // Initialize the function once the DOM is fully loaded
  document.addEventListener("DOMContentLoaded", initEmbedEvents);
</script>
```

Security

Exchange of all sensitive information such as credentials, permanent resource identifiers, and PII is designed to occur securely between your website, your server and the Twilio API.



- Your customer initiates the ComplianceInquiry UI in your site
- Your server will request the `inquiryId` & the ephemeral `inquirySessionToken` from the Twilio API using Twilio's REST API authentication mechanism (<https://www.twilio.com/docs/iam/credentials/api>)
- Your server will return the `inquiryId` & `inquirySessionToken` to your website to be passed into the TwilioComplianceEmbed client component
 - **Note:** we recommend enabling CSP (Content Security Policy) as added layer of security to protect these secrets in the browser
- The TwilioComplianceEmbed client component will launch and securely load the ComplianceInquiry experience automatically

Known Limitations

- The Compliance Embeddable is NOT natively supported in Twilio SDK. You may see code samples in the SDKs and you may find those working for you, but please know that is not intended or officially supported. The SDKs may contain outdated code samples and integration of the embeddable via the SDKs might result in unexpected errors

Known Issues

Below is a list of active issues / bugs that we're investigating. Once fixed, we will add them to the changelog below

Changelog

- **Mar 17, 2025** A new rejection handling experience for the RC bundle embeddable will be launched on **Apr 21, 2025**. See this [document](#) for more details.
- **Feb 26, 2025** Updated Regulatory Compliance bundle implementation to support query parameters `ComplianceRegulationSubType`, `ComplianceRegulationCountry`, and `ComplianceRegulationEndUserType`
- **Feb 19, 2025** Updated table of supported regulations for scalable RC bundle embeddable
- **Feb 11, 2025** Edited documentation on Compliance Embeddable for Regulatory Compliance bundles to stop requiring two fields as part of the initialize API call: `identity_type` and `is_subassigned`, as they are now set by default
- **Jan 29, 2025** Edited documentation on Compliance Embeddable for Regulatory Compliance bundles such that two new fields `identity_type` and `is_subassigned` are required as part of the initialize API call
- **Jan 17, 2025** Rolled out Regulatory Compliance Bundle's support for Wave 2 countries
- **Dec 3, 2024** Added documentation on Compliance Embeddable for Regulatory Compliance bundles
- **Oct 28, 2024** For UK and TFV, introduced the new "onInquirySubmitted" event, which is an event handler that fires when the user has completed the ComplianceInquiry process. This event is fired when the user lands on the last screen
- **Sep 18, 2024** For UK and TFV, added "Confirm Details" page in the embeddable UI for users to confirm their information before submitting the bundles



- **Aug 20, 2024** Updated inquiry expiry term from 30 minutes to 1440 minutes. Resume API call will now return the token of an unexpired inquiry if there is one
- **Jul 25, 2024** Updated FAQ
- **Jun 25, 2024** Updated FAQ
- **Jun 18, 2024** Updated client side library to support widgetPadding
- **Jun 6, 2024** Added support for Branded Calling
- **May 24, 2024** For UK and TFV, updated request parameters from camel-case to pascal-case. Ex. islsvEmbed to IslsvEmbed.
- **Apr 24, 2024** For UK and TFV, added support for Themes. ThemeSetId is now an optional parameter in the Initialize ComplianceInquiry APIs to support customers who wish to have customized UI themes
- **Apr 2, 2024** For UK resume API, added error API error responses and their meaning
- **Mar 21, 2024** For UK, added support for resume API
- **Mar 20, 2024** For UK, PhoneNumberType field, changed accepted parameter to toll-free for toll free numbers
- **Mar 19, 2024** For TFV, updated TFV's request arguments parameters into Pascal case
- **Mar 15, 2024** Added clarification that we're not supporting the Compliance Embeddable in the Twilio SDK and helper libraries
- **Mar 13, 2024** For UK, added support for pre-filling the BusinessRegistrationNumber field

Frequently Asked Questions

Will ISVs be notified of the outcome when a customer submits the required information through the Compliance Embeddable?

For Secondary Customer Profiles, we only support email notifications at this point. If you want to receive status callbacks, please speak with us.

For US Toll Free Verifications, notification via email can be configured in the server-side call. Separately, you can integrate with [Event Streams](#) to receive notifications via webhooks.

For Regulatory Compliance Bundles, ISVs will be able to include notification email as well as callback url in the server-side call to receive status updates about the bundles. The status callback response can be found [here](#). For both the new inquiry & resume inquiry endpoints, you will receive a status callback with status being *pending-review* when the user clicks the last button on the UI and submits the bundle. When Twilio finishes the review of the bundle, you will receive another callback with status being *twilio-rejected* or *twilio-approved*.

I already have some information about my customers. Does the embeddable support pre-filling information?



We support it for Toll Free Verification and Regulatory Compliance Bundles. We do not support it for Secondary Customer Profiles yet, but please let us know if you have a need for this.

Pre-filled questions are still going to show up on the questionnaire. The customer will be able to view and edit it.

What if the customer cannot finish submitting the form in a single session? Do they lose all the data?

For Secondary Customers Profiles and the upcoming Regulatory Compliance bundles, you may use the “Resume” feature to help the customer get back to their previous form. The form will keep previously submitted data for 30 days. Beyond that, the data is permanently expired.

For Toll Free Verifications, we do not support the “Resume” feature yet. The customer must submit all information in a single session.

How can I know if the customer starts a form but doesn't finish it? I want to be able to send notifications to these users and remind them to complete the form.

When a session is successfully initialized, you will receive a reference ID in the response (for example, this is called CustomerID in the [Secondary Customer Profile implementation](#)). This reference ID is formatted to contain the SID of the Twilio resource - in this case, the Secondary Customer Profile Bundle. You can parse this reference ID, and then use the SID to compare to the email / webhook notifications that you receive. If there's no notification on the bundle transitioning to the “IN_REVIEW” or “TWILIO_REJECTED” status, that means the user has not completed the form.

Will ISVs be able to access the data that the customer submits?

Yes. If you'd like to get detailed information of the bundle (e.g., what legal business name did this customer use), you can use the Twilio Console or integrate with our APIs. Here're some resources: [Regulatory Compliance bundle APIs](#), [Toll Free Verification APIs](#), and [Customer Profile APIs](#).

Are there any steps not included in the Compliance Embeddable but are needed to complete end customer onboarding?

Yes. The Compliance Embeddable UI focuses primarily on the customer journey around collecting KYC information from the end customer. It does not yet support an end-to-end process for ISV to onboard new end customers, which may include additional steps such as creating Twilio subaccounts, purchasing Twilio numbers, assigning Regulatory Compliance Bundles to specific Phone Numbers / adding a Phone Number to the Shaken/Stir product, or alerting the end customers that their submissions have been approved / rejected (Twilio



does provide notifications to the ISVs however). These steps need to be handled by the ISV outside of the embedded UI.

Does the Compliance Embeddable support language translation?

Not at this point. We have designed an option to allow users to set their language to answer the questions, but we have not officially rolled out this feature given the current products supported by the Pilot are all based in English speaking countries. We'd be interested to hear more from you on this topic if you have such needs.

The default UI style shown in the demo looks different from our own UI. Are we able to change it?

We support customizing UI styles - specifically, theme color and font. Our team can work with you to do the customization, but there's no self-service capability for you to manage this. Once we have a UI style set, you can pass a parameter called `ThemeSetId` in the server-side call to enable the customization.

For the font, here're the ones that we support:

Anton, Arial, Avant Garde, Bookman, Courier, Courier New, Domine, Dosis, Droid Sans, Garamond, Helvetica, IBM Plex Sans, Inter, Jost, Lato, Lora, Montserrat, Noto Sans JP, Noto Sans TC, Nunito, Nunito Sans, Open Sans, Oswald, Palatino, Playfair Display, Poppins, PT Sans, Public Sans, Roboto, Rubik, Source Sans Pro, Source Serif Pro, Space Grotesk, Times, Times New Roman, Ubuntu, Work Sans

Fonts not in this list are not supported. There are some capabilities for you to choose different fonts for different components (e.g., one for Title, one for Body, etc.). In addition, there are also a few components where the font is set by default and cannot be changed.

If you want to customize the font / theme color, please share your requests with your account team.

Will the embeddable allow the ISVs to customize the form?

No. The embeddable does not support customizing the form, such as changing copy languages, re-arranging questions, hiding questions or adding additional questions.

How can I make sure the user agrees to my own Privacy Policy?



Since we do not support form customization today, the easiest way is for you to build your own screen for disclaimers, and then only let the users into the embeddable UI when the end user has acknowledged those terms.

What happens when Twilio services are down? Will the UI render? Will the onboarding process pause or status communication get affected in any way?

If the onboarding service is down, it means the end customer will not be able to create new bundles or edit existing submissions via the Embeddable UI. The data in the Twilio backend will not be impacted. If part of the flow is down, the UI would render an unavailable screen.

Where is this data stored? Can you share more details on the privacy aspect?

All data is stored in the US. All data and workflows covered in this document would fall under the scope of the larger Twilio compliance practices. Please review the [privacy policies](#) which covers various topics ranging from how we handle PII to working with 3rd parties.

What domains do I need to add to the allow list for my firewall rules?

Please add <http://www.withpersona.com/> to the allow list.

For the Regulatory Compliance bundles, what are the steps if I want to do end-to-end testing?

For happy-path testing:

1. Set up a bundle using your company's own KYC information
2. Once approved, confirm you're getting the webhook events
3. Purchase the phone number for each combination you have (these have to be real numbers and you'll need to pay for them unfortunately). In this step, you will need to provide address SIDs as well as bundle SIDs to complete the purchase. See **"Once I have an RC Bundle, how do I use it for Phone Number purchases?"** in this doc for instructions on how to get the address SID.

For rejection-path testing:

1. Set up a bundle using garbage KYC data
 - a. You can use garbage data (e.g., use "Embeddable Test" as business name) to set up a bundle.



2. The bundle should get rejected by our ops team, and you'll get a webhook event with the status being `Twilio_rejected`
3. Call resume API to launch the embeddable and you can see what the resubmission experience looks like

Once I have an RC Bundle, how do I use it for Phone Number purchases?

To [purchase a phone number](#), you will need to use the RC Bundle SID, as well as address SIDs in some cases.

Here's how you can fetch the address if an address is required for the number purchase:

1. Retrieve All Bundle Items: [List All Bundle Items](#).

None

```
curl -X GET
"https://numbers.twilio.com/v2/RegulatoryCompliance/Bundles/{bundle_sid}/ItemAssignments" \
-u $TWILIO_ACCOUNT_SID:$TWILIO_AUTH_TOKEN
```

Replace {bundle_sid} with your actual bundle SID.

2. Fetch Supporting Document Instances: [Fetch a Supporting Document Instance](#).

For each bundle item, you will need to fetch the supporting document instance.

None

```
curl -X GET
"https://numbers.twilio.com/v2/RegulatoryCompliance/SupportingDocuments/{object_sid}" \
-u $TWILIO_ACCOUNT_SID:$TWILIO_AUTH_TOKEN
```

Replace {object_sid} with the SID of the supporting document you receive from items.

Check if the response has `address_sids` under `attributes`. eg:



None

```
{
  "status": "approved",
  "date_updated": "2024-06-13T13:17:00Z",
  "friendly_name": "demo - Address",
  "failure_reason": null,
  "url":
  "https://numbers.twilio.com/v2/RegulatoryCompliance/SupportingDocuments/RD920ea9eaafc3xxxxxxxx",
  "date_created": "2024-06-11T15:07:55Z",
  "sid": "RD920ea9eaafc3xxxxxxxx",
  "attributes": {
    "address_sids": [
      "ADd78ca887a2543900a7xxxxxx"
    ]
  },
  "account_sid": "ACa2d384b02a48bc8fxxxxxx",
  "type": "utility_bill",
  "mime_type": "application/pdf"
}
```

What are the possible rejection reasons for Regulatory Compliance bundles? How do they show up in the UI?

In the embeddable, customers will see rejection reasons included in a banner that's shown on all screens. If there're multiple rejection reasons, they'll see multiple banners.



Business registration number does not match with the local company register or the excerpt from the commercial register that you may have submitted. Please resubmit with the accurate Business Registration number

Business information

Legal business name

Acme Corp

Business registration authority

USA: Employer Identification Number (EIN)

Business registration number

123456789

For UK businesses, your registration number can be found on the [Companies House Register](#).
For US businesses, your registration number can be found on your CP 575 notice.

Business website URL

https://acme.com

Continue

Back

Here's a list of all rejection reasons that the customers may see for RC bundles. Please note that not all rejection reasons below may apply to your customer, as it is dependent on the type of bundle your customer is creating (business vs. individual, local number vs. toll-free). Please refer to our RC bundle policy documentation for reference - see this [UK](#) one as an example.

Identity Document Issue:

The Proof of Identity needs to show the front and back of the ID. Your uploaded proof of Identity does not have both sides. Please upload a copy of both sides and make sure to upload them in one document.

The individual's name on the Supporting Document does not match the information entered in the Bundle. Please resubmit with exact matching information on the supporting document.

The information about the nationality provided in the Bundle does not match the information on the upload Proof of Identity. Please ensure the document and the information you provided match.

Business Document Issue:

Business registration number does not match with the local company register or the excerpt from the commercial register that you may have submitted. Please resubmit with the accurate Business Registration number.

Business name provided does not match with the domestic company register or excerpt from the commercial register that you may have submitted. Please resubmit with the accurate business name

Address Document Issue:

The phone number type you selected requires a valid domestic address. Please resubmit with a valid address or create a new bundle selecting the appropriate phone number type.

This phone number type requires a valid domestic emergency address. Please resubmit with a valid domestic address or create a new bundle selecting the appropriate phone number type.



The address you have provided is not valid. Please resubmit the bundle with the correct address.
The address you have provided does not match exactly with the supporting document. Please amend the data entered in the Address fields to match exactly the address in the documents you have provided.
The Proof of Identity does not show a visible address. Please upload a Supporting Document that shows an address.
The address you shared is a PO Box address which is not acceptable. Please share a full physical address.

Authorized Representative:

The Authorized Representative is not shown on the Business Registration. Please upload a Supporting Document that shows the Authorized Representative of the business.
--

General Document Issue:

The document you have uploaded does not match our Regulatory Requirements criteria. Please remove it and upload a Supporting Document according to our Guidelines.
The document you have uploaded is not legible. Please re-submit a clear copy of the supporting document
The supporting document you submitted has either expired or is invalid. Please resubmit a valid supporting document
The supporting document you submitted had redactions or covered information. Re-upload the full Supporting Document without any redactions or covered portions.
There is missing information. Please fill out the required form fields.
Please amend information provided in the Regulatory Bundle, the data does not match the Supporting Document provided.