



GrECo Affinity Center

GrECo, matter of trust.



Web-service proposal

08.04.2025



The SOAP web service is available through SSL channel. The detailed data are in UTF-8 encoded XML string. All response contains a Status which can be "0" (there was an error) or "1" (successful call).

TEST SYSTEM

URL:
WSDL:

The TEST system has a same functionality as the LIVE system, however it can only be used to initiate test transactions to test the technical connection to the system. All documents generated by the TEST system contains a "DRAFT" sign diagonally. The TEST system has a totally separated database, so all user ID or transaction ID will be different.

LIVE SYSTEM

URL:
WSDL:

It can only be used to initiate transactions involving real data.

DATA SECURITY

All XMLData and XMLResult string must be Triple DES encrypted (ECB) with a unique secret key.

```
public static string TripleDES_Encrypt(string Key, string TextToEncrypt)
{
    byte[] MyEncryptedArray = UTF8Encoding.UTF8.GetBytes(TextToEncrypt);

    using (MD5CryptoServiceProvider MyMD5CryptoService = new MD5CryptoServiceProvider())
    {
        byte[] MySecurityKeyArray = UTF8Encoding.UTF8.GetBytes(Key);

        using (TripleDESCryptoServiceProvider MyTripleDESCryptoService =
            new TripleDESCryptoServiceProvider())
        {
            MyTripleDESCryptoService.Key = MySecurityKeyArray;
            MyTripleDESCryptoService.Mode = CipherMode.ECB;
            MyTripleDESCryptoService.Padding = PaddingMode.PKCS7;

            ICryptoTransform MyCryptoTransform = MyTripleDESCryptoService.CreateEncryptor();
            byte[] MyresultArray = MyCryptoTransform.TransformFinalBlock(MyEncryptedArray, 0,
                MyEncryptedArray.Length);

            return Convert.ToBase64String(MyresultArray, 0, MyresultArray.Length);
        }
    }
}

public static string TripleDES_Decrypt(string Key, string TextToDecrypt)
{
    byte[] MyDecryptArray = Convert.FromBase64String(TextToDecrypt);

    using (MD5CryptoServiceProvider MyMD5CryptoService = new MD5CryptoServiceProvider())
    {
        byte[] MySecurityKeyArray = UTF8Encoding.UTF8.GetBytes(Key);

        using (TripleDESCryptoServiceProvider MyTripleDESCryptoService =
            new TripleDESCryptoServiceProvider())
        {
            MyTripleDESCryptoService.Key = MySecurityKeyArray;
```

```
MyTripleDESCryptoService.Mode = CipherMode.ECB;
MyTripleDESCryptoService.Padding = PaddingMode.PKCS7;

ICryptoTransform MyCryptoTransform = MyTripleDESCryptoService.CreateDecryptor();
byte[] MyresultArray = MyCryptoTransform.TransformFinalBlock(MyDecryptArray, 0,
    MyDecryptArray.Length);

return UTF8Encoding.UTF8.GetString(MyresultArray);
    }
}
}
```

You can test your encrypting on the following site:

<https://www.devglan.com/online-tools/triple-des-encrypt-decrypt>

FUNCTIONS

1. SendRequest

Input params:

InputData.UserName	
InputData.Password	
InputData.RequestType	Type of the request
InputData.XMLData	Detailed data of the request

Return values:

OutputData.Status	Result code of the request
OutputData.Error	Error message(s) of the response
OutputData.RequestType	Type of the request
OutputData.XMLResult	Detailed data of the response

Error message(s) of the response:

- Authentication failed
- Invalid RequestType
- Invalid Secret key
- Invalid XML or Secret key
- Invalid XML
- Inner exception

Project special description - Iute

RequestType values:

SendRegistration	Use to send new insurance contract
GetStatus	Use to get the status of insurance contract
Storno	Use to send a cancellation an existing insurance contract
ChangeRegistration	Use to modify data of existing insurance contract
SendClaim	Use to send new claim file
GetClaimStatus	Use to get the status of the claim

SendRegistration

SendRegistration - InputData.XMLData

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <Partner>Iute Credit Macedonia DOOEL Skopje</Partner>
  <GACID>PPIMK0000001/25</GACID>
  <CertificateID>PPIMK0000001/25</CertificateID>
  <Insured>
    <!-- LoanAgreementNumber -->
    <PartnerReferenceID>#REFID</PartnerReferenceID>
    <!-- 1: Individual; 0: Company -->
    <PersonType>1</PersonType>
    <VATNumber></VATNumber>
    <Title>Dr.</Title>
    <LastName>Name1</LastName>
    <FirstName>Name2</FirstName>
    <!-- (ISO 3166-1 alpha-2 codes) -->
    <Country>HU</Country>
    <ZIP>1062</ZIP>
    <State>Pest</State>
    <City>BUDAPEST</City>
    <Street>Utca</Street>
    <BirthPlace>BUDAPEST</BirthPlace>
    <!-- DD-MM-YYY -->
    <BirthDateDMY>01-01-1950</BirthDateDMY>
    <!-- Optional (Optional (Male or Female) -->
    <Gender>Female</Gender>
    <Phone>+36703330819</Phone>
    <Email>E-mail</Email>
  </Insured>
  <Policy>
    <Cover>Sigurimi i Mbrojtjes se Kredise +</Cover>
    <ValidFrom>01-06-2025</ValidFrom>
    <ValidTo>01.06.2027</ValidTo>
    <ValidToSMO>01-06-2026</ValidToSMO>
    <CurrencyCode>MKD</CurrencyCode>
    <SumInsured>100000.00</SumInsured>
    <SumInsuredEUR>1625.18</SumInsuredEUR>
    <Premium>4800.00</Premium>
    <AdditionalPremium>333.29</AdditionalPremium>
    <GrossPremium>5133.29</GrossPremium>
  </Policy>
</root>
```

SendRegistration - OutputData.XMLResult

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <GACID>PPIMK0000001/25</GACID>
  <UniqOfferID>Offer#1</UniqOfferID>
  <!--empty if status 1 or 3 -->
  <PolicyNumber>POLICY#1</PolicyNumber>
  <!-- 1: Waiting for approval; 2: Issued; 3: Rejected -->
  <PolicyStatus>1</PolicyStatus>
  <!-- for example, reason for rejection -->
  <PolicyStatusComment></PolicyStatusComment>
</root>
```

or

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <Error>Error message!</Error>
</root>
```

GetStatus**GetStatus - InputData.XMLData**

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <GACID>PPIMK0000001/25</GACID>
  <UniqOfferID>Offer#1</UniqOfferID>
</root>
```

GetStatus - OutputData.XMLResult

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <GACID>PPIMK0000001/25</GACID>
  <UniqOfferID>Offer#1</UniqOfferID>
  <!--empty if status 1 or 3 -->
  <PolicyNumber>POLICY#1</PolicyNumber>
  <!-- 1: Waiting for approval; 2: Issued; 3: Rejected; 4: Storno; 5: Cancelled -->
  <PolicyStatus>1</PolicyStatus>
  <!-- for example, reason for rejection -->
  <PolicyStatusComment></PolicyStatusComment>
</root>
```

or

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <Error>Invalid GACID!</Error>
</root>
```

CancelPolicy**Storno - InputData.XMLData**

```
<?xml version="1.0" encoding="utf-8"?>
<root>
```

```
<GACID>PPIMK0000001/25</GACID>
<PolicyNumber>POLICY#1</PolicyNumber>
<!-- Storno: first 14 days; Cancellation: any time -->
<Type>Storno</Type>
<!--if Storno: empty, if Cancellation: requested risk end date -->
<RequestDate></RequestDate>
</root>
```

Storno - OutputData.XMLResult

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <GACID>CNTRCT#1</GACID>
  <PolicyNumber>POLICY#1</PolicyNumber>
  <!-- DD-MM-YYY -->
  <RiskEndDate>01-01-2026</RiskEndDate>
  <!-- 1: Waiting for approval; 2: Issued; 3: Rejected; 4: Storno; 5: Cancelled -->
  <PolicyStatus>1</PolicyStatus>
</root>
```

or

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <Error>Invalid GACID!</Error>
</root>
```

ModifyData

ChangeRegistration - InputData.XMLData

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <GACID>PPIMK0000001/25</GACID>
  <PolicyNumber>POLICY#1</PolicyNumber>
  <Insured>
    <!-- LoanAgreementNumber -->
    <PartnerReferenceID>#REFID</PartnerReferenceID>
    <!-- 1: Individual; 0: Company -->
    <PersonType>1</PersonType>
    <VATNumber></VATNumber>
    <Title>Dr.</Title>
    <LastName>Name1</LastName>
    <FirstName>Name2</FirstName>
    <!-- (ISO 3166-1 alpha-2 codes) -->
    <Country>HU</Country>
    <ZIP>1062</ZIP>
    <State>Pest</State>
    <City>BUDAPEST</City>
    <Street>Utca</Street>
    <BirthPlace>BUDAPEST</BirthPlace>
    <!-- DD-MM-YYY -->
    <BirthDateDMY>01-01-1950</BirthDateDMY>
    <!-- Optional (Optional (Male or Female) -->
    <Gender>Female</Gender>
    <Phone>+36703330819</Phone>
    <Email>E-mail</Email>
  </Insured>
</root>
```


**ChangeRegistration - OutputData.XMLResult**

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <GACID>PPIMK0000001/25</GACID>
  <PolicyNumber>POLICY#1</PolicyNumber>
</root>
```

or

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <Error>Error message!</Error>
</root>
```

SendClaim**SendClaim - InputData.XMLData**

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <GACClaimID>PPIMKC0000001/25</GACClaimID>
  <PolicyNumber>POLICY#1</PolicyNumber>
  <ReportClaim>
    <ClaimRegistrationCreated>2025-02-07T14:26:00+01:00</ClaimRegistrationCreated>
    <CurrencyCode>LEK</CurrencyCode>
    <ClaimDate>2025-02-01T00:00:00+01:00</ClaimDate>
    <!-- DEATH_ACC: Accidental Death; DEATH_NAT: Natural Death; DISABILITY: Accidental Permanent Disability; HOSPITALIZATION_ACC: Accident resulting in a Hospitalization; HOSPITALIZATION_ILL: Illness resulting in a Hospitalization; INCAPACITY_ACC: Accident resulting in a Temporary Incapacity; INCAPACITY_ILL: Illness resulting in a Temporary Incapacity -->
    <Type>DEATH_ACC</Type>
    <ClaimDescription>XXXXXX</ClaimDescription>
    <!-- (ISO 3166-1 alpha-2 codes) -->
    <ClaimPlace_CountryCode>AX</ClaimPlace_CountryCode>
    <ClaimPlace_Address>--</ClaimPlace_Address>
    <Beneficiary_Individual>INDIVIDUAL</Beneficiary_Individual>
    <Beneficiary_LastName>TEST</Beneficiary_LastName>
    <Beneficiary_FirstName>TEST</Beneficiary_FirstName>
    <!-- (ISO 3166-1 alpha-2 codes) -->
    <Beneficiary_CountryCode>AF</Beneficiary_CountryCode>
    <Beneficiary_Zip>--</Beneficiary_Zip>
    <Beneficiary_City>--</Beneficiary_City>
    <Beneficiary_Address>--</Beneficiary_Address>
    <Beneficiary_Street>--</Beneficiary_Street>
    <Beneficiary_PhoneNumber1>--</Beneficiary_PhoneNumber1>
    <Beneficiary_Email>dev.gas@greco.services</Beneficiary_Email>
    <Documents>
      <PDF>...JVBERi0xLjQ...</PDF>
      <PDF>...JVBERi0xLjQ...</PDF>
      <PDF>...JVBERi0xLjQ...</PDF>
      <PDF>...JVBERi0xLjQ...</PDF>
    </Documents>
  </ReportClaim>
</root>
```

SendClaim - OutputData.XMLResult

```
<?xml version="1.0" encoding="utf-8"?>
```



```
<root>
  <GACClaimID>PPIMKC0000001/25</GACClaimID>
  <PolicyNumber>POLICY#1</PolicyNumber>
  <UniqaClaimID>Claim#1</ UniqaClaimID>
</root>
```

or

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <Error>Error message!</Error>
</root>
```

GetClaimStatus

GetClaimStatus - InputData.XMLData

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <GACClaimID>PPIMKC0000001/25</GACClaimID>
  <PolicyNumber>POLICY#1</PolicyNumber>
  <UniqaClaimID>Claim#1</ UniqaClaimID>

</root>
```

GetClaimStatus - OutputData.XMLResult

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <GACClaimID>PPIMKC0000001/25</GACClaimID>
  <PolicyNumber>POLICY#1</PolicyNumber>
  <UniqaClaimID>Claim#1</ UniqaClaimID>
  <!-- 1: Pending; 2: Closed; 3: Rejected; 4: Paid -->
  <ClaimStatus>1</ClaimStatus>
  <!-- for example, reason for clajm rejection -->
  <ClaimStatusComment></ClaimStatusComment>
</root>
```

or

```
<?xml version="1.0" encoding="utf-8"?>
<root>
  <Error>Invalid GACID!</Error>
</root>
```