

1. Visual Foundation

1.1 Color Palette

The system uses a restrained, layered palette so that the UI feels premium and readable while still supporting clear action states.

Role	Token / Color	Usage
Base Surface	surface — #F7F9FF	Main application foundation and low-noise background for the workspace.
Sectioning Layer	surface_container_low — #F1F4FA	Sidebar regions, background panels, and separated interface zones.
Active Content	surface_container_lowest — #FFFFFF	Cards, form panels, data containers, and primary reading surfaces.
Primary Action	primary — #005BBF	Main action buttons, active navigation states, and focused key interactions.
Gradient Highlight	primary_container — #1A73E8	Secondary tone for premium CTA gradients and highlighted emphasis.
Text Primary	on_surface — #181C20	Titles, dense table content, and important data points.
Outline Fallback	outline_variant — #C1C6D6 at 20% opacity	Ghost borders for dense tables or controls when tonal separation alone is not enough.
Modal Layer	surface at 80% opacity + blur(20px)	Glassmorphism treatment for popups and secondary screens.

1.2 Typography System

Font Family: Inter is used consistently across the application. If a design tool or runtime does not support Inter, a metrically similar sans-serif fallback may be used without changing the visual hierarchy.



Page Title: 22–24px, bold, on_surface; always acts as the main visual anchor of the screen.

Subtitle: 14–16px, regular, on_surface_variant; used for descriptions and support copy.

Section Label: 12–13px, semibold, uppercase, with 0.05em letter spacing for metadata or form-group headers.

Data Points: Primary values use larger body sizing; secondary metadata uses a smaller, quieter style to reduce clutter.

1.3 Spatial System & Geometry

Minimum Resolution: 1366 × 768 pixels, with layouts scaling cleanly to larger desktop screens and adapting responsibly to tablet/mobile breakpoints where needed.

Desktop Canvas: 1440px width, based on a 12-column grid with 24px gutters and 80px side margins.

Spacing Scale: 8px base system (8, 16, 24, 32, 48, 64). Whitespace is treated as a structural element rather than a leftover area.


Corner Radius: Buttons and inputs use 8px radius; cards and modals use 12px radius; badges use fully rounded pill shapes.

No-Line Rule: Do not use 1px solid borders to separate major screen regions. Prefer tonal shifts between background layers; use ghost borders only as a fallback.


2. Component Specifications

2.1 Buttons

Primary: Filled with a subtle gradient from #005BBF to #1A73E8, white text, 8px radius, and strong contrast for the main call to action.



Secondary: surface_container_lowest background with a low-contrast ghost border (outline token at about 10% opacity).



Placement Rule: Standard action groups are positioned consistently at the bottom-right of forms/dialogs. Back or secondary actions appear to the left of the primary action or bottom-left where the flow requires it.

Interaction States: Hover slightly increases visual emphasis; Active state can compress to about 98%; Disabled state uses muted contrast and must clearly appear non-interactive.

2.2 Inputs, Form Cards & Modals

Inputs: White or low-toned surfaces, generous internal padding, 8px radius, and clear labels placed above or immediately adjacent to the field.

Validation: The system checks for empty input first, then validates the format or logic. Error messages appear directly below the relevant field in a concise and readable style.

Form Cards: Use surface_container_lowest on top of surface_container_low backgrounds, with 24px internal padding and 12px radius to create calm separation.

Modals / Secondary Screens: Centered popups use the surface color at 80% opacity with blur(20px). The parent screen becomes non-interactive until the popup is closed.

Close Action: A clear "X" button must appear at the top-right corner of every modal or dependent child screen.

2.3 Tables, Navigation & Status Chips

Tables: Headers use a tinted surface background; vertical divider lines are avoided. Default cell padding is 16px vertically and 24px horizontally to keep data breathable.

Dense Data Fallback: If a dense table requires stronger separation, apply a ghost border using `outline_variant` at around 20% opacity rather than full opaque borders.


Row Hover: Hover states shift subtly toward the lightest content layer to confirm interactivity without flashing strong colors.

Sidebar / Navigation Active State: Active items use a pill treatment with the primary fixed tone and strong contrast text.

Status Chips: Use full pill shapes with semantic status indication; success is represented by a dot indicator plus text, rather than relying only on color.

3. Layout & Structure

3.1 Admin & PM Workspace



Left Sidebar: Pinned to the left and used for the main module navigation (Dashboard, Media Store, Orders, Users, Settings, etc.).

Top Utility Header: Contains global search, notifications, and account actions; utility items are aligned to the top-right for fast access and consistency.

Screen Title: Placed at the top center of the main content area, directly under the utility header, so all management screens keep the same reading entry point.


Main Content Area: A spacious, white-centered workspace composed of cards, lists, forms, and tables placed on low-toned background layers.

3.2 Customer Storefront

Top Navigation: Runs horizontally across the top and contains the logo, search bar, categories, cart, and profile shortcuts.

Main Content: Used for product discovery, promotional banners, product grids, detail information, and checkout-related screens.

Consistent Access: Quick-access utilities such as profile or cart stay on the top-right section of the navigation bar for familiarity across customer screens.



3.3 Standard Positioning Rules

Standard Buttons: Primary action buttons should appear in a consistent location, usually bottom-right of forms or dialogs; grouped secondary actions remain nearby to avoid search cost.

Screen Title Position: All main screens use a title placed at the top center of the active content region.

Menu / Utility Position: User utilities and short-access actions are kept in the top-right area, while primary module navigation follows the role-based shell (left sidebar for admin, top nav for customer).

4. Interaction & Flow Standards

4.1 Application Flow & Navigation

Boot Sequence: Opening Screen → Homepage.

Back Navigation: Every internal or nested screen provides a clear back action that returns the user to the exact previous state whenever possible.

Dependent Child Screens: Quick detail or help views may appear as centered popups. While open, the parent screen is visually present but non-interactive.

Flow Consistency: Transitions between browse/search/filter/sort, view detail, manage cart, delivery, payment, and confirmation screens must preserve context and reduce re-entry effort.

4.2 Keyboard & Focus Accessibility

Tab Order: Interactive elements follow a natural top-to-bottom, left-to-right sequence.

Shortcuts: No custom keyboard shortcuts are required; standard browser and OS behavior should be preserved.

Escape Key: Pressing Esc closes the active modal or dependent child screen.

Focus Visibility: Focused controls must remain clearly visible without breaking the calm visual language of the interface.

5. Data & Logic Guidelines

5.1 Input Validation Protocol

All submitted forms follow a two-step validation sequence before processing:

- 1) Presence Check:** Verify that required fields are not empty.
- 2) Format / Logic Check:** Verify that the input matches the expected type, pattern, or allowed range (for example: valid email, phone number, positive quantity, or valid payment data).

5.2 Data Formatting

Numeric Values: Use comma separators every three digits (e.g., 1,250,000).

Currency: Display as [Amount] VND (e.g., 100,000 VND) consistently across all relevant screens.

Date Format: Use DD/MM/YYYY throughout the application unless a screen has a strictly justified technical reason to use another format.

String Handling: Display only valid and supported characters; prevent unsafe or broken rendering in all text fields and outputs.

6. Additional Standardization

6.1 Error Handling & Feedback

Error Messages: Must be clear, concise, and actionable. When possible, the message should explain both the problem and how to fix it.

Success Feedback: Successful actions should confirm completion without interrupting the user flow more than necessary.

Empty States: Use calm, informative empty states with a short explanation and a next-step action where relevant.

6.2 Responsive Rules

Desktop First: The system is optimized first for desktop usage, especially for management workflows.

Adaptation Principle: When the viewport shrinks, preserve hierarchy and action visibility before preserving decorative alignment.

Graceful Scaling: Layouts must adapt to larger resolutions without excessive stretching or unused blank blocks.