

---

```

% This script file computes the optimal investment levels TAOpt and
    TBOpt
% for the two firms (Firm A and Firm B) of the Simplified
    Oligopolistic
% Optimal Influence model which also involves a single consumer C. The
    rest
% of the model parameters (SOpt,Xopt,POpt,Qopt,Fopt) are also
    computed.

% Specifically, the internal model parameters whose optimal values are
    to
% be determined during the grid searching optimization process are the
% following:
% (i):    [TAopt,TBOpt]
% (ii):   [SAopt,SCopt,SBOpt]
% (iii):  [XAopt,XBOpt]
% (iv):   [PAopt,PBOpt] (These are the optimal prices!!!)
% (v):    [QAopt,QBOpt]
% (vi):   [FAopt FBopt FA_rev_opt FB_rev_opt FA_cost_opt FB_rev_opt]

% The grid searching process will be conducted within the 8-
dimensional
% space defined by the Cartesian product of the following external
    model
% parameters:
% (i):    LA (direct influnce exerted by consumer C on Firm A).
% (ii):   LB (direct influnce exerted by consumer C on Firm B).
% (iii):  PA (initial belief consumer C holds for product A).
% (iv):   PB (initial belief consumer C holds for product B).
% (v):    M (sensitivity coefficient).
% (vi):   K (sensitivity coefficient).
% (vii):  C (marginal cost).
% (viii): G (marginal influence cost or Gamma).

% IMPORTANT NOTE!!!
% Mind that the underlying continuous game may not have an equilibrium
    point
% for any given configuration of the external parameters. Since all
    the
% internal parameters to be determined accept positive values, the
    value of
% (-1) will be utilized in order to indicate the absence of an
    equilibrium
% point for a particular configuration of the external parameters.

% Define ranges and corresponding increment step for each external
    parameter
% of the Simplified Oligopolistic Optimal Influence model.

clc
clear

```

---

---

```

% Construct a cell array storing the names of model parameters.
ParamsNames = {'LA','LB','PA','PB','M','K','C','G'};

% Set the varying parameter index.
ParamIndex = 3;

% Parameter #1
LA_MIN = 0.50;
LA_MAX = 0.50;
LA_STEP = 0.01;
% Parameter #2
LB_MIN = 0.50;
LB_MAX = 0.50;
LB_STEP = 0.01;
% Parameter #3
PA_MIN = 0.00;
PA_MAX = 1.00;
PA_STEP = 0.01;
% Parameter #4
PB_MIN = 0.50;
PB_MAX = 0.50;
PB_STEP = 0.01;
% Parameter #5
M_MIN = 0.90;
M_MAX = 0.90;
M_STEP = 0.01;
% Parameter #6
K_MIN = 0.10;
K_MAX = 0.10;
K_STEP = 0.01;
% Parameter #7
C_MIN = 0.0;
C_MAX = 0.0;
C_STEP = 0.01;
% Parameter #8 (G or Gamma!!!)
% G = 0.2; % Mind that G is the Gamma parameter defined elsewhere.
% Determine the minimum value for G.
alpha0 = (K_MAX*M_MAX - 2) / (M_MIN^2 - 4);
beta0 = (2*K_MAX - M_MIN) / (M_MIN^2 - 4);
Fmax = max(alpha0^2, (3*beta0^2+2*alpha0*beta0));
Lmin = min(LA_MIN, LB_MIN);
G0 = Fmax / (Lmin^2);
Gfraction = 0.20; % This value should be set to 1.
G0 = Gfraction * G0;
G_MIN = G0;
G_MAX = G0;
G_STEP = 1.00;
% G_STEP = (G_MAX - G_MIN)/1000;

% Set the corresponding ranges for each parameter of the model.
LA_RANGE = LA_MIN:LA_STEP:LA_MAX;
LB_RANGE = LB_MIN:LB_STEP:LB_MAX;
PA_RANGE = PA_MIN:PA_STEP:PA_MAX;
PB_RANGE = PB_MIN:PB_STEP:PB_MAX;

```

---

---

```

M_RANGE = M_MIN:M_STEP:M_MAX;
K_RANGE = K_MIN:K_STEP:K_MAX;
C_RANGE = C_MIN:C_STEP:C_MAX;
G_RANGE = G_MIN:G_STEP:G_MAX;

% Initialize matrices that store fundamental intermediate quantities
% of the
% underlying optimization problem within the simplified oligopolistic
% environment as well as the values of the external optimization
% parameters
% for each step of the multi-dimensional grid searching process.
Topts = []; % Optimal investment levels.
Sopts = []; % Optimal limiting influences.
Xopts = []; % Optimal limiting beliefs.
Popts = []; % Optimal prices.
Qopts = []; % Optimal quantities.
Fopts = []; % Optimal profits.
FilterFlags = []; % Solution filtering flag which may be indicative of
% a non-existing solution.
DigitAccuracies = []; % Length of maximal sequence of identical digits
% within the obtained optimal solutions.
Params = []; % 8-tuple of the varying optimization parameters.

% Initialize internal solver parameters.
% Set the number of initial solution points.
N = 2000;
% Set the tolerance value for the minimizer. (Preferable value =
% 1e-10)
Tolerance = 1e-15;
% Set the Fvals tolerance value for filtering the obtained solutions.
% (Preferable value = 1e-15)
FvalsTolerance = 1e-15;
% Set the derivative tolerance value for filtering the obtained
% solutions. (Preferable value = 1e-08).
DerivativeTolerance = 1e-08;
% Set the maximum number of iterations to be conducted by the
% optimizer.
MaxIterations = 2000;
% Set the maximum number of function evaluations to be conducted by
% the
% optimizer.
MaxFunctionEvaluations = 20000;
% Set the display flag parameter to 'off' or to 'iter'.
DisplayFlag = 'off';
% Set the minimum digits accuracy.
MinimumDigitsAccuracy = 7;

fprintf('Grid Evaluation Process in Progress...\n');
% Perform the actual grid searching.
for LA = LA_RANGE
    for LB = LB_RANGE
        for PA = PA_RANGE
            for PB = PB_RANGE
                for M = M_RANGE

```

---

---

```

        for K = K_RANGE
            for C = C_RANGE
                for G = G_RANGE
                    % Additional parameters definition.
                    alpha = (K*M - 2) / (M^2 - 4);
                    beta = (2*K - M) / (M^2 - 4);
                    gamma = C / (M - 2);
                    gamma_prime = gamma * (M - 1); %
gamma_prime is the gamma' parameter.
                    % Set the current params vector.
                    params = [LA LB PA PB M K C G];
                    Params = [Params;params];

[TAopt,TBopt,FilterFlag,DigitsAccuracy] =
SimplifiedOligopolisticOptimalInfluences(N,DisplayFlag,Tolerance,FvalsTolerance,D
    DigitsAccuracy = min(DigitsAccuracy);
    T = [TAopt TBopt];
    if(FilterFlag==0)
        [S,X,P,Q,F] =
RetrieveOptimalModelParameters(T,C,G,LA,LB,PA,PB,alpha,beta,gamma,gamma_prime);
    else
        S = -1*ones(1,3);
        X = -1*ones(1,2);
        P = -1*ones(1,2);
        Q = -1*ones(1,2);
        F = -1*ones(1,6);
    end
    % Print current solution.
    param_value_string
= strcat([ParamsNames{ParamIndex} ' = '
num2str(params(ParamIndex),10)]);
    fprintf('%s TAopt =
%f TBopt = %f FilterFlag = %d DigitsAccuracy = %d
\n',param_value_string,TAopt,TBopt,FilterFlag,DigitsAccuracy);
    Topts = [Topts;T];
    FilterFlags =
[FilterFlags;FilterFlag];
    DigitsAccuracies =
[DigitAccuracies;DigitsAccuracy];
    Sopts = [Sopts;S];
    Xopts = [Xopts;X];
    Popts = [Popts;P];
    Qopts = [Qopts;Q];
    Fopts = [Fopts;F];
    end
end
end
end
end
end
end
end
end

```

---

---

```

% Set parameters' indices and corresponding values for the parameters
that
% remain constant.
ConstIndices = setdiff(1:length(params),ParamIndex);
ConstValues = params(ConstIndices);
% Perform plotting operations.
PlotParametersTuples(Topts,Sopts,Xopts,Popts,Qopts,Fopts,Params,ParamIndex,ConstIn

Grid Evaluation Process in Progress...
PA = 0 TAOpt = 0.264821 TBOpt = 0.259462 FilterFlag = 0 DigitsAccuracy
    = 8
PA = 0.01 TAOpt = 0.265399 TBOpt = 0.259103 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.02 TAOpt = 0.265926 TBOpt = 0.258749 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.03 TAOpt = 0.266405 TBOpt = 0.258399 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.04 TAOpt = 0.266836 TBOpt = 0.258052 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.05 TAOpt = 0.267220 TBOpt = 0.257708 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.06 TAOpt = 0.267557 TBOpt = 0.257368 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.07 TAOpt = 0.267848 TBOpt = 0.257031 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.08 TAOpt = 0.268095 TBOpt = 0.256696 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.09 TAOpt = 0.268298 TBOpt = 0.256363 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.1 TAOpt = 0.268457 TBOpt = 0.256032 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.11 TAOpt = 0.268573 TBOpt = 0.255704 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.12 TAOpt = 0.268647 TBOpt = 0.255376 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.13 TAOpt = 0.268678 TBOpt = 0.255050 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.14 TAOpt = 0.268669 TBOpt = 0.254726 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.15 TAOpt = 0.268618 TBOpt = 0.254402 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.16 TAOpt = 0.268526 TBOpt = 0.254079 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.17 TAOpt = 0.268394 TBOpt = 0.253756 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.18 TAOpt = 0.268223 TBOpt = 0.253434 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.19 TAOpt = 0.268011 TBOpt = 0.253111 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.2 TAOpt = 0.267760 TBOpt = 0.252789 FilterFlag = 0
    DigitsAccuracy = 8
PA = 0.21 TAOpt = 0.267470 TBOpt = 0.252466 FilterFlag = 0
    DigitsAccuracy = 8

```

---

---

PA = 0.22 TAOpt = 0.267140 TBOpt = 0.252143 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.23 TAOpt = 0.266772 TBOpt = 0.251819 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.24 TAOpt = 0.266365 TBOpt = 0.251494 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.25 TAOpt = 0.265919 TBOpt = 0.251168 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.26 TAOpt = 0.265435 TBOpt = 0.250841 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.27 TAOpt = 0.264913 TBOpt = 0.250512 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.28 TAOpt = 0.264352 TBOpt = 0.250181 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.29 TAOpt = 0.263752 TBOpt = 0.249848 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.3 TAOpt = 0.263114 TBOpt = 0.249514 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.31 TAOpt = 0.262438 TBOpt = 0.249177 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.32 TAOpt = 0.261723 TBOpt = 0.248837 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.33 TAOpt = 0.260970 TBOpt = 0.248495 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.34 TAOpt = 0.260177 TBOpt = 0.248149 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.35 TAOpt = 0.259346 TBOpt = 0.247801 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.36 TAOpt = 0.258476 TBOpt = 0.247449 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.37 TAOpt = 0.257566 TBOpt = 0.247093 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.38 TAOpt = 0.256617 TBOpt = 0.246734 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.39 TAOpt = 0.255628 TBOpt = 0.246370 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.4 TAOpt = 0.254599 TBOpt = 0.246002 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.41 TAOpt = 0.253529 TBOpt = 0.245629 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.42 TAOpt = 0.252419 TBOpt = 0.245251 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.43 TAOpt = 0.251268 TBOpt = 0.244868 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.44 TAOpt = 0.250075 TBOpt = 0.244480 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.45 TAOpt = 0.248840 TBOpt = 0.244086 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.46 TAOpt = 0.247563 TBOpt = 0.243686 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.47 TAOpt = 0.246242 TBOpt = 0.243279 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.48 TAOpt = 0.244878 TBOpt = 0.242865 FilterFlag = 0  
DigitsAccuracy = 9

---

---



PA = 0.49 TAOpt = 0.243470 TBOpt = 0.242445 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.5 TAOpt = 0.242017 TBOpt = 0.242017 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.51 TAOpt = 0.240519 TBOpt = 0.241581 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.52 TAOpt = 0.238974 TBOpt = 0.241137 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.53 TAOpt = 0.237382 TBOpt = 0.240685 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.54 TAOpt = 0.235742 TBOpt = 0.240223 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.55 TAOpt = 0.234054 TBOpt = 0.239752 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.56 TAOpt = 0.232315 TBOpt = 0.239270 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.57 TAOpt = 0.230526 TBOpt = 0.238779 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.58 TAOpt = 0.228685 TBOpt = 0.238276 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.59 TAOpt = 0.226791 TBOpt = 0.237761 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.6 TAOpt = 0.224842 TBOpt = 0.237234 FilterFlag = 0  
DigitsAccuracy = 9  
PA = 0.61 TAOpt = 0.222838 TBOpt = 0.236695 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.62 TAOpt = 0.220776 TBOpt = 0.236141 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.63 TAOpt = 0.218656 TBOpt = 0.235573 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.64 TAOpt = 0.216475 TBOpt = 0.234991 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.65 TAOpt = 0.214232 TBOpt = 0.234392 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.66 TAOpt = 0.211925 TBOpt = 0.233776 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.67 TAOpt = 0.209552 TBOpt = 0.233142 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.68 TAOpt = 0.207110 TBOpt = 0.232490 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.69 TAOpt = 0.204598 TBOpt = 0.231817 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.7 TAOpt = 0.202012 TBOpt = 0.231123 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.71 TAOpt = 0.199350 TBOpt = 0.230407 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.72 TAOpt = 0.196609 TBOpt = 0.229666 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.73 TAOpt = 0.193785 TBOpt = 0.228899 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.74 TAOpt = 0.190875 TBOpt = 0.228106 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.75 TAOpt = 0.187874 TBOpt = 0.227282 FilterFlag = 0  
DigitsAccuracy = 8



---



---



PA = 0.76 TAOpt = 0.184779 TBOpt = 0.226427 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.77 TAOpt = 0.181585 TBOpt = 0.225539 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.78 TAOpt = 0.178285 TBOpt = 0.224614 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.79 TAOpt = 0.174875 TBOpt = 0.223649 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.8 TAOpt = 0.171348 TBOpt = 0.222642 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.81 TAOpt = 0.167696 TBOpt = 0.221588 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.82 TAOpt = 0.163911 TBOpt = 0.220484 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.83 TAOpt = 0.159984 TBOpt = 0.219325 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.84 TAOpt = 0.155903 TBOpt = 0.218105 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.85 TAOpt = 0.151657 TBOpt = 0.216817 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.86 TAOpt = 0.147231 TBOpt = 0.215455 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.87 TAOpt = 0.142608 TBOpt = 0.214010 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.88 TAOpt = 0.137769 TBOpt = 0.212471 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.89 TAOpt = 0.132691 TBOpt = 0.210825 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.9 TAOpt = 0.127343 TBOpt = 0.209058 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.91 TAOpt = 0.121692 TBOpt = 0.207150 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.92 TAOpt = 0.115693 TBOpt = 0.205077 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.93 TAOpt = 0.109289 TBOpt = 0.202807 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.94 TAOpt = 0.102404 TBOpt = 0.200298 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.95 TAOpt = 0.094934 TBOpt = 0.197493 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.96 TAOpt = 0.086729 TBOpt = 0.194304 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.97 TAOpt = 0.077559 TBOpt = 0.190600 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.98 TAOpt = 0.067031 TBOpt = 0.186153 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 0.99 TAOpt = 0.054369 TBOpt = 0.180505 FilterFlag = 0  
DigitsAccuracy = 8  
PA = 1 TAOpt = 0.037491 TBOpt = 0.172421 FilterFlag = 0 DigitsAccuracy  
= 8











---

*Published with MATLAB® R2019a*