

Guide Cue Creator

Reads an Ableton Live session (`.als`), matches locators to audio cue files, and renders a single stereo WAV (`guide_cues.wav`) ready to drop onto a dedicated guide cue track at beat 0.

What's Included

```
cue_creator.html    ← the app (open this)
GUIDE CUES/         ← section cue audio library (pre-packaged)
```

Requirements

- **Chrome or Edge** (recommended) — zero-click folder access after first run
 - **Firefox** — works, re-pick folder once per browser session if needed
 - Internet connection (loads pako, Fuse.js, Dexie from CDN)
-

Quick Start

1. Double-click `cue_creator.html` — opens in your default browser
2. Click **Select Folder** and pick the folder containing `GUIDE CUES/`
3. Select a **language** from the dropdown
4. Drag your `.als` file onto the upload area (or click to browse)
5. Review the cue table — green = good match, yellow = low confidence, red = no match
6. Click **Preview** (or press **Spacebar**) to audition
7. Click **Render WAV** — downloads `guide_cues.wav`
8. Drag `guide_cues.wav` into your Ableton session at beat 0 on a dedicated track

On Chrome/Edge, the folder choice is remembered. Step 2 is a one-time setup.

What the App Does

- Places each section cue **1 bar before** its locator
- Generates a **count-off** for the first 2 bars (beats 0–7 for 4/4)
- Suppresses section cues that fall inside the count-off region
- Skips locators named `count off` or `next song`
- Supports tempo automation (variable BPM sessions)

Supported Time Signatures

3/4 · 4/4 · 6/8 · 12/8

Supported Languages

English · Spanish · French · Indonesian · Korean · Filipino · Portuguese

Cue Table Controls

Column	What to do
Locator	Read-only — from your .als
Matched Cue	Edit to override the auto-match
Confidence	Green ≥ 80% · Yellow ≥ 50% · Red < 50%

Timeline Controls

Action	Result
Click	Seek to position
Spacebar	Play / Pause
Ctrl+scroll or pinch	Zoom toward cursor
+/- buttons	Zoom in/out
Reset	Fit full session to width

Action	Result
Follow Playhead	Toggle auto-scroll

Output Specs

Setting	Value
Sample rate	48,000 Hz
Channels	Stereo
Bit depth	16-bit PCM
File	<code>guide_cues.wav</code>