

Executive Summary: USA Regional Compensation (2012)

Overview.

The region with the largest total of veteran compensation disability is the West, consisting of 37.6% of the overall sample. Total recipient compensation is explained across various regions, genders as well as severity indicators. The key findings, recommendations and a conclusion are broken-down in this summary.

Region	Total Recipients	Percentage (%)
West	381,176	37.6
South	322,307	31.8
East	240,777	23.8
North	68,918	6.8
Total	1,013,178	100.0

Definitions.

Total Combined Rating - it measures the total impact of all service-connected conditions on a veteran's ability to function.

(10 - 20) - Mid impaired

(30 - 50) - Substantial

(60 - 80) - Severe

(100) - Total disability

Mean - an average number.

Standard Deviation - it measures how spread out the data values are around the mean.

- High standard deviation - Spread out over a wider range indicating inconsistency.
- Low standard deviation - Close to the mean indicating consistency.

Key findings.

1. High Variability.

- Mean recipients by state: 587.34
- Standard deviation: 895.14

The standard deviation is significantly larger than the mean, this suggests high variability across states. States like Iowa have very few recipients, while others have extremely high numbers. This distribution shows regional disparities.

2. Gender Imbalance.

- Male: 90.68%
- Females: 9.32%.

Total recipients are about one million overall, which is a substantial population for analysis.

However, given ratio of male vs female, it shows a strong gender imbalance. with compensation recipients being overwhelmingly male. This could reflect military demographics or systemic factors in eligibility.

3. Age Distribution.

Younger age groups (less than 35) appear smaller compared to middle-aged and older groups. The 45–64 range seems to dominate, suggesting compensation is most common among veterans in mid-to-late career or early retirement stages.

4. Severity of Impairment.

Recipients are spread across mild, substantial, severe, and total disability categories. The South region and West region show higher totals in severe categories.

5. Regional Patterns.

There is an uneven distribution of recipients across East, North, South, and West. With the west consisting of the most recipients. Regions with higher totals in severe disability may need greater healthcare and support infrastructure.

Recommendations.

1. Healthcare support.

The West and South Region with higher totals in severe disability may need greater healthcare and support infrastructure. Age and severity patterns together can inform policy targeting (e.g., focusing resources on regions with older, severely impaired populations).

2. Gender.

In hopes to remedy the gender imbalance, the military could launch female related incentives in hopes that they volunteer more.

3. Lowering the Variability

In hopes to lower the Variability, the regions with fewer receipts should be educated on the benefits and incentives related to joining the military. The military could also invest in advertisements in the regions with fewer recipients.

Conclusion.

In conclusion, the USA military forces should focus on the regions, gender with the lower total receipts as well as health support in the regions with the highest severity numbers. Introducing various strategies to improve the ratio of female to male demographics will remedy the imbalance.

