

Backend Response: Asks for the Backend

An answer to each of the seven asks, what shipped on 2 October, and what is still to come.

Generated 2 October 2026 (updated the same day with ask 3)

In reply to Asks for the backend (Frontend, 2 October 2026)

Owning HTTP surface core-platform, /v1 (the only service the frontend ever calls)

Companion doc Frontend Integration Guide, 1 October 2026

0. How to read this

Every ask below gets a status badge:

LIVE shipped, tested against the running API, ready to integrate. **PARTIAL** part of the ask is live; the rest is described with its plan. **NOT BUILT** nothing exists yet; the proposed contract is given so screens can be designed against it.

Every example request and response below was captured from the running API on 2 October, not written by hand.

1. Summary

Ask	Status	Answer
1. Review clock does not start on approve	LIVE	Fixed. Approve now sets nextReviewAt one expiry period after lastReviewedAt . Yes, onboarded plus nextReviewAt <= now is the due book.
2. A second run is not marked as a refresh	PARTIAL	customerId filter is live on all three lists. cycle , trigger , reason and the onboarded-only guard are next.
3. Send back without blocking	LIVE	Request resubmission and customer-side Escalate are both live, built to the Figma file (a resubmission flag on a Pending case, not a new status). Approving a high-risk customer now requires escalation first.

4. Assignment has no write	LIVE	Verifications and investigation cases can both be assigned and unassigned. Lists filter by assignee.
5. Investigation dropdowns not in the registry	LIVE	Seven new option sets.
6. Reads the screens still cannot fill	NOT BUILT	These are new features, not missing contracts. Each is explained below with what it needs.
7. Behaviour the guide marks incomplete	PARTIAL	SAR draft and Re-KYC <code>evaluated</code> are live. Two of the four dead rules are now buildable but need numbers from Compliance. Webhooks are next.

Other changes you will notice

The KYC and KYB verification lists are now limited to the app in the request. `GET /v1/verifications/kyc` and `/kyb` used to return every app's workflows for the organisation. If a screen showed rows from another app, that was the bug, and those rows are now gone. `GET /v1/verifications` (the combined list) is unchanged for now; see the open decision in section 3.

Errors keep their real status. When a downstream service refused a request (for example a 404 or a 503), the API used to answer with a bare 500 "Internal server error". It now passes the original status, message and `data` through. Expect real 4xx and 503 responses where you saw 500s before.

Transaction monitoring rules gained time windows. Five more rules from the rules document now run on every transaction and are seeded on every app: Individual Transaction Count Velocity, Recently Opened Account Scam, Multiple Originator, New Account Scam Rule, and Cumulative Payments to Same Recipient. The rule editor's "Field to Check" list gained twelve activity fields (account age, customer age, counts and totals over a window, the previous transaction), and the operator list gained `greater-than-or-equals` and `less-than-or-equals`. Both lists come from the option registry (`tm-condition-fields` , `tm-condition-operators`), so no frontend change is needed beyond labels.

2. Ask by ask

2.1 The review clock starts on approve LIVE

The manual approve path wrote the status but never the review dates. Approve now reads the app's `kycExpiryDays` or `kybExpiryDays` and sets both dates. The routes are unchanged.

POST `/v1/customers/{kyc|kyb}/{customerId}/approve`

```
{ "reason": "KYB clock check" }
```

The customer record afterwards (relevant fields of `GET /v1/customers/kyb/{customerId}`):

```
{
  "status": "onboarded",
  "statusReasons": ["KYB clock check"],
  "statusChangedAt": "2026-10-02T22:23:12.570Z",
  "lastReviewedAt": "2026-10-02T22:23:12.570Z",
  "nextReviewAt": "2027-10-02T22:23:12.570Z"
}
```

Action	lastReviewedAt	nextReviewAt
Approve (manual or automatic)	now	now + the app's expiry days
Reject, offboard, or moved to review	unchanged	<code>null</code> : the customer is with a person, not on a timer

Due book: confirmed. `status = onboarded` and `nextReviewAt <= now` is exactly the rule the backend's own Re-KYC timer uses. Please do not derive a date from `createdAt`.

Response schema: both fields are returned on every customer read today. The API declares no formal response schemas, so the Integration Guide will list them in its next edition.

Customers approved by hand before 2 October have no review date. On our local data, 4 of 14 onboarded customers have `nextReviewAt: null` for this reason. They will not appear in the due book until we run a one-off backfill (on our list, section 3). Show them as "no review scheduled", not as an error.

Scope: `customers:write`

2.2 Listing one customer's runs LIVE ; marking a refresh NOT BUILT

GET /v1/verifications?customerId={customerId}

GET /v1/verifications/kyc?customerId={customerId}

GET /v1/verifications/kyb?customerId={customerId}

Combines with the existing filters and paging. An empty value is refused:

```
GET /v1/verifications?customerId=      400
{ "status": false, "message": "customerId should not be empty" }
```

Scope: `verifications:read`

NEXT: INITIAL VS REFRESH

Agreed as asked. The plan, so screens can be built against it:

- Every workflow gains `cycle: "initial" | "refresh"`, `trigger` and `reason`. `trigger` is a Re-KYC trigger kind (for example `expired-id`) for automatic refreshes, or `manual`.
- `POST /v1/verifications/{kyc|kyb}` accepts an optional `reason`. A run for a customer who has never been onboarded is `initial`; any later run is `refresh`.
- A refresh for a customer who is not `onboarded` is refused with 409.

Until then, a Re-KYC escalation already records why it happened: the workflow's history (`GET /v1/verifications/{workflowId}`, `events[]`) carries `detail.trigger` and `detail.reason` on the escalation event.

2.3 Request resubmission and customer-side Escalate LIVE

Built to match the Figma file rather than the first proposal: in the KYC list, "Resubmission" is a sub-label under the customer's name while the status pill reads **Pending**. So there is no new status. The workflow goes back to `processing` (which renders as Pending) and carries a `resubmission` object. Neither action touches the customer's own status, so the customer is never blocked or offboarded.

REQUEST RESUBMISSION

POST `/v1/customers/{kyc|kyb}/{customerId}/request-resubmission`

```
{
  "issues": ["blurred", "poor-lighting"],
  "instructions": "Retake the ID front in daylight, flat on a table."
}
```

```
201
{
  "status": true,
  "message": "Customer kyc asked to resubmit documents",
  "data": {
    "id": "7a10d4b1895741a48674bbe4769d05df",
    "status": "processing",
    "priority": "standard",
    "resubmission": {
      "issues": ["blurred", "poor-lighting"],
      "instructions": "Retake the ID front in daylight, flat on a table.",
      "requestedAt": "2026-10-02T22:49:57.028Z",
      "requestedBy": "docs.demo.1790894194091@unifycomply.test"
    },
    "escalation": null,
    ...
  }
}
```

- **Issues list:** load the modal's checkboxes from `GET /v1/public/misc/options/resubmission-issues`. Each option has the title as `label` and the grey help text as `meta.description`, exactly as the design shows them. At least one issue is required; `instructions` is optional.
- **List sub-label:** show "Resubmission" whenever a queue row's `resubmission` is not `null`. Every verification row now carries `resubmission` and `escalation`.
- **When it ends:** the next document the tenant uploads for that customer (KYC, KYB, or a KYB director's document) clears `resubmission` and puts the case back in `in-review`. Starting a fresh verification run for the customer clears it too.
- **History:** the workflow records `customer.review.resubmission-requested` and then `customer.resubmitted`, each with who acted.
- **Webhook:** a new event, `workflow.resubmission-requested`, goes to the tenant's callback with the same body as the other workflow webhooks, plus `data.workflow.resubmission`, so the tenant can ask their end user to upload again.

Refused when	Response
The case is not in review	409 "Only a verification in review can be sent back for resubmission; this one is verified"
A request is already open	409 "Customer ... is already waiting to resubmit documents"
An unknown issue value	400 "each value in issues must be one of the following values: blurred, poor-lighting, ..."

Scope: `customers:write`

ESCALATE SUBMISSION

POST `/v1/customers/{kyc|kyb}/{customerId}/escalate`

```
{
  "notes": "PEP tier 1 match, needs senior sign-off",
  "userId": "f0e9c73b09f1448a94175812f9f2f4ed" // optional: hand it straight to
  a senior reviewer
}
```

```
201
{
  "status": true,
  "message": "Customer kyc verification escalated",
  "data": {
    "id": "d2f3cecb18fb48d6a3746df20fcb65b7",
    "status": "failed",
    "priority": "urgent",
    "escalation": {
      "notes": "PEP tier 1 match, needs senior sign-off",
      "escalatedAt": "2026-10-02T22:51:09.781Z",
      "escalatedBy": "docs.demo.1790894194091@unifycomply.test"
    },
    "assignedTo": { "id": "f0e9c73b09f1448a94175812f9f2f4ed", "name": "Ada Okafor"
  },
  ...
}
```

The case stays in the KYC or KYB queue: priority goes to `urgent` , and with `userId` it is assigned the same way as the assignee endpoint in 2.4. A case can be escalated once, and any time before it is verified, including after the engine has blocked it. The history records `customer.review.escalated` .

APPROVAL IS NOW ENFORCED FOR HIGH-RISK CUSTOMERS

The API now refuses to approve a customer whose latest risk verdict says it cannot be approved (score at or over the block threshold, a sanctions hit, or a PEP tier that demands escalation), until the case has been escalated:

```
POST /v1/customers/kyc/{customerId}/approve 409
{
  "status": false,
  "message": "Approval is disabled for high-risk entities. Escalate this
verification first.",
  "data": {
    "code": "escalation-required",
    "workflowId": "d2f3cecb18fb48d6a3746df20fcb65b7",
    "score": 4,
    "band": "high",
    "requiresEscalation": true
  }
}
```

After escalation the same approve call succeeds. To decide whether to disable Approve, read `canApprove` and `requiresEscalation` from the Risk Score tab, plus the workflow's `escalation` ; or key off `data.code === "escalation-required"` on the 409.

This also applies to API keys. A tenant integration that approves high-risk customers automatically will now get the 409, and must escalate first like the dashboard does. If the risk verdict cannot be loaded at that moment, approve answers 503 rather than letting a possibly high-risk customer through.

2.4 Assignment LIVE

VERIFICATIONS

PUT /v1/verifications/{workflowId}/assignee

```
{ "userId": "f0e9c73b09f1448a94175812f9f2f4ed" }    // assign
{ "userId": null }                                  // back to the queue
```

```
200
{
  "status": true,
  "message": "Verification assigned successfully",
  "data": {
    "id": "7a10d4b1895741a48674bbe4769d05df",
    "status": "in-review",
    "priority": "standard",
    "assignedTo": { "id": "f0e9c73b09f1448a94175812f9f2f4ed", "name": "Ada Okafor"
  },
    "customerId": "33c479186e2741be98bce2af145959af",
    ...
  }
}
```

- Queue rows (/v1/verifications , /kyc , /kyb) return the same assignedTo object, or null for "Unassigned".
- For a "My queue" view, filter with ?assigneeId={userId} .
- Each change is recorded in the workflow history as workflow.assigned or workflow.unassigned , with who did it and detail.from / detail.to .

```
400 { "status": false, "message": "User not-a-member is not an active member of
this organisation" }
```

Scope: verifications:write (session or API key).

INVESTIGATION CASES

POST /v1/transactions/{transactionId}/actions/assign-case

Same body. The case carries both a display name and the user id:

```
201
{
  "status": true,
  "message": "Case assigned successfully",
  "data": {
    "id": "cf5d7d443cf44538bbb10384787c4fdd",
    "transactionId": "bb8ff7844f2d4af685499be5ceb589d5",
    "assignedTo": "Ada Okafor",
    "assignedToId": "f0e9c73b09f1448a94175812f9f2f4ed",
    ...
  }
}
```

```
}  
}
```

The case's activity feed records `case-assigned` ("Case assigned to Ada Okafor") or `case-unassigned`. Session only; the user needs the `case:escalate` or `case:resolve` permission.

FILLING THE OFFICER PICKER

Use `GET /v1/tenants/settings/teams`: rows with a `userId` are accepted members and can be assigned. The organisation owner did not join through an invite and is not in that list, so add the signed-in user from `GET /v1/auth/user` when it is missing.

2.5 Investigation dropdowns in the option registry LIVE

GET `/v1/public/misc/options/{key}`

These are the same lists the investigation endpoints validate against, so a value from the dropdown is always accepted.

Key	Backs
<code>case-resolution-types</code>	Resolve Case: resolution type
<code>case-actions-taken</code>	Resolve Case: actions taken
<code>pnd-resolution-types</code>	Resolve PND: resolution type
<code>pnd-statuses</code>	PND watchlist status filter and pill
<code>investigation-entity-types</code>	Place PND: entity type
<code>investigation-risk-levels</code>	Place PND and case risk level
<code>sar-statuses</code>	SAR reports status filter and pill

```
GET /v1/public/misc/options/case-resolution-types 200  
{  
  "status": true,  
  "data": {  
    "key": "case-resolution-types",  
    "description": "How an investigation case was resolved",  
    "options": [  
      { "value": "cleared-no-issues", "label": "Cleared No Issues" },  
      { "value": "false-positive", "label": "False Positive" },  
      { "value": "escalated-to-authorities", "label": "Escalated to Authorities" },  
      ...  
    ]  
  }  
}
```

2.6 Screens the API cannot fill yet NOT BUILT

These are not gaps in an existing contract: the features behind them do not exist yet. Treat them as roadmap, not as bugs.

Screen	Why it is empty	What to build meanwhile
Perform Lookup and bulk upload (KYC, KYB, AML, bank)	No lookup or bulk operation exists. It needs scoping: which providers each lookup calls, what it costs, and whether a lookup creates a customer.	Hide the entry point, or show "coming soon".
AML Screening module	Screening runs only inside a verification today (the AML Screening tab). The standalone module in Figma is a separate product surface that has not been built.	Use the verification AML tab.
Bank Analysis	No bank-statement analysis exists. It needs a provider decision.	Hide.
Audit logs	No organisation-wide audit endpoint. Per-record history exists (workflow events, customer status history, case activity).	Link to the per-record history.

Field	Status	Why
Documents tab: <code>extractedInformation</code>	always null	OCR is not implemented. The field is already on the response so nothing changes when it starts arriving.
Device tab: <code>ip</code> , <code>geolocation</code> , <code>device</code> , VPN and proxy flags	always null	Nothing captures the end user's IP or device when they submit. It needs a capture point at customer and document intake. It is not a provider gap.
Liveness tab	available: false	A selfie check runs today, but the dedicated liveness check (match score and liveness score) is never called.

For all three tabs, render the empty state keyed off `available: false` or `null` .

2.7 Items the guide already marks incomplete **PARTIAL**

AI SAR DRAFT **LIVE**

POST /v1/transactions/{id}/sar-draft/{conversationId}/messages

```
503
{
  "status": false,
  "message": "ANTHROPIC_API_KEY is not configured – narrative generation is
  unavailable until a real key is provided.",
  "data": { "code": "ai-not-configured" }
}
```

Key off `data.code === "ai-not-configured"` to show "drafting unavailable", not off the message text.

RE-KYC TRIGGERS THAT DO NOTHING **LIVE**

Every row of `GET /v1/tenants/apps/{appId}/re-kyc/trigger-rules` (and the `PATCH` response) now carries `evaluated` :

```
{ "kind": "high-risk-jurisdiction", "status": "active", "evaluated": false, ... }
{ "kind": "pep-sanctions",           "status": "active", "evaluated": true, ... }
```

`false` today for `high-risk-jurisdiction`, `forged-id` and `immigration-check`. Read the flag rather than hardcoding the three kinds.

THE FOUR SEEDED RULES THAT NEVER FIRE **PARTIAL**

The new time-window engine (see Other changes, in section 1) makes Large Withdrawal Pattern and Velocity Spike Detection buildable. Their wording ("short timeframe", "unusual frequency") was never given numbers, though, so they stay off until Compliance supplies them. New Device High Amount needs a stated "high amount". High ML Fraud Probability needs a fraud model that does not exist. Show them as configured but inactive, the way they appear today.

WEBHOOKS BEYOND VERIFIED AND FAILED **NOT BUILT**

Agreed. Proposed new events: `customer.review-required` (Re-KYC sends a customer back to review), `transaction.flagged` (held, blocked or flagged by a rule), `case.resolved`, `case.escalated`, and `pnd.placed`. (`workflow.resubmission-requested` is already live, see 2.3.) Each needs its own payload design, so they will arrive one at a time. Until then those flows are poll-only, as the guide says.

3. What's left: TODO for upcoming updates

Everything below is genuinely not built. Don't build UI against it expecting live data.

Initial vs refresh on workflows

`cycle`, `trigger`, `reason`, and the 409 for a refresh on a customer who is not onboarded. Unblocks a run-history view that can tell first checks from re-checks.

Webhook events beyond `workflow.verified` and `workflow.failed`

Re-KYC returns to review, transaction alerts, and investigation actions. Proposed list in 2.7.

Lookup, bulk upload, AML Screening module, Bank Analysis, audit log

New features needing scoping and provider decisions before any contract can exist.

Review date backfill

A one-off job to give customers approved by hand before 2 October a `nextReviewAt`. Until it runs, treat `null` on an onboarded customer as "no review scheduled".

Should the combined verification list be limited to one app?

`GET /v1/verifications` still returns every app's workflows for the organisation, unlike `/kyc` and `/kyb`. Tell us whether any screen relies on the cross-app view; if not, we limit it to the app in the request.

Placeholder thresholds on the new monitoring rules

Multiple Originator (3 payers in 1 hour) and Cumulative Payments to Same Recipient (more than 10,000 in 120 hours) use placeholder numbers until Compliance confirms them. They are ordinary rules: read the values from the rules API, never hardcode them.

Source of truth for anything not covered here: the Frontend Integration Guide (1 October 2026) and the live Swagger document. The new routes appear under the tags "tenants verifications" and "transaction monitoring investigations".