



# JENKINS INSTALLATION


## SOFTWARES INSTALLED




## JAVA HOME SETUP – VERSION 8




## TOMCAT 9 SERVER START



## JENKINS SET UP



## JENKINS WEB SET UP



Sent Mail - dsr7207@gmail.com

How to Install Jenkins on Windows

How to set JAVA\_HOME in Windows

Setup Wizard [Jenkins]

localhost:8080/jenkins/

Getting Started

# Getting Started

✓ Folders	✓ OWASP Markup Formatter	✓ Build Timeout	✓ Credentials Binding
<a href="#">Timestampers</a>	<a href="#">Workspace Cleanup</a>	<a href="#">Ant</a>	<a href="#">Gradle</a>
<a href="#">Pipeline</a>	<a href="#">GitHub Branch Source</a>	<a href="#">Pipeline: GitHub Groovy Libraries</a>	<a href="#">Pipeline: Stage View</a>
<a href="#">Git</a>	<a href="#">SSH Build Agents</a>	<a href="#">Matrix Authorization Strategy</a>	<a href="#">PAM Authentication</a>
<a href="#">LDAP</a>	<a href="#">Email Extension</a>	<a href="#">Mailer</a>	

Timestampers

OWASP Markup Formatter

\*\* Oracle Java SE Development Kit Installer

\*\* Structs

\*\* Pipeline: Step API

\*\* Token Macro

Build Timeout

\*\* Credentials

\*\* Plain Credentials

\*\* SSH Credentials

Credentials Binding

\*\* SCM API

\*\* Pipeline: API

Timestampers

\*\* - required dependency

Jenkins 2.249.1

jenkins.war

apache-tomcat-9.0.....z...

Show all

Sent Mail - dsr7207@gmail.com

Untitled presentation - Google

How to Install Jenkins on Windows

How to set JAVA\_HOME in Windows

Setup Wizard [Jenkins]

localhost:8080/jenkins/

Getting Started

# Create First Admin User

Username:

sandhya

Password:

.....

Confirm password:

.....

Full name:

D. Sandhya Rani

E-mail address:

dsr7207@gmail.com

Jenkins 2.249.1

Skip and continue as admin

Save and Continue

jenkins.war

apache-tomcat-9.0.....z...

Show all

Sent Mail - dsr7207@gmail.com

Untitled presentation - Google

How to Install Jenkins on Windows

How to set JAVA\_HOME in Windows

Setup Wizard [Jenkins]

localhost:8080/jenkins/

Getting Started

# Instance Configuration

Jenkins URL:

http://localhost:8080/jenkins/


The Jenkins URL is used to provide the root URL for absolute links to various Jenkins resources. That means this value is required for proper operation of many Jenkins features including email notifications, PR status updates, and the BUILD\_URL environment variable provided to build steps.

The proposed default value shown is **not saved yet** and is generated from the current request, if possible. The best practice is to set this value to the URL that users are expected to use. This will avoid confusion when sharing or viewing links.

Jenkins 2.249.1

Not now

Save and Finish



D.Sandhya Rani

\*\*\*\*\*