HHCKLA Buddhist Leung Chik Wai College

6A error analysis (2026)

Student No.: 06 Name: _____ Marks: / 99

Class: 6A Date: _____ Marked date: _____

What have you learned in this chapter? _____

What can you do to improve your work next time? _____

1. Factorize

   (a) $5x^2y + 17xy - 12y$,

   (b) $5x^2y + 17xy - 12y - 10x + 6$.

(4 marks) (DSE-2026 PI Q04)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

2. In Figure 1, ABC is a triangle. D is a point lying on AB. Let E and F be points lying on CB produced and CD produced respectively such that $BD//EF$ and $BC = EF$. It is given that $BD = 8$ cm and $BE = 6$ cm.




Figure 1

(a) By considering a pair of similar triangles, find the length of BC.

(b) Suppose that $AD = 10$ cm. Prove that $\triangle ABC \cong \triangle CEF$.

(5 marks) (DSE-2026 PI Q08)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

3. The stem-and-leaf diagram below shows the distribution of the numbers of driving hours of a group of taxi drivers in a week.

Stem (tens)	Leaf (units)
2	5 6 9
3	2 3 3 6 6 7 8
4	0 0 2 2 5 5 7 7 7
5	w

The ratio of the range to the inter-quartile range of the distribution is 7 : 3.

(a) Find w.

(b) (i) Write down the mode of the distribution.

(ii) If two taxi drivers are randomly selected from the group, find the probability that the mean of their numbers of driving hours in the week exceeds the mode of the distribution.

(6 marks) (DSE-2026 PI Q10)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

4. The straight line L passes through the point $(-10, 11)$. The slope of L is -2.

(a) Find the equation of L.

(b) The coordinates of the points H and K are $(2, 5)$ and $(-4, -7)$ respectively. Let P be a point lying on L such that P is equidistant from H and K.

(i) Find the coordinates of P.

(ii) Let Q be a point such that $HPKQ$ is a quadrilateral, where $HP = HQ = KQ$. Find the area of the quadrilateral $HPKQ$.

(7 marks) (DSE-2026 PI Q12)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

5. A solid metal sphere of radius 10 cm is melted and recast into three similar solid right circular cylinders X, Y and Z. Let r_1 cm, r_2 cm and r_3 cm be the base radii of X, Y and Z respectively. It is given that $r_1 : r_2 : r_3 = 2 : 3 : 5$.

(a) Express the volume of Y in terms of π.

(b) A craftsman finds that the height of Y is 9 cm.

(i) Find r_2.

(ii) The craftsman claims that the total surface area of Z is greater than the surface area of the sphere. Do you agree? Explain your answer.

(8 marks) (DSE-2026 PI Q13)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

6. When the polynomial $g(x)$ is divided by x^2+2x+a, the quotient and the remainder are $x+13$ and $b(x-3)$ respectively, where a and b are constants. It is given that $g(x)$ is divisible by $x-3$.

(a) Find a.

(b) Is there only one possible value of b such that at least two roots of the equation $g(x)=0$ are equal? Explain your answer.

(8 marks) (DSE-2026 PI Q14)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

7. A bag contains 3 red balls, 3 white balls and 5 black balls. If 4 balls are randomly drawn from the bag at the same time, find

(a) the probability that exactly 2 red balls are drawn;

(b) the probability that exactly 2 red balls or exactly 2 white balls are drawn.

(4 marks) (DSE-2026 PI Q15)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

8. It is given that P, Q and R are three points in a rectangular coordinate plane. The coordinates of P and Q are $(7,8)$ and $(-13,20)$ respectively. The equation of the perpendicular bisector of PR is $3x+5y-27=0$. Let C be the circle which passes through P, Q and R.

(a) Find the equation of C.

(b) The tangent to C at P and the tangent to C at R intersect at the point H. Is $\triangle HPR$ a right-angled triangle? Explain your answer.

(6 marks) (DSE-2026 PI Q16)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

9. In Figure 2, the base of the pyramid $VABCD$ is the quadrilateral $ABCD$. The face VAB of the pyramid lies on the horizontal ground. It is given that $AB = 90$ cm, $AD = 70$ cm, $CD = 100$ cm, $\angle ADC = 55°$ and $\angle BCD = 130°$.




Figure 2

(a) Find

(i) the distance between A and C,

(ii) $\angle BAD$.

(b) It is given that $VD = 80$ cm. A student finds that the angle between the plane $ABCD$ and the horizontal ground is 65°. The student claims that the angle between VD and the horizontal ground is less than 50°. Is the claim correct? Explain your answer.

(6 marks) (DSE-2026 PI Q17)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

10. Let $G(n)$ be the nth term of a geometric sequence. It is given that $G(2) = 12$ and $G(5) = 768$.

(a) Find $G(1)$.

(b) Define $T(n) = \log_2 G(n)$ for all positive integers n. Find

(i) $T(n+1) - T(n)$,

(ii) the greatest value of k such that $T(1) + T(2) + T(3) + \cdots + T(k) < 10^6$.

(7 marks) (DSE-2026 PI Q18)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

11. Let $h(x) = -x^2 + 30kx + 4x - 225k^2 - 40k + 3$, where k is a positive constant. On the same rectangular coordinate system, denote the vertex of the graph of $y = h(x)$ and the vertex of the graph of $y = 14 - h(4-x)$ by A and B respectively.

(a) Using the method of completing the square, express, in terms of k, the coordinates of A.

(b) Write down, in terms of k, the coordinates of B.

(c) The coordinates of the point C are $(2 + 48k,\ 7 - 36k)$. Let I and J be the in-centre and the circumcentre of $\triangle ABC$ respectively.

(i) Let M be the mid-point of AB. Describe the geometric relationship between CM and AB. Explain your answer.

(ii) Express, in terms of k, the distance between I and J.

(iii) The coordinates of the point D are $(6 - 22k,\ 6 - 15k)$. Is it possible that $BDIJ$ is a parallelogram? Explain your answer.

(12 marks) (DSE-2026 PI Q19)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

12. Let $g(x) = hx^3 + 2x^2 + kx - 5$, where h and k are constants. If $g(x)$ is divisible by $x - 4$, find the remainder when $g(x)$ is divided by $x + 4$.

A. -27

B. -10

C. 0

D. 54

(DSE-2026 PII Q08)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

13. Let a_n be the nth term of a sequence. If $a_2 = 7$, $a_5 = 35$ and $a_{n+2} = 3a_{n+1} - 2a_n$ for any positive integer n, then $a_8 =$

A. 67.

B. 131.

C. 259.

D. 515.

(DSE-2026 PII Q13)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

14. Let p and q be real constants such that $pq < 0$. Which of the following statements about the graph of $y = (px+1)(qx+2)$ are true?

I. The graph opens downwards.

II. The graph has two x-intercepts.

III. The graph passes through the origin.

A. I and II only

B. I and III only

C. II and III only

D. I, II and III


(DSE-2026 PII Q15)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

15. In the figure, $ABCD$ is a trapezium with $AB//DC$ and $AB : CD = 3 : 5$. Let E be a point lying on BD such that $BE : ED = 2 : 3$. It is given that $AB//EF$ and $AD//BF$. If the area of $\triangle ABD$ is 225 cm^2, then the area of the trapezium $CDEF$ is



A. 222 cm^2.

B. 260 cm^2.

C. 279 cm^2.

D. 285 cm^2.

(DSE-2026 PII Q18)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

16. It is given that $\triangle PQR$ is a right-angled triangle with $\angle QPR = 90^\circ$. Denote the area of $\triangle PQR$ by S. If $QR = p$, $PR = q$ and $\angle PQR = \theta$, which of the following must be true?

A. $S = \frac{1}{2}pq$

B. $S = \frac{1}{2}pq\sin\theta$

C. $S = \frac{1}{2}pq\cos\theta$

D. $S = \frac{1}{2}pq\tan\theta$

(DSE-2026 PII Q19)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

17. It is given that $WXYZ$ is a quadrilateral, where $\angle WXY = \angle YWZ$ and $\angle WYX = \angle WZY$. If $WX = 9$ cm, $WY = 40$ cm and $XY = 41$ cm, find the perimeter of the quadrilateral $WXYZ$.

A. 100 cm

B. 180 cm

C. 410 cm

D. 490 cm

(DSE-2026 PII Q21)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

18. It is given that $ABCDEF$ is a regular 6-sided polygon. If AC and BF intersect at the point G, which of the following are true?

I. $BG//CE$

II. $\triangle ABG \sim \triangle BDC$

III. $\triangle AGF \cong \triangle BGC$

A. I and II only

B. I and III only

C. II and III only

D. I, II and III

(DSE-2026 PII Q23)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

19. The equations of the straight lines L_1 and L_2 are $3x + 5y = 6$ and $6x - 10y = 13$ respectively. Let P be a moving point in the rectangular coordinate plane such that the perpendicular distance from P to L_1 is equal to the perpendicular distance from P to L_2. The locus of P is

A. a point.

B. a circle.

C. a square.

D. a pair of straight lines.

(DSE-2026 PII Q26)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

20. The x-coordinate of the centre of the circle C is 5. If C passes through the points $(5,0)$ and $(11,4)$, then the circumference of C is

A. 13π.

B. 14π.

C. 22π.

D. 42π.


(DSE-2026 PII Q27)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

21. In the figure, $ABCD$ is a circle. AC and BD intersect at the point E. BD is produced to the point T such that TC is tangent to the circle. It is given that $AB//TC$. If $\angle AED = 85°$ and $\angle CTE = 23°$, then $\angle ADE =$



A. 39°.

B. 56°.

C. 62°.

D. 72°.


(DSE-2026 PII Q38)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

22. The figure shows the quadrilateral $STUV$, where $ST = 8$ cm and $SV = 5$ cm. If $\angle UTV = 30^\circ$ and $\angle TSU = \angle TVU = 90^\circ$, find $\angle SUV$ correct to the nearest degree.



A. 22°

B. 28°

C. 30°

D. 38°

(DSE-2026 PII Q39)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

23. For $90^\circ \leq \theta \leq 360^\circ$, how many roots does the equation $6\sin^4\theta - 5\sin^2\theta + 1 = 0$ have?

A. 2

B. 4

C. 6

D. 8

(DSE-2026 PII Q41)

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

24. There are 5 full-time employees and 3 part-time employees in a company. From the company, 7 employees are selected to form a queue. If no part-time employees are next to each other, how many different queues can be formed?

A. 5040

B. 14400

C. 18000

D. 32400

(DSE-2026 PII Q43)

I can finish _____ questions

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.

Answers written in the margins will not be marked.