LU_RELATIONSHIP

English Name	Relationship Type Owner **(Primary Key)**
Description	Indicates the agency that defined the Relationship Type.
Data Type and Length	CHAR (2)
Allowed Values	01 - 10 Region
	HQ Nationally defined
	State postal code
Default Value	

English Name	Relationship Type **(Primary Key)**
Description	The relationship between the other ID and the handler ID.
Data Type and Length	CHAR (1)
Allowed Values	Any non-blank value not already defined. Note: Implementers should not re-use codes that have been nationally-defined (OWNER = 'HQ').
Defined Values	Nationally- or implementer-defined value in LU_RELATIONSHIP.
	Existing nationally-defined values:
	C Converted from Second ID
	F Site Fragment
	G ID Before Site Fragment
	J Joined Site
	K ID Before Sites Joined
	M Multiple Occupant
	N Concurrent Ownership
	O Other
	P Previous Id
	S State ID
	T Redundant State Id
	Y Became Brownfields
	Z Pre-Brownfields
Default Value	

English Name	Relationship Type Description
Description	English description of the Relationship Type.
Data Type and Length	VARCHAR2 (100)
Allowed Values	Any non-blank value
Default Value	

English Name	Relationship Type Usage
Description	Indicates who defined the data, if the data is required, and if the data may be released to the public.
Data Type and Length	CHAR (1)

LU_RELATIONSHIP

Allowed Values	1	Nationally-defined
		Nationally-required
		Routinely-released
	2	Nationally-defined
		Nationally-required
		Not routinely-released
	3	Nationally-defined
		Not nationally-required
		Routinely-released
	4	Nationally-defined
		Not nationally-required
		Not routinely-released
	5	Implementer-defined
		Nationallly-required
		Routinely-released
	6	Implementer-defined
		Nationally-required
		Routinely-released
	7	Implementer-defined
		Not nationally-required
		Routinely-released
	8	Implementer-defined
		Not nationally-required
		Not routinely-released

Default Value

Notes   Usage types 1 through 4 apply only to HQ-owned codes.
Usage types 5 through 8 apply only to implementer-owned codes.

English Name   Relationship Type Active Status
Description   Indicates whether the Relationship Type is currently applicable.
Data Type and Length   CHAR (1)

Allowed Values	N	No
	Y	Yes

Default Value   Y
Notes   Inactive codes (ACTIVE_STATUS = "N") are retained in the lookup table for historical purposes.

English Name   User ID of Last Change
Description   Records the user ID of the last person to change the data.
Data Type and Length   VARCHAR2 (6)
Allowed Values   Valid user ID
Default Value   Current user ID

LU_RELATIONSHIP

English Name   Date of Last Change
Description   Records the date that the data was last changed.
Data Type and Length   DATE
Allowed Values   Valid date/time stamp
Default Value   Current date and time

English Name   Help Notes
Description   Additional information regarding the Relationship Type.
Data Type and Length   VARCHAR2 (240)
Allowed Values   Any value
    blank   Not provided
Default Value   blank

* End of Report *