

---

## LU\_FOREIGN\_STATE

---

---

## LU\_FOREIGN\_STATE

---

<b>English Name</b>	Foreign State Postal Code <b>(Primary Key)</b>
<b>Description</b>	The two-character Foreign State Postal Code.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	Any non-blank value not already defined
<b>Defined Values</b>	Nationally-defined value in LU_FOREIGN_STATE.

Existing nationally-defined values:

AB	Alberta, Canada
AG	Aguascalientes, Mexico
BC (CA)	British Columbia, Canada
BC (MX)	Baja California Norte, Mexico
BS	Baja California Sur, Mexico
CH	Chihuahua, Mexico
CL	Colima, Mexico
CM	Campeche, Mexico
CO	Coahula, Mexico
CS	Chiapas, Mexico
DG	Durango, Mexico
DS	Distrito Federal, Mexico
GR	Guerrero, Mexico
GT	Guanajuato, Mexico
HG	Hidalgo, Mexico
JA	Jalisco, Mexico
MB	Manitoba, Canada
MI	Michoacan, Mexico
MO	Morelos, Mexico
NA	Nayarit, Mexico
NB	New Brunswick, Canada
NL (CA)	Newfoundland and Labrador, Canada
NL (MX)	Nuevo Leon, Mexico
NS	Nova Scotia, Canada
NT	Northwest Territories, Canada
NU	Nunavut, Canada
OA	Oaxaca, Mexico
ON	Ontario, Canada
PE	Prince Edward Island, Canada
PU	Puebla, Mexico
QC	Quebec, Canada
QR	Quintana Roo, Mexico

---

## LU\_FOREIGN\_STATE

---

QT	Queretaro, Mexico
SI	Sinaloa, Mexico
SK	Saskatchewan, Canada
SL	San Luis Potosi, Mexico
SO	Sonora, Mexico
TB	Tabasco, Mexico
TL	Tlaxcala, Mexico
TM	Tamaulipas, Mexico
VE	Veracruz, Mexico
YT	Yukon, Canada
YU	Yucatan, Mexico
ZA	Zacatecas, Mexico

---

### Default Value

<b>English Name</b>	Country Code <b>(Primary Key)</b>
<b>Description</b>	Two-letter code representing the country.
<b>Data Type and Length</b>	CHAR (2)
<b>Allowed Values</b>	Any non-blank value
<b>Defined Values</b>	Country code in LU_COUNTRY US           United States blank       US (United States)
<b>Default Value</b>	US
<b>Notes</b>	For a list of valid country codes, refer to the Column Information Report for LU_COUNTRY.

---

<b>English Name</b>	State Name
<b>Description</b>	State name represented by the State Postal Code.
<b>Data Type and Length</b>	VARCHAR2 (50)
<b>Allowed Values</b>	Any non-blank value
<b>Default Value</b>	

---

<b>English Name</b>	Date of Last Change
<b>Description</b>	Records the date that the data was last changed.
<b>Data Type and Length</b>	DATE
<b>Allowed Values</b>	Valid date/time stamp
<b>Default Value</b>	Current date and time

---

LU\_FOREIGN\_STATE

---

English Name	User ID of Last Change
Description	Records the user ID of the last person to change the data.
Data Type and Length	VARCHAR2 (6)
Allowed Values	Valid user ID
Default Value	Current user ID

\* End of Report \*