HNAICS5

Business Rules	• User must be the implementer of record for Handler information. • Handler ID, Activity Location, Source Type, and Sequence Number must exist in HHANDLER5. • Handler ID, Activity Location, Source Type, Sequence Number, and NAICS Sequence Number must be unique. • Use of the HNAICS5 table is mandatory.

English Name EPA Handler ID **(Primary Key)**

Description Unique RCRA identification number assigned by the implementing State or Region to each RCRA site (e.g., generators; transporters; and treatment, storage, disposal facilities).

Data Type and Length VARCHAR2 (12)

Allowed Values Valid ID as outlined below:
The ID can be a minimum of 4 characters and a maximum of 12 characters.
The first two characters must be a valid state postal code which corresponds to the state in which the handler is located.
Spaces are not allowed.

Default Value

Notes Handlers associated with Navajo Nation should be assigned Handler IDs beginning with 'NN' regardless of where the handler is physically located.

English Name Activity Location **(Primary Key)**

Description Indicates the location of the agency regulating the handler.

Data Type and Length CHAR (2)

Allowed Values State postal code

Default Value Location associated with the current user ID.

Notes For a list of valid state postal codes, refer to the Column Information Report for LU_STATE.

English Name Source Type **(Primary Key)**

Description Code indicating the source of information for the associated data (activity, wastes, etc.).

Data Type and Length CHAR (1)

Allowed Values

A	Part A
B	Annual/Biennial Report updated with Notification
E	Emergency
I	Implementer
N	Notification
R	Annual/Biennial Report
T	Temporary

Default Value

Notes If the BR Report Cycle >= 2009 then the Source Type must equal 'B'.

English Name Handler Sequence Number **(Primary Key)**

Description Sequence number for each source record about a handler.

Data Type and Length NUMBER (6.0)

HNAICS5

Allowed Values	1 - 999999
Default Value	

English Name	NAICS Sequence Number **(Primary Key)**
Description	Sequence number for each NAICS code for the handler.
Data Type and Length	NUMBER (4.0)
Allowed Values	1 - 9999
Default Value	
Notes	The primary industrial activity should be provided as the first NAICS code (NAICS Sequence Number = 1).

English Name	NAICS Code Owner
Description	Indicates the agency that defined the NAICS Code.
Data Type and Length	CHAR (2)
Allowed Values	HQ Nationally defined
Default Value	

English Name	NAICS (North American Industry Classification System) Code
Description	The industrial activity of the facility as defined by a standard industrial coding system.
Data Type and Length	VARCHAR2 (6)
Allowed Values	Nationally-defined value in LU_NAICS
Default Value	
Notes	The primary industrial activity should be provided as the first NAICS code (NAICS Sequence Number = 1).
	For a list of valid NAICS codes, refer to the Nationally Defined Value section in the RCRAInfo on-line help utility.

HNAICS5

English Name	User ID of Last Change
Description	Records the user ID of the last person to change the data.
Data Type and Length	VARCHAR2 (6)
Allowed Values	Valid user ID
Default Value	Current user ID

English Name	Date of Last Change
Description	Records the date that the data was last changed.
Data Type and Length	DATE
Allowed Values	Valid date/time stamp
Default Value	Current date and time

* End of Report *