Default Domain Controllers Policy

Data collected on: 2/27/2019 4:57:09 AM

General

hide

Details

hide

Domain	adlab.contoso.com
Owner	ADLAB\Domain Admins
Created	2/27/2019 4:20:50 AM
Modified	2/27/2019 4:20:50 AM
User Revisions	0 (AD), 0 (SYSVOL)
Computer Revisions	1 (AD), 1 (SYSVOL)
Unique ID	{6AC1786C-016F-11D2-945F-00C04FB984F9}
GPO Status	Enabled

Links

hide

Location	Enforced	Link Status	Path
Domain Controllers	No	Enabled	adlab.contoso.com/Domain Controllers

This list only includes links in the domain of the GPO.

Security Filtering

hide

The settings in this GPO can only apply to the following groups, users, and computers:

Name
NT AUTHORITY\Authenticated Users

Delegation

hide

These groups and users have the specified permission for this GPO

Name	Allowed Permissions	Inherited
NT AUTHORITY\Authenticated Users	Read (from Security Filtering)	No
NT AUTHORITY\ENTERPRISE DOMAIN CONTROLLERS	Read	No
NT AUTHORITY\SYSTEM	Edit settings, delete, modify security	No

Computer Configuration (Enabled)

hide

Policies

hide

Windows Settings

hide

Security Settings

hide

Local Policies/User Rights Assignment

hide

Policy	Setting
Access this computer from the network	BUILTIN\Pre-Windows 2000 Compatible Access, NT AUTHORITY\ENTERPRISE DOMAIN

	CONTROLLERS, NT AUTHORITY\Authenticated Users, BUILTIN\Administrators, Everyone
Add workstations to domain	NT AUTHORITY\Authenticated Users
Adjust memory quotas for a process	BUILTIN\Administrators, NT AUTHORITY\NETWORK SERVICE, NT AUTHORITY\LOCAL SERVICE
Allow log on locally	NT AUTHORITY\ENTERPRISE DOMAIN CONTROLLERS, BUILTIN\Print Operators, BUILTIN\Server Operators, BUILTIN\Account Operators, BUILTIN\Backup Operators, BUILTIN\Administrators
Back up files and directories	BUILTIN\Server Operators, BUILTIN\Backup Operators, BUILTIN\Administrators
Bypass traverse checking	BUILTIN\Pre-Windows 2000 Compatible Access, NT AUTHORITY\Authenticated Users, BUILTIN\Administrators, NT AUTHORITY\NETWORK SERVICE, NT AUTHORITY\LOCAL SERVICE, Everyone
Change the system time	BUILTIN\Server Operators, BUILTIN\Administrators, NT AUTHORITY\LOCAL SERVICE
Create a pagefile	BUILTIN\Administrators
Debug programs	BUILTIN\Administrators
Enable computer and user accounts to be trusted for delegation	BUILTIN\Administrators
Force shutdown from a remote system	BUILTIN\Server Operators, BUILTIN\Administrators
Generate security audits	NT AUTHORITY\NETWORK SERVICE, NT AUTHORITY\LOCAL SERVICE
Increase scheduling priority	BUILTIN\Administrators
Load and unload device drivers	BUILTIN\Print Operators, BUILTIN\Administrators
Log on as a batch job	BUILTIN\Performance Log Users, BUILTIN\Backup Operators, BUILTIN\Administrators
Manage auditing and security log	BUILTIN\Administrators
Modify firmware environment values	BUILTIN\Administrators
Profile single process	BUILTIN\Administrators
Profile system performance	NT SERVICE\WdiServiceHost, BUILTIN\Administrators
Remove computer from docking station	BUILTIN\Administrators
Replace a process level token	NT AUTHORITY\NETWORK SERVICE, NT AUTHORITY\LOCAL SERVICE
Restore files and directories	BUILTIN\Server Operators, BUILTIN\Backup Operators, BUILTIN\Administrators
Shut down the system	BUILTIN\Print Operators, BUILTIN\Server Operators, BUILTIN\Backup Operators, BUILTIN\Administrators
Take ownership of files or other objects	BUILTIN\Administrators

Local Policies/Security Options

hide

Domain Controller

hide

Policy	Setting
Domain controller: LDAP server signing requirements	None

Domain Member

hide

Policy	Setting
Domain member: Digitally encrypt or sign secure channel data (always)	Enabled

Microsoft Network Server

hide

Policy	Setting
Microsoft network server: Digitally sign communications (always)	Enabled
Microsoft network server: Digitally sign communications (if client agrees)	Enabled

User Configuration (Enabled)

hide

No settings defined.