

File I/O - Reading - Individual Exercise

The purpose of this exercise is to provide you with the opportunity to create command line applications that are able to read and analyze files.

Learning Objectives

After completing this exercise, students will understand:

- How to read data from a text file.
- How to handle file paths provided as application input.
- How to read, interpret, and resolve errors related to file I/O.

Evaluation Criteria & Functional Requirements

Your code will be evaluated based on the following criteria:

- The project must not have any build errors.
- The expected results are returned from the application.

WordSearch

Part 1

Write a program that asks the user for a search string and, optionally, a filesystem path for a text file. When the program is run, it searches the file for occurrences of the search string and each time it finds a line that matches, it displays the line number and contents of the line it was found in on the console.

Use the [alices_adventures_in_wonderland.txt](#) file for test input.

The path to the file may be specified in a String variable or entered by the user from the keyboard.
Consider creating your own smaller test file to test your program before using the 4000+ file provided

Here is an example requesting the filename from the user:

```
What is the file that should be searched?  
[path-to-the-file]  
What is the search word you are looking for?  
dog  
1) conversation. "Are you--are you fond--of--of dogs?" The Mouse did not  
2) answer, so Alice went on eagerly: "There is such a nice little dog  
near  
3) won't talk about cats or dogs either, if you don't like them!"  
4) history, and you'll understand why it is I hate cats and dogs."  
5) "To begin with," said the Cat, "a dog's not mad. You grant that?"  
6) "Well, then," the Cat went on, "you see a dog growls when it's  
angry,
```

Part 2

Modify the WordSearch program to ask the user if the search should be case insensitive.

For example:

```
What is the file that should be searched?
[path-to-the-file]
What is the search word you are looking for?
Who
Should the search be case sensitive? (Y\N)
Y
1)                Who stole the Tarts?                                140
2)  shall only look up and say, 'Who am I then? Tell me that first, and
3)  "An arm, you goose! Who ever saw one that size? Why, it fills the
whole
4)  fancy--Who's to go down the chimney?--Nay, _I_ sha'n't! _You_ do
5)  "Who are _you_?" said the Caterpillar.
6)  "You!" said the Caterpillar contemptuously. "Who are _you_?"
7)  open place, with a little house in it about four feet high. "Whoever
8)  "Who's making personal remarks now?" the Hatter asked triumphantly.
9)  at her, and the Queen said severely, "Who is this?" She said it to
the
10) "Who _are_ you talking to?" said the King, coming up to Alice, and
11)      Who for such dainties would not stoop?
12)      "Beautiful Soup! Who cares for fish,
13)      Who would not give all else for two
14)  [Sidenote: _Who Stole the Tarts?_]
15)  [Illustration: _Who stole the tarts?_]
16)  "Who is it directed to?" said one of the jurymen.
17)  "Who cares for _you_?" said Alice (she had grown to her full size by
```

QuizMaker (Challenge)

Create a quiz maker program which asks the user a question. They should be presented with the possible multiple choice answers and allowed to specify the correct answer.

The program should read the questions from an input file during startup. The questions and answers in the file will be pipe delimited ("|") and correct answers will be marked with an asterisk ("*") in the file.

For example:

```
Question-1|answer-1|answer-2|correct-answer*|answer-4
```

An example of the file might look something like this:

```
What color is the sky?|Yellow|Blue*|Green|Red
What are Cleveland's odds of winning a championship?|Not likely*|Highly
likely|Fat chance|Who cares??
```

The application will be started with the command `mvn exec:java -Dexec.mainClass="com.techelevator.QuizMaker"`

Tips

- Create a class that can hold a quiz question, its available answers, and the correct answer.
- Try holding each quiz question in a list of quiz questions.

Part 1

Ask a single question to the user when the application is opened. Don't show the asterisk in the list of choices.

Example

```
Where is the quiz file?
[path-to-quiz-file]

What color is the sky?
1. Yellow
2. Blue
3. Green
4. Red

Your answer: 2
Correct!
```

Part 2

Go through all of the available quiz questions and ask the user each one sequentially. Record how many answers they got correct and print out the total at the end.

Example

```
Where is the quiz file?
[path-to-quiz-file]

What color is the sky?
1. Yellow
2. Blue
3. Green
4. Red

Your answer: 3
Sorry that isn't correct!
```

What are the Cleveland Browns' odds of winning a championship?

1. Not likely
2. Highly likely
3. Fat chance
4. Who cares??

Your answer: 1

Correct!

You got 1 answer(s) correct out of the total 2 questions asked.

Getting Started

- Import the file-io-part1-exercises project into Eclipse.
- Open the java file for the application you are working on. The files are located in the src/main/java/com/techelevator directory.
- Provide enough code to get the program started.
- Verify your work on the command line.
- Repeat until the features have been implemented as outlined in the functional requirements.

Tips and Tricks

- Command line applications can be a valuable asset to the teams that you work on. There will be occasions when routine tasks need to be completed with files at some scheduled interval. Learning how to create applications that can load data into systems, provide alerts when data is not correct, or even automate other systems is an essential skill for developers to gain.
 - What tasks might be able to automate in your own life by applying the knowledge you now have about reading data from files?
 - Why might it be important to allow people to pass their own file path to the applications you write? How else might you get the path without explicitly asking your customer to provide the path?
 - Learning how to read errors that occur when our applications fail is an important skill to develop as an application developer. When an error occurs, reading the error details is a great way to start the discovery process to diagnosing the problems that occurred.
 - [Maven](#) is a great tool for Java developers to learn. This tool can be used to run your applications, build and compile code, run your tests, and even create new projects. The best part of command line utilities is that they can often be automated without the need to install full versions of software. Take some time to learn about the powerful features [Maven](#) provides.
 - An important skill to learn as a developer is how to read documentation related to the language you're working with. The documentation for the [Java File class](#) may be valuable as you work on this exercise.
-