

ORMs, JPA y Hibernate

IF4101 Lenguajes para aplicaciones comerciales
MSI. Álvaro Mena Monge

Presione espaciadora para avanzar →



UNIVERSIDAD DE
COSTA RICA

RP-CIE

Carrera de
Informática Empresarial
Recinto de Paraíso



Tabla de contenidos

1. Las aplicaciones y las bases de datos
 1. Pruebas
2. Some code blocks
3. Code
 1. Shiki Magic Move
4. Components
5. Themes
6. Clicks Animations
7. Motions
8. LaTeX
9. Diagrams
10. Draggable Elements
11. Imported Slides
12. Monaco Editor
13. Learn More

Las aplicaciones y las bases de datos

- El desarrollo de sistemas de información involucra la creación de código para integrarlas con bases de datos relacionales.
- Se deben mapear las tablas de la b.d. con clases en Java
- Item 3

Pruebas

Some code blocks

- Java

```
public record User(String name, LocalDate birthday) {  
}
```

- HTML

```
<div class="flex gap-4">  
  <div>Syntax highlighting is built-in</div>  
</div>
```

- JavaScript

```
export function sayHello() {  
  console.log('Hello')  
}
```

Code

Use code snippets and get the highlighting directly, and even types hover!

```
// TwoSlash enables TypeScript hover information  
// and errors in markdown code blocks  
// More at https://shiki.style/packages/twoslash
```

```
import { computed, ref } from 'vue'
```

```
const count = ref(0)
```

```
const doubled = computed(() => count.value * 2)
```

```
doubled.value = 2
```

```
Cannot assign to 'value' because it is a read-only
```

```
// Inside ./snippets/external.ts
```

```
export function emptyArray<T>(length: number) {  
  return Array.from<T>({ length })  
}
```

[Learn more](#)



Shiki Magic Move

Powered by [shiki-magic-move](#), Slidev supports animations across multiple code snippets.

Add multiple code blocks and wrap them with `````md magic-move` (four backticks) to enable the magic move. For example:

```
1 // step 1
2 const author = reactive({
3   name: 'John Doe',
4   books: [
5     'Vue 2 - Advanced Guide',
6     'Vue 3 - Basic Guide',
7     'Vue 4 - The Mystery'
8   ]
9 })
```

Components

You can use Vue components directly inside your slides.

```
<Tweet id="1390115482657726468" />
```

We have provided a few built-in components like `<Tweet/>` and `<Youtube/>` that you can use directly. And adding your custom components is also super easy.

```
<Counter :count="10" />
```




Check out [the guides](#) for more.

Themes

Slidev comes with powerful theming support. Themes can provide styles, layouts, components, or even configurations for tools. Switching between themes by just **one edit** in your frontmatter:

```
---  
theme: default  
---
```

```
---  
theme: seriph  
---
```



Read more about [How to use a theme](#) and check out the [Awesome Themes Gallery](#).

Clicks Animations

You can add `v-click` to elements to add a click animation.

This shows up when you click the slide:

```
<div v-click>This shows up when you click the slide.</div>
```

The `v-mark` directive also allows you to add inline marks, powered by Rough Notation:

```
<span v-mark.underline.orange>inline markers</span>
```

Learn more

Motions

Motion animations are powered by @vueuse/motion, triggered by `v-motion` directive.

```
<div
  v-motion
  :initial="{ x: -80 }"
  :enter="{ x: 0 }"
  :click-3="{ x: 80 }"
  :leave="{ x: 1000 }"
>
  Slidev
</div>
```



Slidev

[Learn more](#)

LaTeX

LaTeX is supported out-of-box. Powered by KaTeX.

Inline $\sqrt{3x-1} + (1+x)^2$

Block

$$\nabla \cdot \vec{E} = \frac{\rho}{\varepsilon_0}$$

$$\nabla \cdot \vec{B} = 0$$





$$\nabla \times \vec{E} = -\frac{\partial \vec{B}}{\partial t}$$

$$\nabla \times \vec{B} = \mu_0 \vec{J} + \mu_0 \varepsilon_0 \frac{\partial \vec{E}}{\partial t}$$

Learn more

Diagrams

You can create diagrams / graphs from textual descriptions, directly in your Markdown.



Learn more: [Mermaid Diagrams](#) and [PlantUML Diagrams](#)

Draggable Elements

Double-click on the draggable elements to edit their positions.

DIRECTIVE USAGE

```

```

Double-click me!

COMPONENT USAGE

```
<v-drag text-3xl>  
  <div class="i-carbon:arrow-up" />  
  Use the `v-drag` component to have a draggable container!  
</v-drag>
```

DRAGGABLE ARROW

```
<v-drag-arrow two-way />
```



Imported Slides

You can split your slides.md into multiple files and organize them as you want using the `src` attribute.

slides.md

```
# Page 1
```

```
Page 2 from main entry.
```

```
---
```

```
## src: ./subpage.md
```

subpage.md

```
# Page 2
```

```
Page 2 from another file.
```

[Learn more](#)

Monaco Editor

Slidev provides built-in Monaco Editor support.

Add `{monaco}` to the code block to turn it into an editor:

```
import { ref } from 'vue'
import { emptyArray } from './external'

const arr = ref(emptyArray(10))
```

Use `{monaco-run}` to create an editor that can execute the code directly in the slide:

```
import { version } from 'vue'
import { emptyArray, sayHello } from './external'

sayHello()
console.log(`vue ${version}`)
console.log(emptyArray<number>(10).reduce(fib => [...fib, fib.at(-1)! + fib.at(-2)!], [1, 1]))
```

vue 3.5.13

[1, 1, 2, 3, 5, 8, 13, 21, 34, 55, 89, 144]

Learn More

[Documentation](#) · [GitHub](#) · [Showcases](#)

Powered by  Slidev