

# The Automated Modeling and Optimization of Part DNA Substructures Employing Evolutionary Computation

Daniel Tauritz, Bailey Eversmeyer

Missouri University of Science and Technology

*tauritzd@mst.edu, rbe62d@mst.edu*

May 7, 2019

# Overview

## Goals:

- Model and map the flow of goods and components through a system
- Track the changes to components over time
- Help identify relationships between components
- Makes analyzing the system easier

# How We Fit into the Part-DNA Model

- 1 Choose a substructure of the Part-DNA Model

# How We Fit into the Part-DNA Model

- 1 Choose a substructure of the Part-DNA Model
- 2 Gather data on input-output component transformations

# How We Fit into the Part-DNA Model

- 1 Choose a substructure of the Part-DNA Model
- 2 Gather data on input-output component transformations
- 3 Model the transformations of components through the section

# How We Fit into the Part-DNA Model


- 1 Choose a substructure of the Part-DNA Model
- 2 Gather data on input-output component transformations
- 3 Model the transformations of components through the section
- 4 Gather data on possible input components

# How We Fit into the Part-DNA Model

- 1 Choose a substructure of the Part-DNA Model
- 2 Gather data on input-output component transformations
- 3 Model the transformations of components through the section
- 4 Gather data on possible input components
- 5 Test new input combinations to map Pareto Trade-Off surface




# Our Model Concept



# Genetic Programming (GP)

# Evolutionary Algorithms (EAs)

# Multi-Objective EAs (MOEAs)



Given a dataset of input-output combinations

For each output attribute:

- Generate population of randomized functions from the input domain

Given a dataset of input-output combinations

For each output attribute:

- Generate population of randomized functions from the input domain
- Assign fitness value based on error across the dataset

Given a dataset of input-output combinations

For each output attribute:


- Generate population of randomized functions from the input domain
- Assign fitness value based on error across the dataset
- Explore the function domain through recombination and mutation of functions

Repeat for each transformation object



# MOEA Section

With the modeled functions in hand, we apply our MOEA to the whole process to optimize for the output parameters



Given a dataset of possible inputs and desired outputs:

- Generate population of randomly chosen inputs

Given a dataset of possible inputs and desired outputs:

- Generate population of randomly chosen inputs
- Simulate the system with each input combination

Given a dataset of possible inputs and desired outputs:

- Generate population of randomly chosen inputs
- Simulate the system with each input combination
- Assign fitness values for Accuracy and Affordability

Given a dataset of possible inputs and desired outputs:


- Generate population of randomly chosen inputs
- Simulate the system with each input combination
- Assign fitness values for Accuracy and Affordability
- Rate solutions based on their Pareto score

Given a dataset of possible inputs and desired outputs:

- Generate population of randomly chosen inputs
- Simulate the system with each input combination
- Assign fitness values for Accuracy and Affordability
- Rate solutions based on their Pareto score
- Explore the input combination domain through recombination and mutation of solutions

End with a selection of Pareto Optimal solutions, and associated trade-off information.

# Example Pareto Front over Time



# Questions?