

Reference Manual

Generated by Doxygen 1.8.1.2

Fri May 9 2014 03:30:36

Contents

1	Namespace Index	1
1.1	Packages	1
2	Class Index	3
2.1	Class Hierarchy	3
3	Class Index	5
3.1	Class List	5
4	File Index	7
4.1	File List	7
5	Namespace Documentation	9
5.1	Package ballmerpeak	9
5.2	Package ballmerpeak.turtlenet	9
5.3	Package ballmerpeak.turtlenet.client	9
5.4	Package ballmerpeak.turtlenet.remoteserver	9
5.5	Package ballmerpeak.turtlenet.server	9
5.6	Package ballmerpeak.turtlenet.shared	10
6	Class Documentation	11
6.1	ballmerpeak.turtlenet.shared.CommentDetails Class Reference	11
6.1.1	Detailed Description	11
6.1.2	Constructor & Destructor Documentation	11
6.1.2.1	CommentDetails	11
6.1.2.2	CommentDetails	11
6.1.3	Member Data Documentation	12
6.1.3.1	liked	12
6.1.3.2	posterKey	12
6.1.3.3	posterName	12
6.1.3.4	sig	12
6.1.3.5	text	12
6.1.3.6	timestamp	12

6.2	ballmerpeak.turtlenet.shared.Conversation Class Reference	12
6.2.1	Detailed Description	12
6.2.2	Constructor & Destructor Documentation	13
6.2.2.1	Conversation	13
6.2.2.2	Conversation	13
6.2.3	Member Function Documentation	13
6.2.3.1	concatNames	13
6.2.4	Member Data Documentation	13
6.2.4.1	firstMessage	13
6.2.4.2	keys	13
6.2.4.3	signature	13
6.2.4.4	timestamp	13
6.2.4.5	users	13
6.3	ballmerpeak.turtlenet.server.Crypto Class Reference	13
6.3.1	Detailed Description	14
6.3.2	Member Function Documentation	14
6.3.2.1	Base64Decode	14
6.3.2.2	Base64Encode	14
6.3.2.3	decodeKey	14
6.3.2.4	decrypt	14
6.3.2.5	decryptBytes	14
6.3.2.6	decryptDB	14
6.3.2.7	encodeKey	15
6.3.2.8	encrypt	15
6.3.2.9	encryptBytes	15
6.3.2.10	encryptDB	15
6.3.2.11	getPrivateKey	15
6.3.2.12	getPublicKey	15
6.3.2.13	getTestKey	15
6.3.2.14	hash	15
6.3.2.15	keyGen	15
6.3.2.16	keysExist	15
6.3.2.17	rand	15
6.3.2.18	sign	15
6.3.2.19	sign	16
6.3.2.20	verifySig	16
6.3.3	Member Data Documentation	16
6.3.3.1	srand	16
6.4	ballmerpeak.turtlenet.server.Database Class Reference	16
6.4.1	Detailed Description	17

6.4.2	Constructor & Destructor Documentation	17
6.4.2.1	Database	17
6.4.3	Member Function Documentation	18
6.4.3.1	acceptEvent	18
6.4.3.2	addCategory	18
6.4.3.3	addCategory	18
6.4.3.4	addClaim	18
6.4.3.5	addComment	18
6.4.3.6	addConvo	18
6.4.3.7	addEvent	18
6.4.3.8	addKey	18
6.4.3.9	addKey	18
6.4.3.10	addLike	18
6.4.3.11	addMessageToChat	18
6.4.3.12	addPDATA	18
6.4.3.13	addPost	19
6.4.3.14	addRevocation	19
6.4.3.15	addToCategory	19
6.4.3.16	addToCategory	19
6.4.3.17	calcRevocationKeys	19
6.4.3.18	canSeePDATA	19
6.4.3.19	createDBDir	19
6.4.3.20	dbConnect	19
6.4.3.21	dbCreate	19
6.4.3.22	DBDirExists	19
6.4.3.23	dbDisconnect	19
6.4.3.24	DBExists	19
6.4.3.25	declineEvent	20
6.4.3.26	eraseContentFrom	20
6.4.3.27	execute	20
6.4.3.28	getCategories	20
6.4.3.29	getCategoryMembers	20
6.4.3.30	getComments	20
6.4.3.31	getConversation	20
6.4.3.32	getConversationMessages	20
6.4.3.33	getConversations	20
6.4.3.34	getKey	20
6.4.3.35	getName	20
6.4.3.36	getPDATA	20
6.4.3.37	getPeopleInConvo	21

6.4.3.38	getPostVisibleTo	21
6.4.3.39	getSignatory	21
6.4.3.40	getVisibilityOfParent	21
6.4.3.41	getWallPost	21
6.4.3.42	getWallPostSender	21
6.4.3.43	isLiked	21
6.4.3.44	isRevoked	21
6.4.3.45	keysCanSeePDATA	21
6.4.3.46	like	21
6.4.3.47	query	21
6.4.3.48	removeFromCategory	21
6.4.3.49	removeFromCategory	22
6.4.3.50	timeMostRecentWallPost	22
6.4.3.51	unlike	22
6.4.3.52	updatePDATA	22
6.4.3.53	updatePDATApemission	22
6.4.3.54	updatePDATApemission	22
6.4.3.55	validateClaims	22
6.4.4	Member Data Documentation	22
6.4.4.1	path	22
6.5	ballmerpeak.turtlenet.server.FIO Class Reference	22
6.5.1	Detailed Description	22
6.5.2	Member Function Documentation	23
6.5.2.1	readFileBytes	23
6.5.2.2	writeFileBytes	23
6.6	ballmerpeak.turtlenet.server.Friend Class Reference	23
6.6.1	Detailed Description	23
6.6.2	Constructor & Destructor Documentation	23
6.6.2.1	Friend	23
6.6.3	Member Function Documentation	23
6.6.3.1	getKey	23
6.6.3.2	getName	23
6.6.3.3	setName	23
6.7	ballmerpeak.turtlenet.client.frontend Class Reference	24
6.7.1	Detailed Description	24
6.7.2	Member Function Documentation	24
6.7.2.1	onClick	24
6.7.2.2	onModuleLoad	24
6.8	ballmerpeak.turtlenet.server.Logger Class Reference	24
6.8.1	Detailed Description	24

6.8.2	Member Function Documentation	24
6.8.2.1	close	24
6.8.2.2	init	24
6.8.2.3	write	25
6.9	ballmerpeak.turtlenet.shared.Message Class Reference	25
6.9.1	Detailed Description	26
6.9.2	Constructor & Destructor Documentation	26
6.9.2.1	Message	26
6.9.2.2	Message	26
6.9.3	Member Function Documentation	26
6.9.3.1	ADDCATgetName	26
6.9.3.2	ADDCATgetValue	26
6.9.3.3	ADDKEYgetKey	26
6.9.3.4	ADDTOCATgetKey	26
6.9.3.5	ADDTOCATgetName	26
6.9.3.6	afterColon	26
6.9.3.7	beforeColon	26
6.9.3.8	CHATgetKeys	27
6.9.3.9	CLAIMgetName	27
6.9.3.10	CMNTgetItemID	27
6.9.3.11	CMNTgetText	27
6.9.3.12	EVNTgetEnd	27
6.9.3.13	EVNTgetName	27
6.9.3.14	EVNTgetStart	27
6.9.3.15	getCmd	27
6.9.3.16	getContent	27
6.9.3.17	getSig	27
6.9.3.18	getTimestamp	27
6.9.3.19	LIKEgetItemID	27
6.9.3.20	parse	28
6.9.3.21	PCHATgetConversationID	28
6.9.3.22	PCHATgetText	28
6.9.3.23	PDATAgetValues	28
6.9.3.24	POSTgetText	28
6.9.3.25	POSTgetVisibleTo	28
6.9.3.26	POSTgetWall	28
6.9.3.27	REMFROMCATgetCategory	28
6.9.3.28	REMFROMCATgetKey	28
6.9.3.29	REVOKEgetTime	28
6.9.3.30	toString	28

6.9.3.31	UNLIKEgetItemID	28
6.9.3.32	UPDATECATgetName	29
6.9.3.33	UPDATECATgetValue	29
6.9.4	Member Data Documentation	29
6.9.4.1	command	29
6.9.4.2	content	29
6.9.4.3	signature	29
6.9.4.4	timestamp	29
6.10	ballmerpeak.turtlenet.server.MessageFactory Class Reference	29
6.10.1	Detailed Description	30
6.10.2	Constructor & Destructor Documentation	30
6.10.2.1	MessageFactory	30
6.10.3	Member Function Documentation	30
6.10.3.1	newADDCAT	30
6.10.3.2	newADDKEY	30
6.10.3.3	newADDTOCAT	30
6.10.3.4	newCHAT	30
6.10.3.5	newCHAT	30
6.10.3.6	newCLAIM	30
6.10.3.7	newCMNT	30
6.10.3.8	newEVNT	30
6.10.3.9	newLIKE	30
6.10.3.10	newMessage	31
6.10.3.11	newPCHAT	31
6.10.3.12	newPDATA	31
6.10.3.13	newPDATA	31
6.10.3.14	newPOST	31
6.10.3.15	newREMFROMCAT	31
6.10.3.16	newREVOKE	31
6.10.3.17	newUNLIKE	31
6.10.3.18	newUPDATECAT	31
6.11	ballmerpeak.turtlenet.server.NetworkConnection Class Reference	31
6.11.1	Detailed Description	32
6.11.2	Constructor & Destructor Documentation	32
6.11.2.1	NetworkConnection	32
6.11.3	Member Function Documentation	32
6.11.3.1	claimName	32
6.11.3.2	close	32
6.11.3.3	downloadNewMessages	32
6.11.3.4	getMessage	32

6.11.3.5	getTime	32
6.11.3.6	hasMessage	32
6.11.3.7	postMessage	32
6.11.3.8	run	32
6.12	ballmerpeak.turtlenet.server.Pair< A, B > Class Reference	33
6.12.1	Detailed Description	33
6.12.2	Constructor & Destructor Documentation	33
6.12.2.1	Pair	33
6.12.3	Member Data Documentation	33
6.12.3.1	first	33
6.12.3.2	second	33
6.13	ballmerpeak.turtlenet.server.Parser Class Reference	33
6.13.1	Detailed Description	33
6.13.2	Member Function Documentation	33
6.13.2.1	parse	33
6.14	ballmerpeak.turtlenet.shared.PostDetails Class Reference	34
6.14.1	Detailed Description	34
6.14.2	Constructor & Destructor Documentation	34
6.14.2.1	PostDetails	34
6.14.2.2	PostDetails	34
6.14.3	Member Data Documentation	34
6.14.3.1	commentCount	34
6.14.3.2	liked	34
6.14.3.3	posterKey	35
6.14.3.4	posterUsername	35
6.14.3.5	sig	35
6.14.3.6	text	35
6.14.3.7	timestamp	35
6.15	ballmerpeak.turtlenet.remoteserver.Server Class Reference	35
6.15.1	Detailed Description	35
6.15.2	Member Function Documentation	35
6.15.2.1	main	35
6.15.2.2	shutdown	35
6.15.2.3	start	36
6.15.3	Member Data Documentation	36
6.15.3.1	shutdownPassword	36
6.16	ballmerpeak.turtlenet.server.TNClient Class Reference	36
6.16.1	Detailed Description	36
6.16.2	Constructor & Destructor Documentation	36
6.16.2.1	TNClient	36

6.16.3	Member Function Documentation	36
6.16.3.1	run	36
6.16.4	Member Data Documentation	36
6.16.4.1	connection	36
6.16.4.2	db	37
6.16.4.3	dbReady	37
6.16.4.4	networkThread	37
6.16.4.5	password	37
6.16.4.6	running	37
6.17	ballmerpeak.turtlenet.shared.Tokenizer Class Reference	37
6.17.1	Detailed Description	37
6.17.2	Constructor & Destructor Documentation	37
6.17.2.1	Tokenizer	37
6.17.3	Member Function Documentation	37
6.17.3.1	countTokens	37
6.17.3.2	hasMoreTokens	38
6.17.3.3	nextToken	38
6.18	ballmerpeak.turtlenet.client.Turtlenet Interface Reference	38
6.18.1	Detailed Description	39
6.18.2	Member Function Documentation	39
6.18.2.1	addCategory	39
6.18.2.2	addComment	39
6.18.2.3	addKey	39
6.18.2.4	addMessageToCHAT	39
6.18.2.5	addPost	39
6.18.2.6	addToCategory	39
6.18.2.7	claimUsername	39
6.18.2.8	createCHAT	39
6.18.2.9	getCategories	39
6.18.2.10	getCategoryMembers	40
6.18.2.11	getComments	40
6.18.2.12	getConversation	40
6.18.2.13	getConversationMessages	40
6.18.2.14	getConversations	40
6.18.2.15	getConvoLastUpdated	40
6.18.2.16	getKey	40
6.18.2.17	getMyKey	40
6.18.2.18	getMyPDATA	40
6.18.2.19	getMyUsername	40
6.18.2.20	getPDATA	40

6.18.2.21	getPeople	40
6.18.2.22	getPostLastCommented	41
6.18.2.23	getUsername	41
6.18.2.24	getWallPosts	41
6.18.2.25	isFirstTime	41
6.18.2.26	like	41
6.18.2.27	register	41
6.18.2.28	removeFromCategory	41
6.18.2.29	revokeMyKey	41
6.18.2.30	startTN	41
6.18.2.31	stopTN	41
6.18.2.32	timeMostRecentWallPost	41
6.18.2.33	unlike	41
6.18.2.34	updatePDATA	42
6.18.2.35	updatePDATApersion	42
6.19	ballmerpeak.turtlenet.client.TurtlenetAsync Interface Reference	42
6.19.1	Detailed Description	43
6.19.2	Member Function Documentation	43
6.19.2.1	addCategory	43
6.19.2.2	addComment	43
6.19.2.3	addKey	43
6.19.2.4	addMessageToCHAT	43
6.19.2.5	addPost	43
6.19.2.6	addToCategory	43
6.19.2.7	claimUsername	43
6.19.2.8	createCHAT	43
6.19.2.9	getCategories	43
6.19.2.10	getCategoryMembers	43
6.19.2.11	getComments	43
6.19.2.12	getConversation	43
6.19.2.13	getConversationMessages	43
6.19.2.14	getConversations	43
6.19.2.15	getConvoLastUpdated	43
6.19.2.16	getKey	43
6.19.2.17	getMyKey	43
6.19.2.18	getMyPDATA	43
6.19.2.19	getMyUsername	43
6.19.2.20	getPDATA	43
6.19.2.21	getPeople	44
6.19.2.22	getPostLastCommented	44

6.19.2.23 getUsername	44
6.19.2.24 getWallPosts	44
6.19.2.25 isFirstTime	44
6.19.2.26 like	44
6.19.2.27 register	44
6.19.2.28 removeFromCategory	44
6.19.2.29 revokeMyKey	44
6.19.2.30 startTN	44
6.19.2.31 stopTN	44
6.19.2.32 timeMostRecentWallPost	44
6.19.2.33 unlike	44
6.19.2.34 updatePDATA	44
6.19.2.35 updatePDATApemission	44
6.20 ballmerpeak.turtlenet.server.TurtlenetImpl Class Reference	44
6.20.1 Detailed Description	45
6.20.2 Member Function Documentation	45
6.20.2.1 addCategory	45
6.20.2.2 addComment	45
6.20.2.3 addKey	46
6.20.2.4 addMessageToCHAT	46
6.20.2.5 addPost	46
6.20.2.6 addToCategory	46
6.20.2.7 claimUsername	46
6.20.2.8 createCHAT	46
6.20.2.9 getCategories	46
6.20.2.10 getCategoryMembers	46
6.20.2.11 getComments	46
6.20.2.12 getConversation	47
6.20.2.13 getConversationMessages	47
6.20.2.14 getConversations	47
6.20.2.15 getConvoLastUpdated	47
6.20.2.16 getKey	47
6.20.2.17 getMyKey	47
6.20.2.18 getMyPDATA	47
6.20.2.19 getMyUsername	47
6.20.2.20 getPDATA	47
6.20.2.21 getPeople	48
6.20.2.22 getPostLastCommented	48
6.20.2.23 getUsername	48
6.20.2.24 getWallPosts	48

6.20.2.25 isFirstTime	48
6.20.2.26 like	48
6.20.2.27 register	48
6.20.2.28 removeFromCategory	48
6.20.2.29 revokeMyKey	48
6.20.2.30 sendPDATA	49
6.20.2.31 startTN	49
6.20.2.32 stopTN	49
6.20.2.33 timeMostRecentWallPost	49
6.20.2.34 unlike	49
6.20.2.35 updatePDATA	49
6.20.2.36 updatePDATApersion	49
7 File Documentation	51
7.1 src/ballmerpeak/turtlenet/client/frontend.java File Reference	51
7.2 src/ballmerpeak/turtlenet/client/Turtlenet.java File Reference	51
7.3 src/ballmerpeak/turtlenet/client/TurtlenetAsync.java File Reference	51
7.4 src/ballmerpeak/turtlenet/remoteserver/Hasher.java File Reference	51
7.5 src/ballmerpeak/turtlenet/remoteserver/Server.java File Reference	52
7.6 src/ballmerpeak/turtlenet/server/Crypto.java File Reference	52
7.7 src/ballmerpeak/turtlenet/server/Database.java File Reference	52
7.8 src/ballmerpeak/turtlenet/server/DBStrings.java File Reference	52
7.9 src/ballmerpeak/turtlenet/server/FIO.java File Reference	53
7.10 src/ballmerpeak/turtlenet/server/Friend.java File Reference	53
7.11 src/ballmerpeak/turtlenet/server/Logger.java File Reference	53
7.12 src/ballmerpeak/turtlenet/server/MessageFactory.java File Reference	53
7.13 src/ballmerpeak/turtlenet/server/NetworkConnection.java File Reference	53
7.14 src/ballmerpeak/turtlenet/server/Pair.java File Reference	54
7.15 src/ballmerpeak/turtlenet/server/Parser.java File Reference	54
7.16 src/ballmerpeak/turtlenet/server/TNClient.java File Reference	54
7.17 src/ballmerpeak/turtlenet/server/TurtlenetImpl.java File Reference	54
7.18 src/ballmerpeak/turtlenet/shared/CommentDetails.java File Reference	55
7.19 src/ballmerpeak/turtlenet/shared/Conversation.java File Reference	55
7.20 src/ballmerpeak/turtlenet/shared/Message.java File Reference	55
7.21 src/ballmerpeak/turtlenet/shared/PostDetails.java File Reference	55
7.22 src/ballmerpeak/turtlenet/shared/Tokenizer.java File Reference	55

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

ballmerpeak	9
ballmerpeak.turtlenet	9
ballmerpeak.turtlenet.client	9
ballmerpeak.turtlenet.remoteserver	9
ballmerpeak.turtlenet.server	9
ballmerpeak.turtlenet.shared	10

Chapter 2

Class Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

ballmerpeak.turtlenet.shared.CommentDetails	11
ballmerpeak.turtlenet.shared.Conversation	12
ballmerpeak.turtlenet.server.Crypto	13
ballmerpeak.turtlenet.server.Database	16
ballmerpeak.turtlenet.server.FIO	22
ballmerpeak.turtlenet.server.Friend	23
ballmerpeak.turtlenet.client.frontend	24
ballmerpeak.turtlenet.server.Logger	24
ballmerpeak.turtlenet.shared.Message	25
ballmerpeak.turtlenet.server.MessageFactory	29
ballmerpeak.turtlenet.server.NetworkConnection	31
ballmerpeak.turtlenet.server.Pair< A, B >	33
ballmerpeak.turtlenet.server.Parser	33
ballmerpeak.turtlenet.shared.PostDetails	34
ballmerpeak.turtlenet.remoteserver.Server	35
ballmerpeak.turtlenet.server.TNClient	36
ballmerpeak.turtlenet.shared.Tokenizer	37
ballmerpeak.turtlenet.client.Turtlenet	38
ballmerpeak.turtlenet.server.TurtlenetImpl	44
ballmerpeak.turtlenet.client.TurtlenetAsync	42

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

ballmerpeak.turtlenet.shared.CommentDetails	11
ballmerpeak.turtlenet.shared.Conversation	12
ballmerpeak.turtlenet.server.Crypto	13
ballmerpeak.turtlenet.server.Database	16
ballmerpeak.turtlenet.server.FIO	22
ballmerpeak.turtlenet.server.Friend	23
ballmerpeak.turtlenet.client.frontend	24
ballmerpeak.turtlenet.server.Logger	24
ballmerpeak.turtlenet.shared.Message	25
ballmerpeak.turtlenet.server.MessageFactory	29
ballmerpeak.turtlenet.server.NetworkConnection	31
ballmerpeak.turtlenet.server.Pair< A, B >	33
ballmerpeak.turtlenet.server.Parser	33
ballmerpeak.turtlenet.shared.PostDetails	34
ballmerpeak.turtlenet.remoteserver.Server	35
ballmerpeak.turtlenet.server.TNClient	36
ballmerpeak.turtlenet.shared.Tokenizer	37
ballmerpeak.turtlenet.client.Turtlenet	38
ballmerpeak.turtlenet.client.TurtlenetAsync	42
ballmerpeak.turtlenet.server.TurtlenetImpl	44

Chapter 4

File Index

4.1 File List

Here is a list of all files with brief descriptions:

src/ballmerpeak/turtlenet/client/ frontend.java	51
src/ballmerpeak/turtlenet/client/ Turtlenet.java	51
src/ballmerpeak/turtlenet/client/ TurtlenetAsync.java	51
src/ballmerpeak/turtlenet/remoteserver/ Hasher.java	51
src/ballmerpeak/turtlenet/remoteserver/ Server.java	52
src/ballmerpeak/turtlenet/server/ Crypto.java	52
src/ballmerpeak/turtlenet/server/ Database.java	52
src/ballmerpeak/turtlenet/server/ DBStrings.java	52
src/ballmerpeak/turtlenet/server/ FIO.java	53
src/ballmerpeak/turtlenet/server/ Friend.java	53
src/ballmerpeak/turtlenet/server/ Logger.java	53
src/ballmerpeak/turtlenet/server/ MessageFactory.java	53
src/ballmerpeak/turtlenet/server/ NetworkConnection.java	53
src/ballmerpeak/turtlenet/server/ Pair.java	54
src/ballmerpeak/turtlenet/server/ Parser.java	54
src/ballmerpeak/turtlenet/server/ TNClient.java	54
src/ballmerpeak/turtlenet/server/ TurtlenetImpl.java	54
src/ballmerpeak/turtlenet/shared/ CommentDetails.java	55
src/ballmerpeak/turtlenet/shared/ Conversation.java	55
src/ballmerpeak/turtlenet/shared/ Message.java	55
src/ballmerpeak/turtlenet/shared/ PostDetails.java	55
src/ballmerpeak/turtlenet/shared/ Tokenizer.java	55

Chapter 5

Namespace Documentation

5.1 Package ballmerpeak

Packages

- package [turtlenet](#)

5.2 Package ballmerpeak.turtlenet

Packages

- package [client](#)
- package [remoteserver](#)
- package [server](#)
- package [shared](#)

5.3 Package ballmerpeak.turtlenet.client

Classes

- class [frontend](#)
- interface [Turtlenet](#)
- interface [TurtlenetAsync](#)

5.4 Package ballmerpeak.turtlenet.remoteserver

Classes

- class **Hasher**
- class [Server](#)
- class **Session**

5.5 Package ballmerpeak.turtlenet.server

Classes

- class [Crypto](#)
- class [Database](#)
- class **DBStrings**
- class [FIO](#)
- class [Friend](#)
- class [Logger](#)
- class [MessageFactory](#)
- class [NetworkConnection](#)
- class [Pair< A, B >](#)
- class [Parser](#)
- class [TNClient](#)
- class [TurtlenetImpl](#)

5.6 Package ballmerpeak.turtlenet.shared

Classes

- class [CommentDetails](#)
- class [Conversation](#)
- class [Message](#)
- class [PostDetails](#)
- class [Tokenizer](#)

Chapter 6

Class Documentation

6.1 ballmerpeak.turtlenet.shared.CommentDetails Class Reference

Inherits Serializable.

Public Member Functions

- [CommentDetails](#) ()
- [CommentDetails](#) (String _posterKey, String _posterName, String _sig, String _text, boolean _liked, Long _timestamp)

Public Attributes

- String [posterKey](#)
- String [posterName](#)
- String [sig](#)
- String [text](#)
- boolean [liked](#)
- Long [timestamp](#)

6.1.1 Detailed Description

Definition at line 7 of file CommentDetails.java.

6.1.2 Constructor & Destructor Documentation

6.1.2.1 ballmerpeak.turtlenet.shared.CommentDetails.CommentDetails ()

Definition at line 8 of file CommentDetails.java.

6.1.2.2 ballmerpeak.turtlenet.shared.CommentDetails.CommentDetails (String _posterKey, String _posterName, String _sig, String _text, boolean _liked, Long _timestamp)

Definition at line 11 of file CommentDetails.java.

6.1.3 Member Data Documentation

6.1.3.1 boolean ballmerpeak.turtlenet.shared.CommentDetails.liked

Definition at line 24 of file CommentDetails.java.

6.1.3.2 String ballmerpeak.turtlenet.shared.CommentDetails.posterKey

Definition at line 20 of file CommentDetails.java.

6.1.3.3 String ballmerpeak.turtlenet.shared.CommentDetails.posterName

Definition at line 21 of file CommentDetails.java.

6.1.3.4 String ballmerpeak.turtlenet.shared.CommentDetails.sig

Definition at line 22 of file CommentDetails.java.

6.1.3.5 String ballmerpeak.turtlenet.shared.CommentDetails.text

Definition at line 23 of file CommentDetails.java.

6.1.3.6 Long ballmerpeak.turtlenet.shared.CommentDetails.timestamp

Definition at line 25 of file CommentDetails.java.

The documentation for this class was generated from the following file:

- src/ballmerpeak/turtlenet/shared/[CommentDetails.java](#)

6.2 ballmerpeak.turtlenet.shared.Conversation Class Reference

Inherits Serializable.

Public Member Functions

- [Conversation](#) ()
- [Conversation](#) (String sig, String time, String fmsg, String[] _users, String[] _keys)
- String [concatNames](#) ()

Public Attributes

- String [signature](#)
- String [timestamp](#)
- String [firstMessage](#)
- String[] [users](#)
- String[] [keys](#)

6.2.1 Detailed Description

Definition at line 5 of file Conversation.java.

6.2.2 Constructor & Destructor Documentation

6.2.2.1 ballmerpeak.turtlenet.shared.Conversation.Conversation ()

Definition at line 6 of file Conversation.java.

6.2.2.2 ballmerpeak.turtlenet.shared.Conversation.Conversation (String *sig*, String *time*, String *fmsg*, String[] *_users*, String[] *_keys*)

Definition at line 14 of file Conversation.java.

6.2.3 Member Function Documentation

6.2.3.1 String ballmerpeak.turtlenet.shared.Conversation.concatNames ()

Definition at line 22 of file Conversation.java.

6.2.4 Member Data Documentation

6.2.4.1 String ballmerpeak.turtlenet.shared.Conversation.firstMessage

Definition at line 31 of file Conversation.java.

6.2.4.2 String [] ballmerpeak.turtlenet.shared.Conversation.keys

Definition at line 33 of file Conversation.java.

6.2.4.3 String ballmerpeak.turtlenet.shared.Conversation.signature

Definition at line 29 of file Conversation.java.

6.2.4.4 String ballmerpeak.turtlenet.shared.Conversation.timestamp

Definition at line 30 of file Conversation.java.

6.2.4.5 String [] ballmerpeak.turtlenet.shared.Conversation.users

Definition at line 32 of file Conversation.java.

The documentation for this class was generated from the following file:

- src/ballmerpeak/turtlenet/shared/[Conversation.java](#)

6.3 ballmerpeak.turtlenet.server.Crypto Class Reference

Static Public Member Functions

- static Boolean [keysExist](#) ()
- static void [keyGen](#) ()
- static boolean [encryptDB](#) (String password)
- static boolean [decryptDB](#) (String password)

- static KeyPair [getTestKey](#) ()
- static PublicKey [getPublicKey](#) ()
- static PrivateKey [getPrivateKey](#) ()
- static String [sign](#) (Message msg)
- static String [sign](#) (Message msg, PrivateKey k)
- static String [hash](#) (String data)
- static boolean [verifySig](#) (Message msg, PublicKey author)
- static String [encrypt](#) (Message msg, PublicKey recipient, [NetworkConnection](#) connection)
- static Message [decrypt](#) (String msg)
- static String [encodeKey](#) (PublicKey key)
- static PublicKey [decodeKey](#) (String codedKey)
- static String [Base64Encode](#) (byte[] data)
- static byte[] [Base64Decode](#) (String data)
- static int [rand](#) (int min, int max)
- static byte[] [encryptBytes](#) (byte[] data, String key)
- static byte[] [decryptBytes](#) (byte[] data, String key)

Static Public Attributes

- static SecureRandom [srand](#)

6.3.1 Detailed Description

Definition at line 18 of file Crypto.java.

6.3.2 Member Function Documentation

6.3.2.1 static byte [] ballmerpeak.turtlenet.server.Crypto.Base64Decode (String *data*) [static]

Definition at line 288 of file Crypto.java.

6.3.2.2 static String ballmerpeak.turtlenet.server.Crypto.Base64Encode (byte[] *data*) [static]

Definition at line 284 of file Crypto.java.

6.3.2.3 static PublicKey ballmerpeak.turtlenet.server.Crypto.decodeKey (String *codedKey*) [static]

Definition at line 270 of file Crypto.java.

6.3.2.4 static Message ballmerpeak.turtlenet.server.Crypto.decrypt (String *msg*) [static]

Definition at line 222 of file Crypto.java.

6.3.2.5 static byte [] ballmerpeak.turtlenet.server.Crypto.decryptBytes (byte[] *data*, String *key*) [static]

Definition at line 309 of file Crypto.java.

6.3.2.6 static boolean ballmerpeak.turtlenet.server.Crypto.decryptDB (String *password*) [static]

Definition at line 83 of file Crypto.java.

6.3.2.7 `static String ballmerpeak.turtlenet.server.Crypto.encodeKey (PublicKey key) [static]`

Definition at line 261 of file Crypto.java.

6.3.2.8 `static String ballmerpeak.turtlenet.server.Crypto.encrypt (Message msg, PublicKey recipient, NetworkConnection connection) [static]`

Definition at line 192 of file Crypto.java.

6.3.2.9 `static byte [] ballmerpeak.turtlenet.server.Crypto.encryptBytes (byte[] data, String key) [static]`

Definition at line 297 of file Crypto.java.

6.3.2.10 `static boolean ballmerpeak.turtlenet.server.Crypto.encryptDB (String password) [static]`

Definition at line 61 of file Crypto.java.

6.3.2.11 `static PrivateKey ballmerpeak.turtlenet.server.Crypto.getPrivateKey () [static]`

Definition at line 127 of file Crypto.java.

6.3.2.12 `static PublicKey ballmerpeak.turtlenet.server.Crypto.getPublicKey () [static]`

Definition at line 115 of file Crypto.java.

6.3.2.13 `static KeyPair ballmerpeak.turtlenet.server.Crypto.getTestKey () [static]`

Definition at line 103 of file Crypto.java.

6.3.2.14 `static String ballmerpeak.turtlenet.server.Crypto.hash (String data) [static]`

Definition at line 158 of file Crypto.java.

6.3.2.15 `static void ballmerpeak.turtlenet.server.Crypto.keyGen () [static]`

Definition at line 30 of file Crypto.java.

6.3.2.16 `static Boolean ballmerpeak.turtlenet.server.Crypto.keysExist () [static]`

Definition at line 24 of file Crypto.java.

6.3.2.17 `static int ballmerpeak.turtlenet.server.Crypto.rand (int min, int max) [static]`

Definition at line 292 of file Crypto.java.

6.3.2.18 `static String ballmerpeak.turtlenet.server.Crypto.sign (Message msg) [static]`

Definition at line 139 of file Crypto.java.

6.3.2.19 `static String ballmerpeak.turtlenet.server.Crypto.sign (Message msg, PrivateKey k)` `[static]`

Definition at line 144 of file Crypto.java.

6.3.2.20 `static boolean ballmerpeak.turtlenet.server.Crypto.verifySig (Message msg, PublicKey author)` `[static]`

Definition at line 168 of file Crypto.java.

6.3.3 Member Data Documentation

6.3.3.1 `SecureRandom ballmerpeak.turtlenet.server.Crypto.srand` `[static]`

Initial value:

```
new SecureRandom(
                                Long.toString(
                                    System.currentTimeMillis()
                                    .getBytes())
                                )
```

Definition at line 19 of file Crypto.java.

The documentation for this class was generated from the following file:

- [src/ballmerpeak/turtlenet/server/Crypto.java](#)

6.4 ballmerpeak.turtlenet.server.Database Class Reference

Public Member Functions

- [Database](#) (String pw)
- void [dbCreate](#) ()
- boolean [dbConnect](#) (boolean dbexists)
- void [dbDisconnect](#) ()
- void [execute](#) (String query) throws java.sql.SQLException
- ResultSet [query](#) (String query) throws java.sql.SQLException
- String [getPDATA](#) (String field, PublicKey key)
- [Message\[\]](#) [getWallPost](#) (PublicKey key)
- String [getWallPostSender](#) (String sig)
- [Message\[\]](#) [getComments](#) (String sig)
- Long [timeMostRecentWallPost](#) (PublicKey key)
- boolean [isLiked](#) (String sig)
- [Conversation\[\]](#) [getConversations](#) ()
- PublicKey[] [getPeopleInConvo](#) (String sig)
- [Conversation](#) [getConversation](#) (String sig)
- String[][] [getConversationMessages](#) (String sig)
- PublicKey [getKey](#) (String userName)
- boolean [canSeePDATA](#) (String category)
- String[][] [getCategories](#) ()
- PublicKey[] [getCategoryMembers](#) (String catID)
- PublicKey[] [getVisibilityOfParent](#) (String sig)
- PublicKey[] [getPostVisibleTo](#) (String sig)
- String [getName](#) (PublicKey key)
- PublicKey [getSignatory](#) ([Message](#) m)
- boolean [addPost](#) ([Message](#) post)

- boolean [addKey](#) ([Message](#) msg)
- boolean [addKey](#) ([PublicKey](#) k)
- boolean [validateClaims](#) ([PublicKey](#) k)
- boolean [calcRevocationKeys](#) ([PublicKey](#) k)
- boolean [addClaim](#) ([Message](#) claim)
- boolean [addRevocation](#) ([Message](#) revocation)
- boolean [isRevoked](#) ([PublicKey](#) key)
- boolean [eraseContentFrom](#) ([PublicKey](#) key)
- boolean [addPDATA](#) ([Message](#) update)
- boolean [updatePDATA](#) (String field, String value, [PublicKey](#) k)
- boolean [addConvo](#) ([Message](#) convo)
- boolean [addMessageToChat](#) ([Message](#) msg)
- boolean [addComment](#) ([Message](#) comment)
- boolean [addLike](#) ([Message](#) like)
- boolean [addEvent](#) ([Message](#) event)
- boolean [acceptEvent](#) (String sig)
- boolean [declineEvent](#) (String sig)
- boolean [updatePDATAPermission](#) ([Message](#) msg)
- boolean [updatePDATAPermission](#) (String category, boolean value)
- [PublicKey](#)[] [keysCanSeePDATA](#) ()
- boolean [addCategory](#) ([Message](#) msg)
- boolean [addCategory](#) (String name, boolean can_see_private_details)
- boolean [addToCategory](#) ([Message](#) msg)
- boolean [addToCategory](#) (String category, [PublicKey](#) key)
- boolean [removeFromCategory](#) ([Message](#) msg)
- boolean [removeFromCategory](#) (String category, [PublicKey](#) key)
- boolean [like](#) (String sig)
- boolean [unlike](#) (String sig)

Static Public Member Functions

- static boolean [DBDirExists](#) ()
- static boolean [DBExists](#) ()
- static boolean [createDBDir](#) ()

Static Public Attributes

- static String [path](#) = "./db"

6.4.1 Detailed Description

Definition at line 13 of file Database.java.

6.4.2 Constructor & Destructor Documentation

6.4.2.1 ballmerpeak.turtlenet.server.Database.Database (String pw)

Definition at line 18 of file Database.java.

6.4.3 Member Function Documentation

6.4.3.1 `boolean ballmerpeak.turtlenet.server.Database.acceptEvent (String sig)`

Definition at line 783 of file Database.java.

6.4.3.2 `boolean ballmerpeak.turtlenet.server.Database.addCategory (Message msg)`

Definition at line 845 of file Database.java.

6.4.3.3 `boolean ballmerpeak.turtlenet.server.Database.addCategory (String name, boolean can_see_private_details)`

Definition at line 849 of file Database.java.

6.4.3.4 `boolean ballmerpeak.turtlenet.server.Database.addClaim (Message claim)`

Definition at line 596 of file Database.java.

6.4.3.5 `boolean ballmerpeak.turtlenet.server.Database.addComment (Message comment)`

Definition at line 733 of file Database.java.

6.4.3.6 `boolean ballmerpeak.turtlenet.server.Database.addConvo (Message convo)`

Definition at line 689 of file Database.java.

6.4.3.7 `boolean ballmerpeak.turtlenet.server.Database.addEvent (Message event)`

Definition at line 765 of file Database.java.

6.4.3.8 `boolean ballmerpeak.turtlenet.server.Database.addKey (Message msg)`

Definition at line 511 of file Database.java.

6.4.3.9 `boolean ballmerpeak.turtlenet.server.Database.addKey (PublicKey k)`

Definition at line 515 of file Database.java.

6.4.3.10 `boolean ballmerpeak.turtlenet.server.Database.addLike (Message like)`

Definition at line 751 of file Database.java.

6.4.3.11 `boolean ballmerpeak.turtlenet.server.Database.addMessageToChat (Message msg)`

Definition at line 708 of file Database.java.

6.4.3.12 `boolean ballmerpeak.turtlenet.server.Database.addPDATA (Message update)`

Definition at line 662 of file Database.java.

6.4.3.13 boolean ballmerpeak.turtlenet.server.Database.addPost (*Message post*)

Definition at line 492 of file Database.java.

6.4.3.14 boolean ballmerpeak.turtlenet.server.Database.addRevocation (*Message revocation*)

Definition at line 614 of file Database.java.

6.4.3.15 boolean ballmerpeak.turtlenet.server.Database.addToCategory (*Message msg*)

Definition at line 862 of file Database.java.

6.4.3.16 boolean ballmerpeak.turtlenet.server.Database.addToCategory (*String category*, *PublicKey key*)

Definition at line 866 of file Database.java.

6.4.3.17 boolean ballmerpeak.turtlenet.server.Database.calcRevocationKeys (*PublicKey k*)

Definition at line 567 of file Database.java.

6.4.3.18 boolean ballmerpeak.turtlenet.server.Database.canSeePDATA (*String category*)

Definition at line 350 of file Database.java.

6.4.3.19 static boolean ballmerpeak.turtlenet.server.Database.createDBDir () [static]

Definition at line 35 of file Database.java.

6.4.3.20 boolean ballmerpeak.turtlenet.server.Database.dbConnect (boolean *dbexists*)

Definition at line 54 of file Database.java.

6.4.3.21 void ballmerpeak.turtlenet.server.Database.dbCreate ()

Definition at line 40 of file Database.java.

6.4.3.22 static boolean ballmerpeak.turtlenet.server.Database.DBDirExists () [static]

Definition at line 24 of file Database.java.

6.4.3.23 void ballmerpeak.turtlenet.server.Database.dbDisconnect ()

Definition at line 71 of file Database.java.

6.4.3.24 static boolean ballmerpeak.turtlenet.server.Database.DBExists () [static]

Definition at line 29 of file Database.java.

6.4.3.25 **boolean** ballmerpeak.turtlenet.server.Database.declineEvent (*String sig*)

Definition at line 795 of file Database.java.

6.4.3.26 **boolean** ballmerpeak.turtlenet.server.Database.eraseContentFrom (*PublicKey key*)

Definition at line 640 of file Database.java.

6.4.3.27 **void** ballmerpeak.turtlenet.server.Database.execute (*String query*) throws java.sql.SQLException

Definition at line 83 of file Database.java.

6.4.3.28 **String** [][] ballmerpeak.turtlenet.server.Database.getCategories ()

Definition at line 367 of file Database.java.

6.4.3.29 **PublicKey** [] ballmerpeak.turtlenet.server.Database.getCategoryMembers (*String catID*)

Definition at line 392 of file Database.java.

6.4.3.30 **Message** [] ballmerpeak.turtlenet.server.Database.getComments (*String sig*)

Definition at line 193 of file Database.java.

6.4.3.31 **Conversation** ballmerpeak.turtlenet.server.Database.getConversation (*String sig*)

Definition at line 271 of file Database.java.

6.4.3.32 **String** [][] ballmerpeak.turtlenet.server.Database.getConversationMessages (*String sig*)

Definition at line 303 of file Database.java.

6.4.3.33 **Conversation** [] ballmerpeak.turtlenet.server.Database.getConversations ()

Definition at line 239 of file Database.java.

6.4.3.34 **PublicKey** ballmerpeak.turtlenet.server.Database.getKey (*String userName*)

Definition at line 327 of file Database.java.

6.4.3.35 **String** ballmerpeak.turtlenet.server.Database.getName (*PublicKey key*)

Definition at line 458 of file Database.java.

6.4.3.36 **String** ballmerpeak.turtlenet.server.Database.getPDATA (*String field*, *PublicKey key*)

Definition at line 126 of file Database.java.

6.4.3.37 **PublicKey []** ballmerpeak.turtlenet.server.Database.getPeopleInConvo (*String sig*)

Definition at line 255 of file Database.java.

6.4.3.38 **PublicKey []** ballmerpeak.turtlenet.server.Database.getPostVisibleTo (*String sig*)

Definition at line 442 of file Database.java.

6.4.3.39 **PublicKey** ballmerpeak.turtlenet.server.Database.getSignatory (*Message m*)

Definition at line 477 of file Database.java.

6.4.3.40 **PublicKey []** ballmerpeak.turtlenet.server.Database.getVisibilityOfParent (*String sig*)

Definition at line 420 of file Database.java.

6.4.3.41 **Message []** ballmerpeak.turtlenet.server.Database.getWallPost (*PublicKey key*)

Definition at line 150 of file Database.java.

6.4.3.42 **String** ballmerpeak.turtlenet.server.Database.getWallPostSender (*String sig*)

Definition at line 179 of file Database.java.

6.4.3.43 **boolean** ballmerpeak.turtlenet.server.Database.isLiked (*String sig*)

Definition at line 224 of file Database.java.

6.4.3.44 **boolean** ballmerpeak.turtlenet.server.Database.isRevoked (*PublicKey key*)

Definition at line 629 of file Database.java.

6.4.3.45 **PublicKey []** ballmerpeak.turtlenet.server.Database.keysCanSeePDATA ()

Definition at line 824 of file Database.java.

6.4.3.46 **boolean** ballmerpeak.turtlenet.server.Database.like (*String sig*)

Definition at line 902 of file Database.java.

6.4.3.47 **ResultSet** ballmerpeak.turtlenet.server.Database.query (*String query*) throws java.sql.SQLException

Definition at line 105 of file Database.java.

6.4.3.48 **boolean** ballmerpeak.turtlenet.server.Database.removeFromCategory (*Message msg*)

Definition at line 885 of file Database.java.

6.4.3.49 `boolean ballmerpeak.turtlenet.server.Database.removeFromCategory (String category, PublicKey key)`

Definition at line 889 of file Database.java.

6.4.3.50 `Long ballmerpeak.turtlenet.server.Database.timeMostRecentWallPost (PublicKey key)`

Definition at line 212 of file Database.java.

6.4.3.51 `boolean ballmerpeak.turtlenet.server.Database.unlike (String sig)`

Definition at line 915 of file Database.java.

6.4.3.52 `boolean ballmerpeak.turtlenet.server.Database.updatePDATA (String field, String value, PublicKey k)`

Definition at line 674 of file Database.java.

6.4.3.53 `boolean ballmerpeak.turtlenet.server.Database.updatePDATAPermission (Message msg)`

Definition at line 807 of file Database.java.

6.4.3.54 `boolean ballmerpeak.turtlenet.server.Database.updatePDATAPermission (String category, boolean value)`

Definition at line 811 of file Database.java.

6.4.3.55 `boolean ballmerpeak.turtlenet.server.Database.validateClaims (PublicKey k)`

Definition at line 532 of file Database.java.

6.4.4 Member Data Documentation

6.4.4.1 `String ballmerpeak.turtlenet.server.Database.path = "/db" [static]`

Definition at line 14 of file Database.java.

The documentation for this class was generated from the following file:

- [src/ballmerpeak/turtlenet/server/Database.java](#)

6.5 ballmerpeak.turtlenet.server.FIO Class Reference

Static Public Member Functions

- static byte[] [readFileBytes](#) (String filename)
- static boolean [writeFileBytes](#) (byte[] data, String filename)

6.5.1 Detailed Description

Definition at line 7 of file FIO.java.

6.5.2 Member Function Documentation

6.5.2.1 static byte [] ballmerpeak.turtlenet.server.FIO.readFileBytes (String filename) [static]

Definition at line 8 of file FIO.java.

6.5.2.2 static boolean ballmerpeak.turtlenet.server.FIO.writeFileBytes (byte[] data, String filename) [static]

Definition at line 31 of file FIO.java.

The documentation for this class was generated from the following file:

- [src/ballmerpeak/turtlenet/server/FIO.java](#)

6.6 ballmerpeak.turtlenet.server.Friend Class Reference

Public Member Functions

- [Friend](#) (String _name, PublicKey _key)
- String [getName](#) ()
- void [setName](#) (String nname)
- PublicKey [getKey](#) ()

6.6.1 Detailed Description

Definition at line 5 of file Friend.java.

6.6.2 Constructor & Destructor Documentation

6.6.2.1 ballmerpeak.turtlenet.server.Friend.Friend (String _name, PublicKey _key)

Definition at line 6 of file Friend.java.

6.6.3 Member Function Documentation

6.6.3.1 PublicKey ballmerpeak.turtlenet.server.Friend.getKey ()

Definition at line 19 of file Friend.java.

6.6.3.2 String ballmerpeak.turtlenet.server.Friend.getName ()

Definition at line 11 of file Friend.java.

6.6.3.3 void ballmerpeak.turtlenet.server.Friend.setName (String nname)

Definition at line 15 of file Friend.java.

The documentation for this class was generated from the following file:

- [src/ballmerpeak/turtlenet/server/Friend.java](#)

6.7 ballmerpeak.turtlenet.client.frontend Class Reference

Public Member Functions

- void [onModuleLoad](#) ()
- void [onClick](#) (Widget sender)

6.7.1 Detailed Description

Definition at line 21 of file frontend.java.

6.7.2 Member Function Documentation

6.7.2.1 void ballmerpeak.turtlenet.client.frontend.onClick (Widget *sender*)

Definition at line 194 of file frontend.java.

6.7.2.2 void ballmerpeak.turtlenet.client.frontend.onModuleLoad ()

Definition at line 26 of file frontend.java.

The documentation for this class was generated from the following file:

- [src/ballmerpeak/turtlenet/client/frontend.java](#)

6.8 ballmerpeak.turtlenet.server.Logger Class Reference

Static Public Member Functions

- static void [init](#) (String logfile)
- static void [close](#) ()
- static void [write](#) (String level, String place, String s)

6.8.1 Detailed Description

Definition at line 17 of file Logger.java.

6.8.2 Member Function Documentation

6.8.2.1 static void ballmerpeak.turtlenet.server.Logger.close () [static]

Definition at line 37 of file Logger.java.

6.8.2.2 static void ballmerpeak.turtlenet.server.Logger.init (String *logfile*) [static]

Definition at line 22 of file Logger.java.

6.8.2.3 static void ballmerpeak.turtlenet.server.Logger.write (String *level*, String *place*, String *s*) [static]

Definition at line 45 of file Logger.java.

The documentation for this class was generated from the following file:

- [src/ballmerpeak/turtlenet/server/Logger.java](#)

6.9 ballmerpeak.turtlenet.shared.Message Class Reference

Inherits Serializable.

Public Member Functions

- [Message](#) (String cmd, String _content, long timeCreated, String RSAsig)
- [Message](#) ()
- String [toString](#) ()
- String [getCmd](#) ()
- String [getSig](#) ()
- String [getContent](#) ()
- long [getTimestamp](#) ()
- String [POSTgetText](#) ()
- String [POSTgetWall](#) ()
- String[] [POSTgetVisibleTo](#) ()
- String [CLAIMgetName](#) ()
- String[][] [PDATagetValues](#) ()
- String[] [CHATgetKeys](#) ()
- String [PCHATgetText](#) ()
- String [PCHATgetConversationID](#) ()
- String [CMNTgetText](#) ()
- String [CMNTgetItemID](#) ()
- String [LIKEgetItemID](#) ()
- String [UNLIKEgetItemID](#) ()
- String [EVNTgetName](#) ()
- long [EVNTgetStart](#) ()
- long [EVNTgetEnd](#) ()
- long [REVOKEgetTime](#) ()
- String [ADDCATgetName](#) ()
- boolean [ADDCATgetValue](#) ()
- String [UPDATECATgetName](#) ()
- boolean [UPDATECATgetValue](#) ()
- String [ADDTOCATgetName](#) ()
- String [ADDTOCATgetKey](#) ()
- String [REMFROMCATgetCategory](#) ()
- String [REMFROMCATgetKey](#) ()
- String [ADDKEYgetKey](#) ()

Static Public Member Functions

- static [Message](#) [parse](#) (String msg)
- static String [beforeColon](#) (String s)
- static String [afterColon](#) (String s)

Public Attributes

- String [command](#)
- String [content](#)
- String [signature](#)
- long [timestamp](#)

6.9.1 Detailed Description

Definition at line 8 of file Message.java.

6.9.2 Constructor & Destructor Documentation

6.9.2.1 `ballmerpeak.turtlenet.shared.Message.Message (String cmd, String _content, long timeCreated, String RSAsig)`

Definition at line 12 of file Message.java.

6.9.2.2 `ballmerpeak.turtlenet.shared.Message.Message ()`

Definition at line 19 of file Message.java.

6.9.3 Member Function Documentation

6.9.3.1 `String ballmerpeak.turtlenet.shared.Message.ADDCATgetName ()`

Definition at line 191 of file Message.java.

6.9.3.2 `boolean ballmerpeak.turtlenet.shared.Message.ADDCATgetValue ()`

Definition at line 195 of file Message.java.

6.9.3.3 `String ballmerpeak.turtlenet.shared.Message.ADDKEYgetKey ()`

Definition at line 223 of file Message.java.

6.9.3.4 `String ballmerpeak.turtlenet.shared.Message.ADDTOCATgetKey ()`

Definition at line 211 of file Message.java.

6.9.3.5 `String ballmerpeak.turtlenet.shared.Message.ADDTOCATgetName ()`

Definition at line 207 of file Message.java.

6.9.3.6 `static String ballmerpeak.turtlenet.shared.Message.afterColon (String s)` `[static]`

Definition at line 231 of file Message.java.

6.9.3.7 `static String ballmerpeak.turtlenet.shared.Message.beforeColon (String s)` `[static]`

Definition at line 227 of file Message.java.

6.9.3.8 String [] ballmerpeak.turtlenet.shared.Message.CHATgetKeys ()

Definition at line 110 of file Message.java.

6.9.3.9 String ballmerpeak.turtlenet.shared.Message.CLAIMgetName ()

Definition at line 85 of file Message.java.

6.9.3.10 String ballmerpeak.turtlenet.shared.Message.CMNTgetItemID ()

Definition at line 141 of file Message.java.

6.9.3.11 String ballmerpeak.turtlenet.shared.Message.CMNTgetText ()

Definition at line 134 of file Message.java.

6.9.3.12 long ballmerpeak.turtlenet.shared.Message.EVNTgetEnd ()

Definition at line 172 of file Message.java.

6.9.3.13 String ballmerpeak.turtlenet.shared.Message.EVNTgetName ()

Definition at line 156 of file Message.java.

6.9.3.14 long ballmerpeak.turtlenet.shared.Message.EVNTgetStart ()

Definition at line 164 of file Message.java.

6.9.3.15 String ballmerpeak.turtlenet.shared.Message.getCmd ()

Definition at line 44 of file Message.java.

6.9.3.16 String ballmerpeak.turtlenet.shared.Message.getContent ()

Definition at line 52 of file Message.java.

6.9.3.17 String ballmerpeak.turtlenet.shared.Message.getSig ()

Definition at line 48 of file Message.java.

6.9.3.18 long ballmerpeak.turtlenet.shared.Message.getTimestamp ()

Definition at line 56 of file Message.java.

6.9.3.19 String ballmerpeak.turtlenet.shared.Message.LIKEgetItemID ()

Definition at line 148 of file Message.java.

6.9.3.20 `static Message ballmerpeak.turtlenet.shared.Message.parse (String msg)` `[static]`

Definition at line 27 of file Message.java.

6.9.3.21 `String ballmerpeak.turtlenet.shared.Message.PCHATgetConversationID ()`

Definition at line 127 of file Message.java.

6.9.3.22 `String ballmerpeak.turtlenet.shared.Message.PCHATgetText ()`

Definition at line 120 of file Message.java.

6.9.3.23 `String [][] ballmerpeak.turtlenet.shared.Message.PDATagetValues ()`

Definition at line 90 of file Message.java.

6.9.3.24 `String ballmerpeak.turtlenet.shared.Message.POSTgetText ()`

Definition at line 61 of file Message.java.

6.9.3.25 `String [] ballmerpeak.turtlenet.shared.Message.POSTgetVisibleTo ()`

Definition at line 77 of file Message.java.

6.9.3.26 `String ballmerpeak.turtlenet.shared.Message.POSTgetWall ()`

Definition at line 69 of file Message.java.

6.9.3.27 `String ballmerpeak.turtlenet.shared.Message.REMFROMCATgetCategory ()`

Definition at line 215 of file Message.java.

6.9.3.28 `String ballmerpeak.turtlenet.shared.Message.REMFROMCATgetKey ()`

Definition at line 219 of file Message.java.

6.9.3.29 `long ballmerpeak.turtlenet.shared.Message.REVOKEgetTime ()`

Definition at line 182 of file Message.java.

6.9.3.30 `String ballmerpeak.turtlenet.shared.Message.toString ()`

Definition at line 39 of file Message.java.

6.9.3.31 `String ballmerpeak.turtlenet.shared.Message.UNLIKEgetItemID ()`

Definition at line 152 of file Message.java.

6.9.3.32 String ballmerpeak.turtlenet.shared.Message.UPDATECATgetName ()

Definition at line 199 of file Message.java.

6.9.3.33 boolean ballmerpeak.turtlenet.shared.Message.UPDATECATgetValue ()

Definition at line 203 of file Message.java.

6.9.4 Member Data Documentation

6.9.4.1 String ballmerpeak.turtlenet.shared.Message.command

Definition at line 235 of file Message.java.

6.9.4.2 String ballmerpeak.turtlenet.shared.Message.content

Definition at line 236 of file Message.java.

6.9.4.3 String ballmerpeak.turtlenet.shared.Message.signature

Definition at line 237 of file Message.java.

6.9.4.4 long ballmerpeak.turtlenet.shared.Message.timestamp

Definition at line 238 of file Message.java.

The documentation for this class was generated from the following file:

- src/ballmerpeak/turtlenet/shared/[Message.java](#)

6.10 ballmerpeak.turtlenet.server.MessageFactory Class Reference

Public Member Functions

- [MessageFactory](#) ()
- [Message newMessage](#) (String cmd, String content)
- [Message newCLAIM](#) (String username)
- [Message newREVOKE](#) (long time)
- [Message newPDATA](#) (String field, String value)
- [Message newPDATA](#) (String[] fields, String[] values)
- [Message newCHAT](#) (PublicKey[] keys)
- [Message newCHAT](#) (String[] keys)
- [Message newPCHAT](#) (String convoSig, String msg)
- [Message newPOST](#) (String msg, String wall, String[] visibleTo)
- [Message newCMNT](#) (String itemSig, String comment)
- [Message newLIKE](#) (String itemSig)
- [Message newUNLIKE](#) (String itemSig)
- [Message newEVNT](#) (long start, long end, String descrip)
- [Message newADDCAT](#) (String name, boolean canSeePDATA)
- [Message newUPDATECAT](#) (String category, boolean value)
- [Message newADDTOCAT](#) (String category, String key)
- [Message newREMFROMCAT](#) (String category, String key)
- [Message newADDKEY](#) (String key)

6.10.1 Detailed Description

Definition at line 10 of file MessageFactory.java.

6.10.2 Constructor & Destructor Documentation

6.10.2.1 `ballmerpeak.turtlenet.server.MessageFactory.MessageFactory ()`

Definition at line 11 of file MessageFactory.java.

6.10.3 Member Function Documentation

6.10.3.1 `Message ballmerpeak.turtlenet.server.MessageFactory.newADDCAT (String name, boolean canSeePDATA)`

Definition at line 89 of file MessageFactory.java.

6.10.3.2 `Message ballmerpeak.turtlenet.server.MessageFactory.newADDKEY (String key)`

Definition at line 105 of file MessageFactory.java.

6.10.3.3 `Message ballmerpeak.turtlenet.server.MessageFactory.newADDTOCAT (String category, String key)`

Definition at line 97 of file MessageFactory.java.

6.10.3.4 `Message ballmerpeak.turtlenet.server.MessageFactory.newCHAT (PublicKey[] keys)`

Definition at line 41 of file MessageFactory.java.

6.10.3.5 `Message ballmerpeak.turtlenet.server.MessageFactory.newCHAT (String[] keys)`

Definition at line 51 of file MessageFactory.java.

6.10.3.6 `Message ballmerpeak.turtlenet.server.MessageFactory.newCLAIM (String username)`

Definition at line 21 of file MessageFactory.java.

6.10.3.7 `Message ballmerpeak.turtlenet.server.MessageFactory.newCMNT (String itemSig, String comment)`

Definition at line 73 of file MessageFactory.java.

6.10.3.8 `Message ballmerpeak.turtlenet.server.MessageFactory.newEVNT (long start, long end, String descrip)`

Definition at line 85 of file MessageFactory.java.

6.10.3.9 `Message ballmerpeak.turtlenet.server.MessageFactory.newLIKE (String itemSig)`

Definition at line 77 of file MessageFactory.java.

6.10.3.10 Message ballmerpeak.turtlenet.server.MessageFactory.newMessage (String cmd, String content)

Definition at line 14 of file MessageFactory.java.

6.10.3.11 Message ballmerpeak.turtlenet.server.MessageFactory.newPCHAT (String convoSig, String msg)

Definition at line 61 of file MessageFactory.java.

6.10.3.12 Message ballmerpeak.turtlenet.server.MessageFactory.newPDATA (String field, String value)

Definition at line 29 of file MessageFactory.java.

6.10.3.13 Message ballmerpeak.turtlenet.server.MessageFactory.newPDATA (String[] fields, String[] values)

Definition at line 33 of file MessageFactory.java.

6.10.3.14 Message ballmerpeak.turtlenet.server.MessageFactory.newPOST (String msg, String wall, String[] visibleTo)

Definition at line 65 of file MessageFactory.java.

6.10.3.15 Message ballmerpeak.turtlenet.server.MessageFactory.newREMFROMCAT (String category, String key)

Definition at line 101 of file MessageFactory.java.

6.10.3.16 Message ballmerpeak.turtlenet.server.MessageFactory.newREVOKE (long time)

Definition at line 25 of file MessageFactory.java.

6.10.3.17 Message ballmerpeak.turtlenet.server.MessageFactory.newUNLIKE (String itemSig)

Definition at line 81 of file MessageFactory.java.

6.10.3.18 Message ballmerpeak.turtlenet.server.MessageFactory.newUPDATECAT (String category, boolean value)

Definition at line 93 of file MessageFactory.java.

The documentation for this class was generated from the following file:

- [src/ballmerpeak/turtlenet/server/MessageFactory.java](#)

6.11 ballmerpeak.turtlenet.server.NetworkConnection Class Reference

Public Member Functions

- [NetworkConnection](#) (String serverurl)
- void [run](#) ()
- void [close](#) ()
- Boolean [hasMessage](#) ()
- String [getMessage](#) ()
- long [getTime](#) ()

- boolean [postMessage](#) ([Message](#) msg, PublicKey recipient)
- Boolean [claimName](#) (String name)
- void [downloadNewMessages](#) ()

6.11.1 Detailed Description

Definition at line 11 of file `NetworkConnection.java`.

6.11.2 Constructor & Destructor Documentation

6.11.2.1 `ballmerpeak.turtlenet.server.NetworkConnection.NetworkConnection (String serverurl)`

Definition at line 12 of file `NetworkConnection.java`.

6.11.3 Member Function Documentation

6.11.3.1 `Boolean ballmerpeak.turtlenet.server.NetworkConnection.claimName (String name)`

Definition at line 115 of file `NetworkConnection.java`.

6.11.3.2 `void ballmerpeak.turtlenet.server.NetworkConnection.close ()`

Definition at line 46 of file `NetworkConnection.java`.

6.11.3.3 `void ballmerpeak.turtlenet.server.NetworkConnection.downloadNewMessages ()`

Definition at line 136 of file `NetworkConnection.java`.

6.11.3.4 `String ballmerpeak.turtlenet.server.NetworkConnection.getMessage ()`

Definition at line 79 of file `NetworkConnection.java`.

6.11.3.5 `long ballmerpeak.turtlenet.server.NetworkConnection.getTime ()`

Definition at line 92 of file `NetworkConnection.java`.

6.11.3.6 `Boolean ballmerpeak.turtlenet.server.NetworkConnection.hasMessage ()`

Definition at line 66 of file `NetworkConnection.java`.

6.11.3.7 `boolean ballmerpeak.turtlenet.server.NetworkConnection.postMessage (Message msg, PublicKey recipient)`

Definition at line 103 of file `NetworkConnection.java`.

6.11.3.8 `void ballmerpeak.turtlenet.server.NetworkConnection.run ()`

Definition at line 34 of file `NetworkConnection.java`.

The documentation for this class was generated from the following file:

- `src/ballmerpeak/turtlenet/server/NetworkConnection.java`

6.12 ballmerpeak.turtlenet.server.Pair< A, B > Class Reference

Public Member Functions

- [Pair](#) (A f, B s)

Public Attributes

- A [first](#)
- B [second](#)

6.12.1 Detailed Description

Definition at line 3 of file Pair.java.

6.12.2 Constructor & Destructor Documentation

6.12.2.1 ballmerpeak.turtlenet.server.Pair< A, B >.Pair (A f, B s)

Definition at line 4 of file Pair.java.

6.12.3 Member Data Documentation

6.12.3.1 A ballmerpeak.turtlenet.server.Pair< A, B >.first

Definition at line 9 of file Pair.java.

6.12.3.2 B ballmerpeak.turtlenet.server.Pair< A, B >.second

Definition at line 10 of file Pair.java.

The documentation for this class was generated from the following file:

- src/ballmerpeak/turtlenet/server/[Pair.java](#)

6.13 ballmerpeak.turtlenet.server.Parser Class Reference

Static Public Member Functions

- static void [parse](#) ([Message](#) msg, [Database](#) db)

6.13.1 Detailed Description

Definition at line 7 of file Parser.java.

6.13.2 Member Function Documentation

6.13.2.1 static void ballmerpeak.turtlenet.server.Parser.parse (Message msg, Database db) [static]

Definition at line 14 of file Parser.java.

The documentation for this class was generated from the following file:

- [src/ballmerpeak/turtlenet/server/Parser.java](#)

6.14 ballmerpeak.turtlenet.shared.PostDetails Class Reference

Inherits Serializable.

Public Member Functions

- [PostDetails](#) ()
- [PostDetails](#) (String *_sig*, boolean *_liked*, int *_commentCount*, Long *_timestamp*, String *_posterUsername*, String *_text*, String *_posterKey*)

Public Attributes

- String [sig](#)
- boolean [liked](#)
- int [commentCount](#)
- Long [timestamp](#)
- String [posterKey](#)
- String [posterUsername](#)
- String [text](#)

6.14.1 Detailed Description

Definition at line 7 of file PostDetails.java.

6.14.2 Constructor & Destructor Documentation

6.14.2.1 ballmerpeak.turtlenet.shared.PostDetails.PostDetails ()

Definition at line 8 of file PostDetails.java.

6.14.2.2 ballmerpeak.turtlenet.shared.PostDetails.PostDetails (String *_sig*, boolean *_liked*, int *_commentCount*, Long *_timestamp*, String *_posterUsername*, String *_text*, String *_posterKey*)

Definition at line 11 of file PostDetails.java.

6.14.3 Member Data Documentation

6.14.3.1 int ballmerpeak.turtlenet.shared.PostDetails.commentCount

Definition at line 23 of file PostDetails.java.

6.14.3.2 boolean ballmerpeak.turtlenet.shared.PostDetails.liked

Definition at line 22 of file PostDetails.java.

6.14.3.3 String ballmerpeak.turtlenet.shared.PostDetails.posterKey

Definition at line 25 of file PostDetails.java.

6.14.3.4 String ballmerpeak.turtlenet.shared.PostDetails.posterUsername

Definition at line 26 of file PostDetails.java.

6.14.3.5 String ballmerpeak.turtlenet.shared.PostDetails.sig

Definition at line 21 of file PostDetails.java.

6.14.3.6 String ballmerpeak.turtlenet.shared.PostDetails.text

Definition at line 27 of file PostDetails.java.

6.14.3.7 Long ballmerpeak.turtlenet.shared.PostDetails.timestamp

Definition at line 24 of file PostDetails.java.

The documentation for this class was generated from the following file:

- src/ballmerpeak/turtlenet/shared/[PostDetails.java](#)

6.15 ballmerpeak.turtlenet.remoteserver.Server Class Reference

Static Public Member Functions

- static void [start](#) (int port)
- static void [shutdown](#) ()
- static void [main](#) (String[] argv)

Static Public Attributes

- static String [shutdownPassword](#) = "SHUTDOWN 83eea84d472df09f5e64468996fdff0e"

6.15.1 Detailed Description

Definition at line 10 of file Server.java.

6.15.2 Member Function Documentation

6.15.2.1 static void ballmerpeak.turtlenet.remoteserver.Server.main (String[] argv) [static]

Definition at line 47 of file Server.java.

6.15.2.2 static void ballmerpeak.turtlenet.remoteserver.Server.shutdown () [static]

Definition at line 36 of file Server.java.

6.15.2.3 `static void ballmerpeak.turtlenet.remoteserver.Server.start (int port)` `[static]`

Definition at line 16 of file Server.java.

6.15.3 Member Data Documentation

6.15.3.1 `String ballmerpeak.turtlenet.remoteserver.Server.shutdownPassword = "SHUTDOWN83eea84d472df09f5e64468996dfff0e"` `[static]`

Definition at line 12 of file Server.java.

The documentation for this class was generated from the following file:

- `src/ballmerpeak/turtlenet/remoteserver/Server.java`

6.16 ballmerpeak.turtlenet.server.TNClient Class Reference

Public Member Functions

- `TNClient` (String pw)
- `void run` ()

Public Attributes

- `NetworkConnection connection`
- Thread `networkThread`
- `Database db` = null
- String `password` = "NOT SET"
- boolean `running` = true
- boolean `dbReady` = false

6.16.1 Detailed Description

Definition at line 6 of file TNClient.java.

6.16.2 Constructor & Destructor Documentation

6.16.2.1 `ballmerpeak.turtlenet.server.TNClient.TNClient (String pw)`

Definition at line 14 of file TNClient.java.

6.16.3 Member Function Documentation

6.16.3.1 `void ballmerpeak.turtlenet.server.TNClient.run ()`

Definition at line 18 of file TNClient.java.

6.16.4 Member Data Documentation

6.16.4.1 `NetworkConnection ballmerpeak.turtlenet.server.TNClient.connection`

Definition at line 7 of file TNClient.java.

6.16.4.2 Database ballmerpeak.turtlenet.server.TNClient.db = null

Definition at line 9 of file TNClient.java.

6.16.4.3 boolean ballmerpeak.turtlenet.server.TNClient.dbReady = false

Definition at line 12 of file TNClient.java.

6.16.4.4 Thread ballmerpeak.turtlenet.server.TNClient.networkThread

Definition at line 8 of file TNClient.java.

6.16.4.5 String ballmerpeak.turtlenet.server.TNClient.password = "NOT SET"

Definition at line 10 of file TNClient.java.

6.16.4.6 boolean ballmerpeak.turtlenet.server.TNClient.running = true

Definition at line 11 of file TNClient.java.

The documentation for this class was generated from the following file:

- [src/ballmerpeak/turtlenet/server/TNClient.java](#)

6.17 ballmerpeak.turtlenet.shared.Tokenizer Class Reference

Public Member Functions

- [Tokenizer](#) (String s, char c)
- String [nextToken](#) ()
- boolean [hasMoreTokens](#) ()
- int [countTokens](#) ()

6.17.1 Detailed Description

Definition at line 4 of file Tokenizer.java.

6.17.2 Constructor & Destructor Documentation

6.17.2.1 ballmerpeak.turtlenet.shared.Tokenizer.Tokenizer (String s, char c)

Definition at line 8 of file Tokenizer.java.

6.17.3 Member Function Documentation

6.17.3.1 int ballmerpeak.turtlenet.shared.Tokenizer.countTokens ()

Definition at line 23 of file Tokenizer.java.

6.17.3.2 boolean ballmerpeak.turtlenet.shared.Tokenizer.hasMoreTokens ()

Definition at line 19 of file Tokenizer.java.

6.17.3.3 String ballmerpeak.turtlenet.shared.Tokenizer.nextToken ()


Definition at line 15 of file Tokenizer.java.

The documentation for this class was generated from the following file:

- src/ballmerpeak/turtlenet/shared/[Tokenizer.java](#)

6.18 ballmerpeak.turtlenet.client.Turtlenet Interface Reference

Inheritance diagram for ballmerpeak.turtlenet.client.Turtlenet:



Public Member Functions

- String [startTN](#) (String password)
- String [stopTN](#) ()
- String [isFirstTime](#) ()
- String [register](#) (String username, String password)
- String [getUsername](#) (String key)
- String [getMyUsername](#) ()
- String [getPDATA](#) (String field, String key)
- String [getMyPDATA](#) (String field)
- String [getKey](#) (String username)
- String [getMyKey](#) ()
- String[][] [getPeople](#) ()
- String[][] [getCategories](#) ()
- String[][] [getCategoryMembers](#) (String category)
- Conversation [getConversation](#) (String sig)
- Conversation[] [getConversations](#) ()
- String[][] [getConversationMessages](#) (String sig)
- PostDetails[] [getWallPosts](#) (String key)
- CommentDetails[] [getComments](#) (String parent)
- Long [timeMostRecentWallPost](#) (String key)
- Long [getConvoLastUpdated](#) (String sig)
- Long [getPostLastCommented](#) (String sig)
- String [claimUsername](#) (String uname)
- String [updatePDATA](#) (String field, String newValue)
- String [updatePDATApersion](#) (String category, boolean value)
- String[] [createCHAT](#) (String[] keys)
- String [addMessageToCHAT](#) (String text, String sig)
- String [like](#) (String sig)
- String [unlike](#) (String sig)
- String [addCategory](#) (String name)

- String [addToCategory](#) (String category, String key)
- String [addKey](#) (String key)
- String [addPost](#) (String wallKey, String categoryVisibleTo, String msg)
- String [addComment](#) (String parent, String text)
- String [removeFromCategory](#) (String group, String key)
- String [revokeMyKey](#) ()

6.18.1 Detailed Description

Definition at line 11 of file Turtlenet.java.

6.18.2 Member Function Documentation

6.18.2.1 String ballmerpeak.turtlenet.client.Turtlenet.addCategory (String *name*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.2 String ballmerpeak.turtlenet.client.Turtlenet.addComment (String *parent*, String *text*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.3 String ballmerpeak.turtlenet.client.Turtlenet.addKey (String *key*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.4 String ballmerpeak.turtlenet.client.Turtlenet.addMessageToCHAT (String *text*, String *sig*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.5 String ballmerpeak.turtlenet.client.Turtlenet.addPost (String *wallKey*, String *categoryVisibleTo*, String *msg*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.6 String ballmerpeak.turtlenet.client.Turtlenet.addToCategory (String *category*, String *key*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.7 String ballmerpeak.turtlenet.client.Turtlenet.claimUsername (String *uname*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.8 String [] ballmerpeak.turtlenet.client.Turtlenet.createCHAT (String[] *keys*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.9 String [][] ballmerpeak.turtlenet.client.Turtlenet.getCategories ()

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.10 `String [][] ballmerpeak.turtlenet.client.Turtlenet.getCategoryMembers (String category)`

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.11 `CommentDetails [] ballmerpeak.turtlenet.client.Turtlenet.getComments (String parent)`

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.12 `Conversation ballmerpeak.turtlenet.client.Turtlenet.getConversation (String sig)`

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.13 `String [][] ballmerpeak.turtlenet.client.Turtlenet.getConversationMessages (String sig)`

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.14 `Conversation [] ballmerpeak.turtlenet.client.Turtlenet.getConversations ()`

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.15 `Long ballmerpeak.turtlenet.client.Turtlenet.getConvoLastUpdated (String sig)`

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.16 `String ballmerpeak.turtlenet.client.Turtlenet.getKey (String username)`

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.17 `String ballmerpeak.turtlenet.client.Turtlenet.getMyKey ()`

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.18 `String ballmerpeak.turtlenet.client.Turtlenet.getMyPDATA (String field)`

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.19 `String ballmerpeak.turtlenet.client.Turtlenet.getMyUsername ()`

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.20 `String ballmerpeak.turtlenet.client.Turtlenet.getPDATA (String field, String key)`

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.21 `String [][] ballmerpeak.turtlenet.client.Turtlenet.getPeople ()`

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.22 Long ballmerpeak.turtlenet.client.Turtlenet.getPostLastCommented (String *sig*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.23 String ballmerpeak.turtlenet.client.Turtlenet.getUsername (String *key*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.24 PostDetails [] ballmerpeak.turtlenet.client.Turtlenet.getWallPosts (String *key*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.25 String ballmerpeak.turtlenet.client.Turtlenet.isFirstTime ()

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.26 String ballmerpeak.turtlenet.client.Turtlenet.like (String *sig*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.27 String ballmerpeak.turtlenet.client.Turtlenet.register (String *username*, String *password*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.28 String ballmerpeak.turtlenet.client.Turtlenet.removeFromCategory (String *group*, String *key*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.29 String ballmerpeak.turtlenet.client.Turtlenet.revokeMyKey ()

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.30 String ballmerpeak.turtlenet.client.Turtlenet.startTN (String *password*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.31 String ballmerpeak.turtlenet.client.Turtlenet.stopTN ()

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.32 Long ballmerpeak.turtlenet.client.Turtlenet.timeMostRecentWallPost (String *key*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.33 String ballmerpeak.turtlenet.client.Turtlenet.unlike (String *sig*)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.34 String ballmerpeak.turtlenet.client.Turtlenet.updatePDATA (String field, String newValue)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

6.18.2.35 String ballmerpeak.turtlenet.client.Turtlenet.updatePDATApermission (String category, boolean value)

Implemented in [ballmerpeak.turtlenet.server.TurtlenetImpl](#).

The documentation for this interface was generated from the following file:

- src/ballmerpeak/turtlenet/client/[Turtlenet.java](#)

6.19 ballmerpeak.turtlenet.client.TurtlenetAsync Interface Reference

Public Member Functions

- void [startTN](#) (String password, AsyncCallback< String > callback)
- void [stopTN](#) (AsyncCallback< String > callback)
- void [isFirstTime](#) (AsyncCallback< String > callback)
- void [register](#) (String username, String password, AsyncCallback< String > callback)
- void [getUsername](#) (String key, AsyncCallback< String > callback)
- void [getMyUsername](#) (AsyncCallback< String > callback)
- void [getPDATA](#) (String field, String pk, AsyncCallback< String > callback)
- void [getMyPDATA](#) (String pk, AsyncCallback< String > callback)
- void [getKey](#) (String username, AsyncCallback< String > callback)
- void [getMyKey](#) (AsyncCallback< String > callback)
- void [getPeople](#) (AsyncCallback< String[][]> callback)
- void [getCategories](#) (AsyncCallback< String[][]> callback)
- void [getCategoryMembers](#) (String category, AsyncCallback< String[][]> callback)
- void [getConversation](#) (String sig, AsyncCallback< [Conversation](#) > callback)
- void [getConversations](#) (AsyncCallback< [Conversation](#)[]> callback)
- void [getConversationMessages](#) (String sig, AsyncCallback< String[][]> callback)
- void [getWallPosts](#) (String key, AsyncCallback< [PostDetails](#)[]> callback)
- void [getComments](#) (String parent, AsyncCallback< [CommentDetails](#)[]> callback)
- void [timeMostRecentWallPost](#) (String key, AsyncCallback< Long > callback)
- void [getConvoLastUpdated](#) (String sig, AsyncCallback< Long > callback)
- void [getPostLastCommented](#) (String sig, AsyncCallback< Long > callback)
- void [claimUsername](#) (String uname, AsyncCallback< String > callback)
- void [updatePDATA](#) (String field, String value, AsyncCallback< String > callback)
- void [updatePDATApermission](#) (String category, boolean value, AsyncCallback< String > callback)
- void [createCHAT](#) (String[] keys, AsyncCallback< String[]> callback)
- void [addMessageToCHAT](#) (String text, String sig, AsyncCallback< String > callback)
- void [like](#) (String sig, AsyncCallback< String > callback)
- void [unlike](#) (String sig, AsyncCallback< String > callback)
- void [addCategory](#) (String name, AsyncCallback< String > callback)
- void [addToCategory](#) (String name, String key, AsyncCallback< String > callback)
- void [addKey](#) (String key, AsyncCallback< String > callback)
- void [addPost](#) (String key, String categoryVisibleTo, String msg, AsyncCallback< String > callback)
- void [addComment](#) (String parent, String text, AsyncCallback< String > callback)
- void [removeFromCategory](#) (String group, String key, AsyncCallback< String > callback)
- void [revokeMyKey](#) (AsyncCallback< String > callback)

6.19.1 Detailed Description

Definition at line 9 of file TurtlenetAsync.java.

6.19.2 Member Function Documentation

- 6.19.2.1 void ballmerpeak.turtlenet.client.TurtlenetAsync.addCategory (String *name*, AsyncCallback< String > *callback*)
- 6.19.2.2 void ballmerpeak.turtlenet.client.TurtlenetAsync.addComment (String *parent*, String *text*, AsyncCallback< String > *callback*)
- 6.19.2.3 void ballmerpeak.turtlenet.client.TurtlenetAsync.addKey (String *key*, AsyncCallback< String > *callback*)
- 6.19.2.4 void ballmerpeak.turtlenet.client.TurtlenetAsync.addMessageToCHAT (String *text*, String *sig*, AsyncCallback< String > *callback*)
- 6.19.2.5 void ballmerpeak.turtlenet.client.TurtlenetAsync.addPost (String *key*, String *categoryVisibleTo*, String *msg*, AsyncCallback< String > *callback*)
- 6.19.2.6 void ballmerpeak.turtlenet.client.TurtlenetAsync.addToCategory (String *name*, String *key*, AsyncCallback< String > *callback*)
- 6.19.2.7 void ballmerpeak.turtlenet.client.TurtlenetAsync.claimUsername (String *uname*, AsyncCallback< String > *callback*)
- 6.19.2.8 void ballmerpeak.turtlenet.client.TurtlenetAsync.createCHAT (String[] *keys*, AsyncCallback< String[] > *callback*)
- 6.19.2.9 void ballmerpeak.turtlenet.client.TurtlenetAsync.getCategories (AsyncCallback< String[][] > *callback*)
- 6.19.2.10 void ballmerpeak.turtlenet.client.TurtlenetAsync.getCategoryMembers (String *category*, AsyncCallback< String[][] > *callback*)
- 6.19.2.11 void ballmerpeak.turtlenet.client.TurtlenetAsync.getComments (String *parent*, AsyncCallback< CommentDetails[] > *callback*)
- 6.19.2.12 void ballmerpeak.turtlenet.client.TurtlenetAsync.getConversation (String *sig*, AsyncCallback< Conversation > *callback*)
- 6.19.2.13 void ballmerpeak.turtlenet.client.TurtlenetAsync.getConversationMessages (String *sig*, AsyncCallback< String[][] > *callback*)
- 6.19.2.14 void ballmerpeak.turtlenet.client.TurtlenetAsync.getConversations (AsyncCallback< Conversation[] > *callback*)
- 6.19.2.15 void ballmerpeak.turtlenet.client.TurtlenetAsync.getConvoLastUpdated (String *sig*, AsyncCallback< Long > *callback*)
- 6.19.2.16 void ballmerpeak.turtlenet.client.TurtlenetAsync.getKey (String *username*, AsyncCallback< String > *callback*)
- 6.19.2.17 void ballmerpeak.turtlenet.client.TurtlenetAsync.getMyKey (AsyncCallback< String > *callback*)
- 6.19.2.18 void ballmerpeak.turtlenet.client.TurtlenetAsync.getMyPDATA (String *pk*, AsyncCallback< String > *callback*)
- 6.19.2.19 void ballmerpeak.turtlenet.client.TurtlenetAsync.getMyUsername (AsyncCallback< String > *callback*)
- 6.19.2.20 void ballmerpeak.turtlenet.client.TurtlenetAsync.getPDATA (String *field*, String *pk*, AsyncCallback< String > *callback*)


- 6.19.2.21 void ballmerpeak.turtlenet.client.TurtlenetAsync.getPeople (AsyncCallback< String[[]]> callback)
- 6.19.2.22 void ballmerpeak.turtlenet.client.TurtlenetAsync.getPostLastCommented (String sig, AsyncCallback< Long > callback)
- 6.19.2.23 void ballmerpeak.turtlenet.client.TurtlenetAsync.getUsername (String key, AsyncCallback< String > callback)
- 6.19.2.24 void ballmerpeak.turtlenet.client.TurtlenetAsync.getWallPosts (String key, AsyncCallback< PostDetails[]> callback)
- 6.19.2.25 void ballmerpeak.turtlenet.client.TurtlenetAsync.isFirstTime (AsyncCallback< String > callback)
- 6.19.2.26 void ballmerpeak.turtlenet.client.TurtlenetAsync.like (String sig, AsyncCallback< String > callback)
- 6.19.2.27 void ballmerpeak.turtlenet.client.TurtlenetAsync.register (String username, String password, AsyncCallback< String > callback)
- 6.19.2.28 void ballmerpeak.turtlenet.client.TurtlenetAsync.removeFromCategory (String group, String key, AsyncCallback< String > callback)
- 6.19.2.29 void ballmerpeak.turtlenet.client.TurtlenetAsync.revokeMyKey (AsyncCallback< String > callback)
- 6.19.2.30 void ballmerpeak.turtlenet.client.TurtlenetAsync.startTN (String password, AsyncCallback< String > callback)
- 6.19.2.31 void ballmerpeak.turtlenet.client.TurtlenetAsync.stopTN (AsyncCallback< String > callback)
- 6.19.2.32 void ballmerpeak.turtlenet.client.TurtlenetAsync.timeMostRecentWallPost (String key, AsyncCallback< Long > callback)
- 6.19.2.33 void ballmerpeak.turtlenet.client.TurtlenetAsync.unlike (String sig, AsyncCallback< String > callback)
- 6.19.2.34 void ballmerpeak.turtlenet.client.TurtlenetAsync.updatePDATA (String field, String value, AsyncCallback< String > callback)
- 6.19.2.35 void ballmerpeak.turtlenet.client.TurtlenetAsync.updatePDATAPermission (String category, boolean value, AsyncCallback< String > callback)

The documentation for this interface was generated from the following file:

- src/ballmerpeak/turtlenet/client/[TurtlenetAsync.java](#)

6.20 ballmerpeak.turtlenet.server.TurtlenetImpl Class Reference

Inheritance diagram for ballmerpeak.turtlenet.server.TurtlenetImpl:



Public Member Functions

- String [startTN](#) (String password)

- String [stopTN](#) ()
- String [isFirstTime](#) ()
- String [register](#) (String username, String password)
- String [getMyUsername](#) ()
- String [getUsername](#) (String key)
- String [getMyPDATA](#) (String field)
- String [getPDATA](#) (String field, String key)
- String [getMyKey](#) ()
- String [getKey](#) (String username)
- String[][] [getCategories](#) ()
- String[][] [getPeople](#) ()
- Conversation[] [getConversations](#) ()
- Conversation [getConversation](#) (String sig)
- String[][] [getConversationMessages](#) (String sig)
- String[][] [getCategoryMembers](#) (String category)
- PostDetails[] [getWallPosts](#) (String key)
- CommentDetails[] [getComments](#) (String parent)
- Long [timeMostRecentWallPost](#) (String key)
- Long [getConvoLastUpdated](#) (String sig)
- Long [getPostLastCommented](#) (String sig)
- String [claimUsername](#) (String uname)
- String [updatePDATA](#) (String field, String value)
- String [updatePDATAPermission](#) (String category, boolean value)
- String[] [createCHAT](#) (String[] keys)
- String [addMessageToCHAT](#) (String text, String sig)
- String [like](#) (String sig)
- String [unlike](#) (String sig)
- String [addCategory](#) (String name)
- String [addToCategory](#) (String group, String key)
- String [sendPDATA](#) (String key)
- String [removeFromCategory](#) (String group, String key)
- String [addKey](#) (String key)
- String [addPost](#) (String wallKey, String categoryVisibleTo, String msg)
- String [addComment](#) (String parent, String text)
- String [revokeMyKey](#) ()

6.20.1 Detailed Description

Definition at line 15 of file TurtlenetImpl.java.

6.20.2 Member Function Documentation

6.20.2.1 String ballmerpeak.turtlenet.server.TurtlenetImpl.addCategory (String name)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 347 of file TurtlenetImpl.java.

6.20.2.2 String ballmerpeak.turtlenet.server.TurtlenetImpl.addComment (String parent, String text)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 429 of file TurtlenetImpl.java.

6.20.2.3 String ballmerpeak.turtlenet.server.TurtlenetImpl.addKey (String key)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 402 of file TurtlenetImpl.java.

6.20.2.4 String ballmerpeak.turtlenet.server.TurtlenetImpl.addMessageToCHAT (String text, String sig)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 295 of file TurtlenetImpl.java.

6.20.2.5 String ballmerpeak.turtlenet.server.TurtlenetImpl.addPost (String wallKey, String categoryVisibleTo, String msg)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 409 of file TurtlenetImpl.java.

6.20.2.6 String ballmerpeak.turtlenet.server.TurtlenetImpl.addToCategory (String group, String key)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 356 of file TurtlenetImpl.java.

6.20.2.7 String ballmerpeak.turtlenet.server.TurtlenetImpl.claimUsername (String uname)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 209 of file TurtlenetImpl.java.

6.20.2.8 String [] ballmerpeak.turtlenet.server.TurtlenetImpl.createCHAT (String[] keys)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 253 of file TurtlenetImpl.java.

6.20.2.9 String [][] ballmerpeak.turtlenet.server.TurtlenetImpl.getCategories ()

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 102 of file TurtlenetImpl.java.

6.20.2.10 String [][] ballmerpeak.turtlenet.server.TurtlenetImpl.getCategoryMembers (String category)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 136 of file TurtlenetImpl.java.

6.20.2.11 CommentDetails [] ballmerpeak.turtlenet.server.TurtlenetImpl.getComments (String parent)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 167 of file TurtlenetImpl.java.

6.20.2.12 Conversation ballmerpeak.turtlenet.server.TurtlenetImpl.getConversation (*String sig*)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 126 of file TurtlenetImpl.java.

6.20.2.13 String [][] ballmerpeak.turtlenet.server.TurtlenetImpl.getConversationMessages (*String sig*)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 131 of file TurtlenetImpl.java.

6.20.2.14 Conversation [] ballmerpeak.turtlenet.server.TurtlenetImpl.getConversations ()

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 112 of file TurtlenetImpl.java.

6.20.2.15 Long ballmerpeak.turtlenet.server.TurtlenetImpl.getConvoLastUpdated (*String sig*)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 195 of file TurtlenetImpl.java.

6.20.2.16 String ballmerpeak.turtlenet.server.TurtlenetImpl.getKey (*String username*)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 97 of file TurtlenetImpl.java.

6.20.2.17 String ballmerpeak.turtlenet.server.TurtlenetImpl.getMyKey ()

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 92 of file TurtlenetImpl.java.

6.20.2.18 String ballmerpeak.turtlenet.server.TurtlenetImpl.getMyPDATA (*String field*)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 82 of file TurtlenetImpl.java.

6.20.2.19 String ballmerpeak.turtlenet.server.TurtlenetImpl.getMyUsername ()

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 70 of file TurtlenetImpl.java.

6.20.2.20 String ballmerpeak.turtlenet.server.TurtlenetImpl.getPDATA (*String field, String key*)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 87 of file TurtlenetImpl.java.

6.20.2.21 `String [][] ballmerpeak.turtlenet.server.TurtlenetImpl.getPeople ()`

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 107 of file `TurtlenetImpl.java`.

6.20.2.22 `Long ballmerpeak.turtlenet.server.TurtlenetImpl.getPostLastCommented (String sig)`

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 203 of file `TurtlenetImpl.java`.

6.20.2.23 `String ballmerpeak.turtlenet.server.TurtlenetImpl.getUsername (String key)`

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 75 of file `TurtlenetImpl.java`.

6.20.2.24 `PostDetails [] ballmerpeak.turtlenet.server.TurtlenetImpl.getWallPosts (String key)`

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 149 of file `TurtlenetImpl.java`.

6.20.2.25 `String ballmerpeak.turtlenet.server.TurtlenetImpl.isFirstTime ()`

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 37 of file `TurtlenetImpl.java`.

6.20.2.26 `String ballmerpeak.turtlenet.server.TurtlenetImpl.like (String sig)`

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 314 of file `TurtlenetImpl.java`.

6.20.2.27 `String ballmerpeak.turtlenet.server.TurtlenetImpl.register (String username, String password)`

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 41 of file `TurtlenetImpl.java`.

6.20.2.28 `String ballmerpeak.turtlenet.server.TurtlenetImpl.removeFromCategory (String group, String key)`

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 395 of file `TurtlenetImpl.java`.

6.20.2.29 `String ballmerpeak.turtlenet.server.TurtlenetImpl.revokeMyKey ()`

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 448 of file `TurtlenetImpl.java`.

6.20.2.30 String ballmerpeak.turtlenet.server.TurtlenetImpl.sendPDATA (String *key*)

Definition at line 387 of file TurtlenetImpl.java.

6.20.2.31 String ballmerpeak.turtlenet.server.TurtlenetImpl.startTN (String *password*)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 18 of file TurtlenetImpl.java.

6.20.2.32 String ballmerpeak.turtlenet.server.TurtlenetImpl.stopTN ()

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 31 of file TurtlenetImpl.java.

6.20.2.33 Long ballmerpeak.turtlenet.server.TurtlenetImpl.timeMostRecentWallPost (String *key*)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 191 of file TurtlenetImpl.java.

6.20.2.34 String ballmerpeak.turtlenet.server.TurtlenetImpl.unlike (String *sig*)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 330 of file TurtlenetImpl.java.

6.20.2.35 String ballmerpeak.turtlenet.server.TurtlenetImpl.updatePDATA (String *field*, String *value*)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 218 of file TurtlenetImpl.java.

6.20.2.36 String ballmerpeak.turtlenet.server.TurtlenetImpl.updatePDATApermission (String *category*, boolean *value*)

Implements [ballmerpeak.turtlenet.client.Turtlenet](#).

Definition at line 232 of file TurtlenetImpl.java.

The documentation for this class was generated from the following file:

- src/ballmerpeak/turtlenet/server/[TurtlenetImpl.java](#)

Chapter 7

File Documentation

7.1 `src/ballmerpeak/turtlenet/client/frontend.java` File Reference

Classes

- class [ballmerpeak.turtlenet.client.frontend](#)

Packages

- package [ballmerpeak.turtlenet.client](#)

7.2 `src/ballmerpeak/turtlenet/client/Turtlenet.java` File Reference

Classes

- interface [ballmerpeak.turtlenet.client.Turtlenet](#)

Packages

- package [ballmerpeak.turtlenet.client](#)

7.3 `src/ballmerpeak/turtlenet/client/TurtlenetAsync.java` File Reference

Classes

- interface [ballmerpeak.turtlenet.client.TurtlenetAsync](#)

Packages

- package [ballmerpeak.turtlenet.client](#)

7.4 `src/ballmerpeak/turtlenet/remoteserver/Hasher.java` File Reference

Classes

- class **ballmerpeak.turtlenet.remoteserver.Hasher**

Packages

- package [ballmerpeak.turtlenet.remoteserver](#)

7.5 [src/ballmerpeak/turtlenet/remoteserver/Server.java](#) File Reference

Classes

- class [ballmerpeak.turtlenet.remoteserver.Server](#)
- class **ballmerpeak.turtlenet.remoteserver.Session**

Packages

- package [ballmerpeak.turtlenet.remoteserver](#)

7.6 [src/ballmerpeak/turtlenet/server/Crypto.java](#) File Reference

Classes

- class [ballmerpeak.turtlenet.server.Crypto](#)

Packages

- package [ballmerpeak.turtlenet.server](#)

7.7 [src/ballmerpeak/turtlenet/server/Database.java](#) File Reference

Classes

- class [ballmerpeak.turtlenet.server.Database](#)

Packages

- package [ballmerpeak.turtlenet.server](#)

7.8 [src/ballmerpeak/turtlenet/server/DBStrings.java](#) File Reference

Classes

- class **ballmerpeak.turtlenet.server.DBStrings**

Packages

- package [ballmerpeak.turtlenet.server](#)

7.9 src/ballmerpeak/turtlenet/server/FIO.java File Reference

Classes

- class [ballmerpeak.turtlenet.server.FIO](#)

Packages

- package [ballmerpeak.turtlenet.server](#)

7.10 src/ballmerpeak/turtlenet/server/Friend.java File Reference

Classes

- class [ballmerpeak.turtlenet.server.Friend](#)

Packages

- package [ballmerpeak.turtlenet.server](#)

7.11 src/ballmerpeak/turtlenet/server/Logger.java File Reference

Classes

- class [ballmerpeak.turtlenet.server.Logger](#)

Packages

- package [ballmerpeak.turtlenet.server](#)

7.12 src/ballmerpeak/turtlenet/server/MessageFactory.java File Reference

Classes

- class [ballmerpeak.turtlenet.server.MessageFactory](#)

Packages

- package [ballmerpeak.turtlenet.server](#)

7.13 src/ballmerpeak/turtlenet/server/NetworkConnection.java File Reference

Classes

- class [ballmerpeak.turtlenet.server.NetworkConnection](#)

Packages

- package [ballmerpeak.turtlenet.server](#)

7.14 src/ballmerpeak/turtlenet/server/Pair.java File Reference

Classes

- class [ballmerpeak.turtlenet.server.Pair< A, B >](#)

Packages

- package [ballmerpeak.turtlenet.server](#)

7.15 src/ballmerpeak/turtlenet/server/Parser.java File Reference

Classes

- class [ballmerpeak.turtlenet.server.Parser](#)

Packages

- package [ballmerpeak.turtlenet.server](#)

7.16 src/ballmerpeak/turtlenet/server/TNClient.java File Reference

Classes

- class [ballmerpeak.turtlenet.server.TNClient](#)

Packages

- package [ballmerpeak.turtlenet.server](#)

7.17 src/ballmerpeak/turtlenet/server/TurtlenetImpl.java File Reference

Classes

- class [ballmerpeak.turtlenet.server.TurtlenetImpl](#)

Packages

- package [ballmerpeak.turtlenet.server](#)

7.18 src/ballmerpeak/turtlenet/shared/CommentDetails.java File Reference

Classes

- class [ballmerpeak.turtlenet.shared.CommentDetails](#)

Packages

- package [ballmerpeak.turtlenet.shared](#)

7.19 src/ballmerpeak/turtlenet/shared/Conversation.java File Reference

Classes

- class [ballmerpeak.turtlenet.shared.Conversation](#)

Packages

- package [ballmerpeak.turtlenet.shared](#)

7.20 src/ballmerpeak/turtlenet/shared/Message.java File Reference

Classes

- class [ballmerpeak.turtlenet.shared.Message](#)

Packages

- package [ballmerpeak.turtlenet.shared](#)

7.21 src/ballmerpeak/turtlenet/shared/PostDetails.java File Reference

Classes

- class [ballmerpeak.turtlenet.shared.PostDetails](#)

Packages

- package [ballmerpeak.turtlenet.shared](#)

7.22 src/ballmerpeak/turtlenet/shared/Tokenizer.java File Reference

Classes

- class [ballmerpeak.turtlenet.shared.Tokenizer](#)

Packages

- package [ballmerpeak.turtlenet.shared](#)

Index

ADDCATgetName
 ballmerpeak::turtlenet::shared::Message, 26

ADDCATgetValue
 ballmerpeak::turtlenet::shared::Message, 26

ADDKEYgetKey
 ballmerpeak::turtlenet::shared::Message, 26

ADDTOCATgetKey
 ballmerpeak::turtlenet::shared::Message, 26

ADDTOCATgetName
 ballmerpeak::turtlenet::shared::Message, 26

acceptEvent
 ballmerpeak::turtlenet::server::Database, 18

addCategory
 ballmerpeak::turtlenet::client::Turtlenet, 39
 ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 ballmerpeak::turtlenet::server::Database, 18
 ballmerpeak::turtlenet::server::TurtlenetImpl, 45

addClaim
 ballmerpeak::turtlenet::server::Database, 18

addComment
 ballmerpeak::turtlenet::client::Turtlenet, 39
 ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 ballmerpeak::turtlenet::server::Database, 18
 ballmerpeak::turtlenet::server::TurtlenetImpl, 45

addConvo
 ballmerpeak::turtlenet::server::Database, 18

addEvent
 ballmerpeak::turtlenet::server::Database, 18

addKey
 ballmerpeak::turtlenet::client::Turtlenet, 39
 ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 ballmerpeak::turtlenet::server::Database, 18
 ballmerpeak::turtlenet::server::TurtlenetImpl, 45

addLike
 ballmerpeak::turtlenet::server::Database, 18

addMessageToCHAT
 ballmerpeak::turtlenet::client::Turtlenet, 39
 ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 ballmerpeak::turtlenet::server::TurtlenetImpl, 46

addMessageToChat
 ballmerpeak::turtlenet::server::Database, 18

addPDATA
 ballmerpeak::turtlenet::server::Database, 18

addPost
 ballmerpeak::turtlenet::client::Turtlenet, 39
 ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 ballmerpeak::turtlenet::server::Database, 18
 ballmerpeak::turtlenet::server::TurtlenetImpl, 46

addRevocation
 ballmerpeak::turtlenet::server::Database, 19

addToCategory
 ballmerpeak::turtlenet::client::Turtlenet, 39
 ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 ballmerpeak::turtlenet::server::Database, 19
 ballmerpeak::turtlenet::server::TurtlenetImpl, 46

afterColon
 ballmerpeak::turtlenet::shared::Message, 26

ballmerpeak, 9

ballmerpeak.turtlenet, 9

ballmerpeak.turtlenet.client, 9

ballmerpeak.turtlenet.client.frontend, 24

ballmerpeak.turtlenet.client.Turtlenet, 38

ballmerpeak.turtlenet.client.TurtlenetAsync, 42

ballmerpeak.turtlenet.remoteserver, 9

ballmerpeak.turtlenet.remoteserver.Server, 35

ballmerpeak.turtlenet.server, 9

ballmerpeak.turtlenet.server.Crypto, 13

ballmerpeak.turtlenet.server.Database, 16

ballmerpeak.turtlenet.server.FIO, 22

ballmerpeak.turtlenet.server.Friend, 23

ballmerpeak.turtlenet.server.Logger, 24

ballmerpeak.turtlenet.server.MessageFactory, 29

ballmerpeak.turtlenet.server.NetworkConnection, 31

ballmerpeak.turtlenet.server.Pair< A, B >, 33

ballmerpeak.turtlenet.server.Parser, 33

ballmerpeak.turtlenet.server.TNClient, 36

ballmerpeak.turtlenet.server.TurtlenetImpl, 44

ballmerpeak.turtlenet.shared, 10

ballmerpeak.turtlenet.shared.CommentDetails, 11

ballmerpeak.turtlenet.shared.Conversation, 12

ballmerpeak.turtlenet.shared.Message, 25

ballmerpeak.turtlenet.shared.PostDetails, 34

ballmerpeak.turtlenet.shared.Tokenizer, 37

ballmerpeak::turtlenet::client::Turtlenet

 addCategory, 39

 addComment, 39

 addKey, 39

 addMessageToCHAT, 39

 addPost, 39

 addToCategory, 39

 claimUsername, 39

 createCHAT, 39

 getCategories, 39

 getCategoryMembers, 39

 getComments, 40

 getConversation, 40

 getConversationMessages, 40

 getConversations, 40

- getConvoLastUpdated, 40
- getKey, 40
- getMyKey, 40
- getMyPDATA, 40
- getMyUsername, 40
- getPDATA, 40
- getPeople, 40
- getPostLastCommented, 40
- getUsername, 41
- getWallPosts, 41
- isFirstTime, 41
- like, 41
- register, 41
- removeFromCategory, 41
- revokeMyKey, 41
- startTN, 41
- stopTN, 41
- timeMostRecentWallPost, 41
- unlike, 41
- updatePDATA, 41
- updatePDATAprmission, 42
- ballmerpeak::turtlenet::client::TurtlenetAsync
 - addCategory, 43
 - addComment, 43
 - addKey, 43
 - addMessageToCHAT, 43
 - addPost, 43
 - addToCategory, 43
 - claimUsername, 43
 - createCHAT, 43
 - getCategories, 43
 - getCategoryMembers, 43
 - getComments, 43
 - getConversation, 43
 - getConversationMessages, 43
 - getConversations, 43
 - getConvoLastUpdated, 43
 - getKey, 43
 - getMyKey, 43
 - getMyPDATA, 43
 - getMyUsername, 43
 - getPDATA, 43
 - getPeople, 43
 - getPostLastCommented, 44
 - getUsername, 44
 - getWallPosts, 44
 - isFirstTime, 44
 - like, 44
 - register, 44
 - removeFromCategory, 44
 - revokeMyKey, 44
 - startTN, 44
 - stopTN, 44
 - timeMostRecentWallPost, 44
 - unlike, 44
 - updatePDATA, 44
 - updatePDATAprmission, 44
- ballmerpeak::turtlenet::client::frontend
 - onClick, 24
 - onModuleLoad, 24
- ballmerpeak::turtlenet::remoteserver::Server
 - main, 35
 - shutdown, 35
 - shutdownPassword, 36
 - start, 35
- ballmerpeak::turtlenet::server::Crypto
 - Base64Decode, 14
 - Base64Encode, 14
 - decodeKey, 14
 - decrypt, 14
 - decryptBytes, 14
 - decryptDB, 14
 - encodeKey, 14
 - encrypt, 15
 - encryptBytes, 15
 - encryptDB, 15
 - getPrivateKey, 15
 - getPublicKey, 15
 - getTestKey, 15
 - hash, 15
 - keyGen, 15
 - keysExist, 15
 - rand, 15
 - sign, 15
 - srand, 16
 - verifySig, 16
- ballmerpeak::turtlenet::server::Database
 - acceptEvent, 18
 - addCategory, 18
 - addClaim, 18
 - addComment, 18
 - addConvo, 18
 - addEvent, 18
 - addKey, 18
 - addLike, 18
 - addMessageToChat, 18
 - addPDATA, 18
 - addPost, 18
 - addRevocation, 19
 - addToCategory, 19
 - calcRevocationKeys, 19
 - canSeePDATA, 19
 - createDBDir, 19
 - DBDirExists, 19
 - DBExists, 19
 - Database, 17
 - dbConnect, 19
 - dbCreate, 19
 - dbDisconnect, 19
 - declineEvent, 19
 - eraseContentFrom, 20
 - execute, 20
 - getCategories, 20
 - getCategoryMembers, 20
 - getComments, 20
 - getConversation, 20

- getConversationMessages, [20](#)
- getConversations, [20](#)
- getKey, [20](#)
- getName, [20](#)
- getPDATA, [20](#)
- getPeopleInConvo, [20](#)
- getPostVisibleTo, [21](#)
- getSignatory, [21](#)
- getVisibilityOfParent, [21](#)
- getWallPost, [21](#)
- getWallPostSender, [21](#)
- isLiked, [21](#)
- isRevoked, [21](#)
- keysCanSeePDATA, [21](#)
- like, [21](#)
- path, [22](#)
- query, [21](#)
- removeFromCategory, [21](#)
- timeMostRecentWallPost, [22](#)
- unlike, [22](#)
- updatePDATA, [22](#)
- updatePDATAPermission, [22](#)
- validateClaims, [22](#)
- ballmerpeak::turtlenet::server::FIO
 - readFileBytes, [23](#)
 - writeFileBytes, [23](#)
- ballmerpeak::turtlenet::server::Friend
 - Friend, [23](#)
 - getKey, [23](#)
 - getName, [23](#)
 - setName, [23](#)
- ballmerpeak::turtlenet::server::Logger
 - close, [24](#)
 - init, [24](#)
 - write, [24](#)
- ballmerpeak::turtlenet::server::MessageFactory
 - MessageFactory, [30](#)
 - newADDCAT, [30](#)
 - newADDKEY, [30](#)
 - newADDTOCAT, [30](#)
 - newCHAT, [30](#)
 - newCLAIM, [30](#)
 - newCMNT, [30](#)
 - newEVNT, [30](#)
 - newLIKE, [30](#)
 - newMessage, [30](#)
 - newPCHAT, [31](#)
 - newPDATA, [31](#)
 - newPOST, [31](#)
 - newREMFROMCAT, [31](#)
 - newREVOKE, [31](#)
 - newUNLIKE, [31](#)
 - newUPDATECAT, [31](#)
- ballmerpeak::turtlenet::server::NetworkConnection
 - claimName, [32](#)
 - close, [32](#)
 - downloadNewMessages, [32](#)
 - getMessage, [32](#)
 - getTime, [32](#)
 - hasMessage, [32](#)
 - NetworkConnection, [32](#)
 - postMessage, [32](#)
 - run, [32](#)
- ballmerpeak::turtlenet::server::Pair< A, B >
 - first, [33](#)
 - Pair, [33](#)
 - second, [33](#)
- ballmerpeak::turtlenet::server::Parser
 - parse, [33](#)
- ballmerpeak::turtlenet::server::TNClient
 - connection, [36](#)
 - db, [36](#)
 - dbReady, [37](#)
 - networkThread, [37](#)
 - password, [37](#)
 - run, [36](#)
 - running, [37](#)
 - TNClient, [36](#)
- ballmerpeak::turtlenet::server::TurtlenetImpl
 - addCategory, [45](#)
 - addComment, [45](#)
 - addKey, [45](#)
 - addMessageToCHAT, [46](#)
 - addPost, [46](#)
 - addToCategory, [46](#)
 - claimUsername, [46](#)
 - createCHAT, [46](#)
 - getCategories, [46](#)
 - getCategoryMembers, [46](#)
 - getComments, [46](#)
 - getConversation, [46](#)
 - getConversationMessages, [47](#)
 - getConversations, [47](#)
 - getConvoLastUpdated, [47](#)
 - getKey, [47](#)
 - getMyKey, [47](#)
 - getMyPDATA, [47](#)
 - getMyUsername, [47](#)
 - getPDATA, [47](#)
 - getPeople, [47](#)
 - getPostLastCommented, [48](#)
 - getUsername, [48](#)
 - getWallPosts, [48](#)
 - isFirstTime, [48](#)
 - like, [48](#)
 - register, [48](#)
 - removeFromCategory, [48](#)
 - revokeMyKey, [48](#)
 - sendPDATA, [48](#)
 - startTN, [49](#)
 - stopTN, [49](#)
 - timeMostRecentWallPost, [49](#)
 - unlike, [49](#)
 - updatePDATA, [49](#)
 - updatePDATAPermission, [49](#)
- ballmerpeak::turtlenet::shared::CommentDetails

- CommentDetails, 11
- liked, 12
- posterKey, 12
- posterName, 12
- sig, 12
- text, 12
- timestamp, 12
- ballmerpeak::turtlenet::shared::Conversation
 - concatNames, 13
 - Conversation, 13
 - firstMessage, 13
 - keys, 13
 - signature, 13
 - timestamp, 13
 - users, 13
- ballmerpeak::turtlenet::shared::Message
 - ADDCATgetName, 26
 - ADDCATgetValue, 26
 - ADDKEYgetKey, 26
 - ADDTOCATgetKey, 26
 - ADDTOCATgetName, 26
 - afterColon, 26
 - beforeColon, 26
 - CHATgetKeys, 26
 - CLAIMgetName, 27
 - CMNTgetItemID, 27
 - CMNTgetText, 27
 - command, 29
 - content, 29
 - EVNTgetEnd, 27
 - EVNTgetName, 27
 - EVNTgetStart, 27
 - getCmd, 27
 - getContent, 27
 - getSig, 27
 - getTimestamp, 27
 - LIKEgetItemID, 27
 - Message, 26
 - PCHATgetConversationID, 28
 - PCHATgetText, 28
 - PDATAgetValues, 28
 - POSTgetText, 28
 - POSTgetVisibleTo, 28
 - POSTgetWall, 28
 - parse, 27
 - REMFROMCATgetCategory, 28
 - REMFROMCATgetKey, 28
 - REVOKEgetTime, 28
 - signature, 29
 - timestamp, 29
 - toString, 28
 - UNLIKEgetItemID, 28
 - UPDATECATgetName, 28
 - UPDATECATgetValue, 29
- ballmerpeak::turtlenet::shared::PostDetails
 - commentCount, 34
 - liked, 34
 - PostDetails, 34
 - posterKey, 34
 - posterUsername, 35
 - sig, 35
 - text, 35
 - timestamp, 35
- ballmerpeak::turtlenet::shared::Tokenizer
 - countTokens, 37
 - hasMoreTokens, 37
 - nextToken, 38
 - Tokenizer, 37
- Base64Decode
 - ballmerpeak::turtlenet::server::Crypto, 14
- Base64Encode
 - ballmerpeak::turtlenet::server::Crypto, 14
- beforeColon
 - ballmerpeak::turtlenet::shared::Message, 26
- CHATgetKeys
 - ballmerpeak::turtlenet::shared::Message, 26
- CLAIMgetName
 - ballmerpeak::turtlenet::shared::Message, 27
- CMNTgetItemID
 - ballmerpeak::turtlenet::shared::Message, 27
- CMNTgetText
 - ballmerpeak::turtlenet::shared::Message, 27
- calcRevocationKeys
 - ballmerpeak::turtlenet::server::Database, 19
- canSeePDATA
 - ballmerpeak::turtlenet::server::Database, 19
- claimName
 - ballmerpeak::turtlenet::server::NetworkConnection, 32
- claimUsername
 - ballmerpeak::turtlenet::client::Turtlenet, 39
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 46
- close
 - ballmerpeak::turtlenet::server::Logger, 24
 - ballmerpeak::turtlenet::server::NetworkConnection, 32
- command
 - ballmerpeak::turtlenet::shared::Message, 29
- commentCount
 - ballmerpeak::turtlenet::shared::PostDetails, 34
- CommentDetails
 - ballmerpeak::turtlenet::shared::CommentDetails, 11
- concatNames
 - ballmerpeak::turtlenet::shared::Conversation, 13
- connection
 - ballmerpeak::turtlenet::server::TNClient, 36
- content
 - ballmerpeak::turtlenet::shared::Message, 29
- Conversation
 - ballmerpeak::turtlenet::shared::Conversation, 13
- countTokens
 - ballmerpeak::turtlenet::shared::Tokenizer, 37
- createCHAT
 - ballmerpeak::turtlenet::client::Turtlenet, 39

- ballmerpeak::turtlenet::client::TurtlenetAsync, 43
- ballmerpeak::turtlenet::server::TurtlenetImpl, 46
- createDBDir
 - ballmerpeak::turtlenet::server::Database, 19
- DBDirExists
 - ballmerpeak::turtlenet::server::Database, 19
- DBExists
 - ballmerpeak::turtlenet::server::Database, 19
- Database
 - ballmerpeak::turtlenet::server::Database, 17
- db
 - ballmerpeak::turtlenet::server::TNClient, 36
- dbConnect
 - ballmerpeak::turtlenet::server::Database, 19
- dbCreate
 - ballmerpeak::turtlenet::server::Database, 19
- dbDisconnect
 - ballmerpeak::turtlenet::server::Database, 19
- dbReady
 - ballmerpeak::turtlenet::server::TNClient, 37
- declineEvent
 - ballmerpeak::turtlenet::server::Database, 19
- decodeKey
 - ballmerpeak::turtlenet::server::Crypto, 14
- decrypt
 - ballmerpeak::turtlenet::server::Crypto, 14
- decryptBytes
 - ballmerpeak::turtlenet::server::Crypto, 14
- decryptDB
 - ballmerpeak::turtlenet::server::Crypto, 14
- downloadNewMessages
 - ballmerpeak::turtlenet::server::NetworkConnection, 32
- EVNTgetEnd
 - ballmerpeak::turtlenet::shared::Message, 27
- EVNTgetName
 - ballmerpeak::turtlenet::shared::Message, 27
- EVNTgetStart
 - ballmerpeak::turtlenet::shared::Message, 27
- encodeKey
 - ballmerpeak::turtlenet::server::Crypto, 14
- encrypt
 - ballmerpeak::turtlenet::server::Crypto, 15
- encryptBytes
 - ballmerpeak::turtlenet::server::Crypto, 15
- encryptDB
 - ballmerpeak::turtlenet::server::Crypto, 15
- eraseContentFrom
 - ballmerpeak::turtlenet::server::Database, 20
- execute
 - ballmerpeak::turtlenet::server::Database, 20
- first
 - ballmerpeak::turtlenet::server::Pair< A, B >, 33
- firstMessage
 - ballmerpeak::turtlenet::shared::Conversation, 13
- Friend
 - ballmerpeak::turtlenet::server::Friend, 23
- getCategories
 - ballmerpeak::turtlenet::client::Turtlenet, 39
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 - ballmerpeak::turtlenet::server::Database, 20
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 46
- getCategoryMembers
 - ballmerpeak::turtlenet::client::Turtlenet, 39
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 - ballmerpeak::turtlenet::server::Database, 20
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 46
- getCmd
 - ballmerpeak::turtlenet::shared::Message, 27
- getComments
 - ballmerpeak::turtlenet::client::Turtlenet, 40
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 - ballmerpeak::turtlenet::server::Database, 20
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 46
- getContent
 - ballmerpeak::turtlenet::shared::Message, 27
- getConversation
 - ballmerpeak::turtlenet::client::Turtlenet, 40
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 - ballmerpeak::turtlenet::server::Database, 20
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 46
- getConversationMessages
 - ballmerpeak::turtlenet::client::Turtlenet, 40
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 - ballmerpeak::turtlenet::server::Database, 20
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 47
- getConversations
 - ballmerpeak::turtlenet::client::Turtlenet, 40
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 - ballmerpeak::turtlenet::server::Database, 20
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 47
- getConvoLastUpdated
 - ballmerpeak::turtlenet::client::Turtlenet, 40
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 47
- getKey
 - ballmerpeak::turtlenet::client::Turtlenet, 40
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 - ballmerpeak::turtlenet::server::Database, 20
 - ballmerpeak::turtlenet::server::Friend, 23
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 47
- getMessage
 - ballmerpeak::turtlenet::server::NetworkConnection, 32
- getMyKey
 - ballmerpeak::turtlenet::client::Turtlenet, 40
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 47
- getMyPDATA
 - ballmerpeak::turtlenet::client::Turtlenet, 40
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 47
- getMyUsername
 - ballmerpeak::turtlenet::client::Turtlenet, 40

- ballmerpeak::turtlenet::client::TurtlenetAsync, 43
- ballmerpeak::turtlenet::server::TurtlenetImpl, 47
- getName
 - ballmerpeak::turtlenet::server::Database, 20
 - ballmerpeak::turtlenet::server::Friend, 23
- getPDATA
 - ballmerpeak::turtlenet::client::Turtlenet, 40
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 - ballmerpeak::turtlenet::server::Database, 20
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 47
- getPeople
 - ballmerpeak::turtlenet::client::Turtlenet, 40
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 43
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 47
- getPeopleInConvo
 - ballmerpeak::turtlenet::server::Database, 20
- getPostLastCommented
 - ballmerpeak::turtlenet::client::Turtlenet, 40
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 44
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 48
- getPostVisibleTo
 - ballmerpeak::turtlenet::server::Database, 21
- getPrivateKey
 - ballmerpeak::turtlenet::server::Crypto, 15
- getPublicKey
 - ballmerpeak::turtlenet::server::Crypto, 15
- getSig
 - ballmerpeak::turtlenet::shared::Message, 27
- getSignatory
 - ballmerpeak::turtlenet::server::Database, 21
- getTestKey
 - ballmerpeak::turtlenet::server::Crypto, 15
- getTime
 - ballmerpeak::turtlenet::server::NetworkConnection, 32
- getTimestamp
 - ballmerpeak::turtlenet::shared::Message, 27
- getUsername
 - ballmerpeak::turtlenet::client::Turtlenet, 41
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 44
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 48
- getVisibilityOfParent
 - ballmerpeak::turtlenet::server::Database, 21
- getWallPost
 - ballmerpeak::turtlenet::server::Database, 21
- getWallPostSender
 - ballmerpeak::turtlenet::server::Database, 21
- getWallPosts
 - ballmerpeak::turtlenet::client::Turtlenet, 41
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 44
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 48
- hasMessage
 - ballmerpeak::turtlenet::server::NetworkConnection, 32
- hasMoreTokens
 - ballmerpeak::turtlenet::shared::Tokenizer, 37
- hash
 - ballmerpeak::turtlenet::server::Crypto, 15
- init
 - ballmerpeak::turtlenet::server::Logger, 24
- isFirstTime
 - ballmerpeak::turtlenet::client::Turtlenet, 41
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 44
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 48
- isLiked
 - ballmerpeak::turtlenet::server::Database, 21
- isRevoked
 - ballmerpeak::turtlenet::server::Database, 21
- keyGen
 - ballmerpeak::turtlenet::server::Crypto, 15
- keys
 - ballmerpeak::turtlenet::shared::Conversation, 13
- keysCanSeePDATA
 - ballmerpeak::turtlenet::server::Database, 21
- keysExist
 - ballmerpeak::turtlenet::server::Crypto, 15
- LIKEgetItemID
 - ballmerpeak::turtlenet::shared::Message, 27
- like
 - ballmerpeak::turtlenet::client::Turtlenet, 41
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 44
 - ballmerpeak::turtlenet::server::Database, 21
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 48
- liked
 - ballmerpeak::turtlenet::shared::CommentDetails, 12
 - ballmerpeak::turtlenet::shared::PostDetails, 34
- main
 - ballmerpeak::turtlenet::remoteserver::Server, 35
- Message
 - ballmerpeak::turtlenet::shared::Message, 26
- MessageFactory
 - ballmerpeak::turtlenet::server::MessageFactory, 30
- NetworkConnection
 - ballmerpeak::turtlenet::server::NetworkConnection, 32
- networkThread
 - ballmerpeak::turtlenet::server::TNClient, 37
- newADDCAT
 - ballmerpeak::turtlenet::server::MessageFactory, 30
- newADDKEY
 - ballmerpeak::turtlenet::server::MessageFactory, 30
- newADDTOCAT
 - ballmerpeak::turtlenet::server::MessageFactory, 30
- newCHAT
 - ballmerpeak::turtlenet::server::MessageFactory, 30
- newCLAIM

- ballmerpeak::turtlenet::server::MessageFactory, 30
- newCMNT
 - ballmerpeak::turtlenet::server::MessageFactory, 30
- newEVNT
 - ballmerpeak::turtlenet::server::MessageFactory, 30
- newLIKE
 - ballmerpeak::turtlenet::server::MessageFactory, 30
- newMessage
 - ballmerpeak::turtlenet::server::MessageFactory, 30
- newPCHAT
 - ballmerpeak::turtlenet::server::MessageFactory, 31
- newPDATA
 - ballmerpeak::turtlenet::server::MessageFactory, 31
- newPOST
 - ballmerpeak::turtlenet::server::MessageFactory, 31
- newREMFROMCAT
 - ballmerpeak::turtlenet::server::MessageFactory, 31
- newREVOKE
 - ballmerpeak::turtlenet::server::MessageFactory, 31
- newUNLIKE
 - ballmerpeak::turtlenet::server::MessageFactory, 31
- newUPDATECAT
 - ballmerpeak::turtlenet::server::MessageFactory, 31
- nextToken
 - ballmerpeak::turtlenet::shared::Tokenizer, 38
- onClick
 - ballmerpeak::turtlenet::client::frontend, 24
- onModuleLoad
 - ballmerpeak::turtlenet::client::frontend, 24
- PCHATgetConversationID
 - ballmerpeak::turtlenet::shared::Message, 28
- PCHATgetText
 - ballmerpeak::turtlenet::shared::Message, 28
- PDATAgetValues
 - ballmerpeak::turtlenet::shared::Message, 28
- POSTgetText
 - ballmerpeak::turtlenet::shared::Message, 28
- POSTgetVisibleTo
 - ballmerpeak::turtlenet::shared::Message, 28
- POSTgetWall
 - ballmerpeak::turtlenet::shared::Message, 28
- Pair
 - ballmerpeak::turtlenet::server::Pair< A, B >, 33
- parse
 - ballmerpeak::turtlenet::server::Parser, 33
- ballmerpeak::turtlenet::shared::Message, 27
- password
 - ballmerpeak::turtlenet::server::TNClient, 37
- path
 - ballmerpeak::turtlenet::server::Database, 22
- PostDetails
 - ballmerpeak::turtlenet::shared::PostDetails, 34
- postMessage
 - ballmerpeak::turtlenet::server::NetworkConnection, 32
- posterKey
 - ballmerpeak::turtlenet::shared::CommentDetails, 12
 - ballmerpeak::turtlenet::shared::PostDetails, 34
- posterName
 - ballmerpeak::turtlenet::shared::CommentDetails, 12
- posterUsername
 - ballmerpeak::turtlenet::shared::PostDetails, 35
- query
 - ballmerpeak::turtlenet::server::Database, 21
- REMFROMCATgetCategory
 - ballmerpeak::turtlenet::shared::Message, 28
- REMFROMCATgetKey
 - ballmerpeak::turtlenet::shared::Message, 28
- REVOKEgetTime
 - ballmerpeak::turtlenet::shared::Message, 28
- rand
 - ballmerpeak::turtlenet::server::Crypto, 15
- readFileBytes
 - ballmerpeak::turtlenet::server::FIO, 23
- register
 - ballmerpeak::turtlenet::client::Turtlenet, 41
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 44
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 48
- removeFromCategory
 - ballmerpeak::turtlenet::client::Turtlenet, 41
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 44
 - ballmerpeak::turtlenet::server::Database, 21
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 48
- revokeMyKey
 - ballmerpeak::turtlenet::client::Turtlenet, 41
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 44
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 48
- run
 - ballmerpeak::turtlenet::server::NetworkConnection, 32
 - ballmerpeak::turtlenet::server::TNClient, 36
- running
 - ballmerpeak::turtlenet::server::TNClient, 37
- second
 - ballmerpeak::turtlenet::server::Pair< A, B >, 33
- sendPDATA
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 48
- setName
 - ballmerpeak::turtlenet::server::Friend, 23

- shutdown
 - ballmerpeak::turtlenet::remoteserver::Server, 35
- shutdownPassword
 - ballmerpeak::turtlenet::remoteserver::Server, 36
- sig
 - ballmerpeak::turtlenet::shared::CommentDetails, 12
 - ballmerpeak::turtlenet::shared::PostDetails, 35
- sign
 - ballmerpeak::turtlenet::server::Crypto, 15
- signature
 - ballmerpeak::turtlenet::shared::Conversation, 13
 - ballmerpeak::turtlenet::shared::Message, 29
- srand
 - ballmerpeak::turtlenet::server::Crypto, 16
- src/ballmerpeak/turtlenet/client/Turtlenet.java, 51
- src/ballmerpeak/turtlenet/client/TurtlenetAsync.java, 51
- src/ballmerpeak/turtlenet/client/frontend.java, 51
- src/ballmerpeak/turtlenet/remoteserver/Hasher.java, 51
- src/ballmerpeak/turtlenet/remoteserver/Server.java, 52
- src/ballmerpeak/turtlenet/server/Crypto.java, 52
- src/ballmerpeak/turtlenet/server/DBStrings.java, 52
- src/ballmerpeak/turtlenet/server/Database.java, 52
- src/ballmerpeak/turtlenet/server/FIO.java, 53
- src/ballmerpeak/turtlenet/server/Friend.java, 53
- src/ballmerpeak/turtlenet/server/Logger.java, 53
- src/ballmerpeak/turtlenet/server/MessageFactory.java, 53
- src/ballmerpeak/turtlenet/server/NetworkConnection.java, 53
- src/ballmerpeak/turtlenet/server/Pair.java, 54
- src/ballmerpeak/turtlenet/server/Parser.java, 54
- src/ballmerpeak/turtlenet/server/TNClient.java, 54
- src/ballmerpeak/turtlenet/server/TurtlenetImpl.java, 54
- src/ballmerpeak/turtlenet/shared/CommentDetails.java, 55
- src/ballmerpeak/turtlenet/shared/Conversation.java, 55
- src/ballmerpeak/turtlenet/shared/Message.java, 55
- src/ballmerpeak/turtlenet/shared/PostDetails.java, 55
- src/ballmerpeak/turtlenet/shared/Tokenizer.java, 55
- start
 - ballmerpeak::turtlenet::remoteserver::Server, 35
- startTN
 - ballmerpeak::turtlenet::client::Turtlenet, 41
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 44
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 49
- stopTN
 - ballmerpeak::turtlenet::client::Turtlenet, 41
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 44
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 49
- TNClient
 - ballmerpeak::turtlenet::server::TNClient, 36
- text
 - ballmerpeak::turtlenet::shared::CommentDetails, 12
 - ballmerpeak::turtlenet::shared::PostDetails, 35
- timeMostRecentWallPost
 - ballmerpeak::turtlenet::client::Turtlenet, 41
- ballmerpeak::turtlenet::client::TurtlenetAsync, 44
- ballmerpeak::turtlenet::server::Database, 22
- ballmerpeak::turtlenet::server::TurtlenetImpl, 49
- timestamp
 - ballmerpeak::turtlenet::shared::CommentDetails, 12
 - ballmerpeak::turtlenet::shared::Conversation, 13
 - ballmerpeak::turtlenet::shared::Message, 29
 - ballmerpeak::turtlenet::shared::PostDetails, 35
- toString
 - ballmerpeak::turtlenet::shared::Message, 28
- Tokenizer
 - ballmerpeak::turtlenet::shared::Tokenizer, 37
- UNLIKEgetItemID
 - ballmerpeak::turtlenet::shared::Message, 28
- UPDATECATgetName
 - ballmerpeak::turtlenet::shared::Message, 28
- UPDATECATgetValue
 - ballmerpeak::turtlenet::shared::Message, 29
- unlike
 - ballmerpeak::turtlenet::client::Turtlenet, 41
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 44
 - ballmerpeak::turtlenet::server::Database, 22
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 49
- updatePDATA
 - ballmerpeak::turtlenet::client::Turtlenet, 41
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 44
 - ballmerpeak::turtlenet::server::Database, 22
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 49
- updatePDATApermission
 - ballmerpeak::turtlenet::client::Turtlenet, 42
 - ballmerpeak::turtlenet::client::TurtlenetAsync, 44
 - ballmerpeak::turtlenet::server::Database, 22
 - ballmerpeak::turtlenet::server::TurtlenetImpl, 49
- users
 - ballmerpeak::turtlenet::shared::Conversation, 13
- validateClaims
 - ballmerpeak::turtlenet::server::Database, 22
- verifySig
 - ballmerpeak::turtlenet::server::Crypto, 16
- write
 - ballmerpeak::turtlenet::server::Logger, 24
- writeFileBytes
 - ballmerpeak::turtlenet::server::FIO, 23