

Math 298  
Fundamental Concepts in  
Computational and Applied Mathematics  
Lecture 8: Optimization and Nonlinear Equations

Juan Meza  
School of Natural Sciences  
University of California, Merced

# Optimization and Nonlinear Equations

- Optimization and nonlinear equations at the heart of many science and engineering problems
- Many of the ideas/methods used in optimization are the same as in nonlinear equations
- Can divide methods generically into derivative and non-derivative methods

For minimization we usually state the problem as:  $\min f(x)$

For nonlinear equations we usually state the problem as : Solve  $F(x) = 0$

# Nonlinear Equations

Suppose we have:

$$F : \mathbb{R}^n \rightarrow \mathbb{R}^n$$

then the problem of solving a set of nonlinear equations is given by:

$$\text{find } x_* \in \mathbb{R}^n \text{ such that } F(x_*) = 0 \in \mathbb{R}^n$$

# Minimization

Suppose we have:

$$f : \mathbb{R}^n \rightarrow \mathbb{R}$$

then the problem of minimization is given by:


$$\text{find } x_* \in \mathbb{R}^n \text{ such that } f(x_*) \leq f(x), \forall x \in \mathbb{R}^n$$

**Remark.** Another variation of this is the **constrained version**, i.e.

$$\min_{x \in \Omega \subset \mathbb{R}^n} f : \mathbb{R}^n \rightarrow \mathbb{R}$$

## Some important terminology

- Level sets (curves) are set of points where  $f(x) = c$ , for some constant; think topographic map
- **gradient**  $g(x) = \nabla f(x)$  is the (column) vector of first derivatives of  $f$
- **Jacobian**  $J(x) = \nabla F^T(x)$  is the matrix of first derivatives of  $F$
- **Hessian**  $H(x) = \nabla^2 f(x)$  is the matrix of second derivatives of  $f$



# Motivation

Main approach to solving nonlinear equations/optimization can be viewed in several ways. We will consider the **model-based** approach

- Replace your nonlinear problem with a “model”
- Solve resulting model system
- Check for convergence, iterate
- So for example:
  - Nonlinear equations can be replaced by a linear problem
  - Minimization problem can be replaced by a quadratic model

## Example 1

Consider the problem of solving one equation in one unknown,  $f(x) = 0$ . First replace  $f(x)$  by a linear model  $M_c(x)$ :

$$M_c(x) = f(x_c) + f'(x_c)(x - x_c).$$

Solving for  $M_c(x) = 0$  we get:

$$\begin{aligned} f(x_c) + f'(x_c)(x - x_c) &= 0 \\ x - x_c &= -\frac{f(x_c)}{f'(x_c)} \\ x &= x_c - \frac{f(x_c)}{f'(x_c)} \end{aligned}$$

Question: What does  $M_c$  look like in the general  $n$ -dimensional case?

## Example 2

Consider the problem of minimizing a general nonlinear function,  $f(x)$ . First replace  $f(x)$  by a quadratic model:

$$m_c(x) = f(x_c) + f'(x_c)(x - x_c) + \frac{1}{2}f''(x_c)(x - x_c)^2$$

**Remark.** We could have just as easily said that we would use our previous approach to solving  $f'(x) = 0$ !



# Theory

- Under some fairly standard assumptions one can show convergence for Newton's method applied to NLE
  - $F(x)$  is continuously differentiable
  - A solution  $x_*$  exists s.t.  $F(x_*) = 0$
  - $J(x)$  is Lipschitz continuous and  $J(x_*)^{-1}$  exists
- For Newton's method one can show quadratic convergence, i.e.

$$\|x_{k+1} - x_*\| \leq C\|x_k - x_*\|^2$$

- For variations on Newton's method still have fast convergence, i.e. superlinear convergence

# Practicalities

- Many variations of based optimization based on problem characteristics
  - Convex
  - Non-smooth
  - Large-scale
  - Stochastic
  - ...
- Many science and engineering problems do not have the usual analytic assumptions
  - Smoothness
  - Availability of derivatives
  - Infinite precision

## Class Participation

Question: Discuss the advantages and disadvantages to the model-based approach

Starter questions

## Class Participation

Question: Discuss the advantages and disadvantages to the model-based approach

Starter questions

- What assumptions are we making, relying on?

## Class Participation

Question: Discuss the advantages and disadvantages to the model-based approach

Starter questions

- What assumptions are we making, relying on?
- How do you choose a good model?

# Class Participation

Question: Discuss the advantages and disadvantages to the model-based approach

Starter questions

- What assumptions are we making, relying on?
- How do you choose a good model?
- What does this look like in  $\mathbb{R}^n$ ?

# Class Participation

Question: Discuss the advantages and disadvantages to the model-based approach

Starter questions

- What assumptions are we making, relying on?
- How do you choose a good model?
- What does this look like in  $\mathbb{R}^n$ ?
- What does convergence mean?

# Advantages/Disadvantages of Newton's Method

---

## Advantages

---

1.  $q$ -quadratic convergence if  $J(x_*)$  is nonsingular
  2. superlinear convergence for other variations of Newton's method
  3. Exact solution in 1 iteration for affine  $F$
- 

## Disadvantages

---

1. Not globally convergent for all problems
  2. Requires  $J(x_k)$  at each iteration
  3. Need solution to system of linear equations at each iteration
- 

Table: Newton's method



## Summary

- Newton-based methods provide some of the most popular and powerful methods for solving nonlinear equations and optimization
- Excellent software available
- Most practical problems do not lend themselves easily to standard set of assumptions

## References

- **A Rapidly Convergent Descent Method for Minimization**, R. Fletcher and M.J.D. Powell