Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
SECTION 1 — OPEN & INITIAL STATE												
TP-01	Open Edit TP from the edit icon on a position row that has a TP: toggle is ON and inputs show the current values	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: selected position is WITH TP	1. On the active position row, tap the edit (Edit TP) icon 2. Observe the sheet	N/A	Sheet title = "Edit {side} {baseToken} Position"; Take Profit toggle is ON; TP Price + Gain inputs visible and prefilled from current TP; "Current TP" shows the existing price.	No system data changed; no transaction submitted.	EditTP §8 Toggle; §5 Functional		Pass	Pass	Pass
TP-02	Open via "Set TP" on a position without a TP: toggle is OFF and Current TP shows "Not set"	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: selected position is WITHOUT TP	1. On the active position row, tap "Set TP" 2. Observe the sheet	N/A	Take Profit toggle is OFF; TP inputs hidden; "Current TP" row shows "Not set"; CTA disabled.	No system data changed; no transaction submitted.	EditTP §7 Conditional Rows; §8 Toggle	Also reachable from position detail (§2 callers)	Pass	Pass	Pass
TP-03	Header shows the correct details of the selected position	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position.	1. Open Edit TP 2. Read the header/subtitle	N/A	Header shows selected side, base token, pair, size, leverage; position context summary is read-only.	No system data changed; no transaction submitted.	EditTP §7 Layout		Pass	Pass	Pass
SECTION 2 — TAKE PROFIT TOGGLE												
TP-04	Turn Take Profit ON for a position without a TP to reveal the TP inputs	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: WITHOUT TP; toggle OFF	1. Turn the Take Profit toggle ON 2. Observe	N/A	TP Price and Gain % inputs become visible and editable; CTA reflects "Enter Take Profit" until a price is entered.	No system data changed; no transaction submitted.	EditTP §8 Toggle; §7 CTA		Pass	Pass	Pass
TP-05	Turn TP OFF for a position that has a TP to switch to remove-TP mode	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: WITH TP; toggle ON	1. Turn the Take Profit toggle OFF 2. Observe CTA + message	N/A	Remove-mode message appears; CTA = "Remove Take Profit" (enabled); TP inputs hidden.	No system data changed; no transaction submitted.	EditTP §8 Toggle; §7 CTA		Pass	Pass	Pass
TP-06	Turning TP off on a position without a TP makes no change	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: WITHOUT TP; toggle OFF	1. Confirm toggle is OFF (no change from open state) 2. Observe CTA	N/A	No-change message shown; CTA = "No Changes" (disabled) — there is nothing to submit.	No system data changed; no transaction submitted.	EditTP §8 Toggle; §5 Functional; §7 CTA		Pass	Pass	Pass
SECTION 3 — PRICE / GAIN INPUTS & PAIRING												
TP-07	Changing the TP price automatically updates the Gain %	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: TP enabled	1. Type a valid TP price 2. Observe the Gain % field	TP price = a valid value in the profit direction	Gain % recomputes from the entered TP price and the position entry price.	No system data changed; no transaction submitted.	EditTP §8 Price And Gain	Gain % formatted rate · 2dp (§9)	Fail - Gain % ignores leverage — shows the raw price change (5.00%) instead of the leveraged gain (15.00% at 3x).	Pass	Pass
TP-08	Changing the Gain % automatically updates the TP price	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: TP enabled	1. Type a valid Gain % 2. Observe the TP Price field	Gain % = 20	TP Price recomputes from the entered gain and entry price.	No system data changed; no transaction submitted.	EditTP §8 Price And Gain	Two fields are mutually derived	Fail - TP price derived from Gain % ignores leverage (same formula defect as TP-07); Gain 20% gives entry +20% instead of entry +6.67% at 3x.	Pass	Pass
TP-09	TP price field rejects non-numeric input	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: TP enabled	1. Type letters / special chars in TP Price	"abc" / "$@!"	Field accepts only digits and "."; non-numeric input is rejected.	No system data changed; no transaction submitted.	EditTP §8 (AmountInput); §9	Behavior owned by AmountInput	Pass	Pass	Pass
TP-10	TP enabled with an empty price: the CTA stays disabled	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: TP enabled	1. Enable TP but leave TP Price empty 2. Observe CTA	TP Price = (empty)	CTA = "Enter Take Profit" (disabled); form cannot be submitted.	No system data changed; no transaction submitted.	EditTP §7 CTA		Pass	Pass	Pass
SECTION 4 — TP / SL DIRECTION VALIDATION (LONG / SHORT)												
TP-11	Long position: a TP price at or below the entry price is invalid	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Long position; TP enabled	1. Enter a TP price ≤ entry price 2. Observe validation + CTA	TP price = entry price − 1 tick	Inline validation error shown; CTA = "Review Errors" (disabled).	No system data changed; no transaction submitted.	EditTP §8 Price And Gain; §7 CTA	Long requires TP above entry	Fail - Long TP price below entry is accepted with no inline error; CTA "Confirm Change" stays enabled (no direction check).	Pass	Pass
TP-12	Long position: a TP price above the entry price is valid	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Long position; TP enabled	1. Enter a TP price > entry price 2. Observe derived gain + CTA	TP price = entry price + valid amount	Derived gain shown; no blocking validation; CTA = "Confirm Change" (enabled).	No system data changed; no transaction submitted.	EditTP §8; §7 State Display (Ready)		Pass	Pass	Pass
TP-13	Short position: a TP price at or above the entry price is invalid	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Short position; TP enabled	1. Enter a TP price ≥ entry price 2. Observe validation + CTA	TP price = entry price + 1 tick	Inline validation error shown; CTA = "Review Errors" (disabled).	No system data changed; no transaction submitted.	EditTP §8 Price And Gain	Short requires TP below entry	Fail - Short TP price above entry is accepted with no inline error; CTA "Confirm Change" stays enabled.	Pass	Pass

Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
TP-14	Short position: a TP price below the entry price is valid	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Short position; TP enabled	1. Enter a TP price < entry price 2. Observe derived gain + CTA	TP price = entry price − valid amount	Derived gain shown; CTA = "Confirm Change" (enabled).	No system data changed; no transaction submitted.	EditTP §8; §7 (Ready)		Pass	Pass	Pass
TP-15	Edit SL validation — Long SL at/above entry or at/below liquidation price is invalid; no build request	High	Eternl wallet connected (mainnet); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP/SL surface (ModalSheet) opened for the selected position. Delta: Long WITH SL	1. Set SL ≥ entry → observe 2. Set SL ≤ liquidation price → observe	SL = entry; SL = liquidation price	Inline validation error; CTA = "Review Errors" (disabled); no request to the build endpoint.	No system data changed; no transaction submitted.	EditTP §8 (direction rule, mirrored for SL)		Pass	Pass	Pass
SECTION 5 — CTA STATES & HANDOFF												
TP-16	Draft in Ready state: "Confirm Change" hands off to TransactionLifecycle	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: valid TP draft (Ready)	1. With a valid change, tap "Confirm Change"	Valid TP draft	Flow hands off to TransactionLifecycle; Edit TP reducer stays at Ready and does NOT own submitting/success/error states. No-sign scope: verify handoff is invoked; do not sign.	No transaction signed/submitted.	EditTP §4 TransactionLifecycle; §8 Confirmation; §12	T3 (sign/submit) out of scope	Pass	Pass	Pass
TP-17	Wallet not connected: CTA shows "Connect wallet" and the draft is kept	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Edit TP open, then wallet disconnected (or opened while disconnected)	1. Trigger WalletConnectionChanged (disconnect) 2. Observe CTA + draft	N/A	CTA = "Connect wallet" (disabled); selected position, TP draft, derived values, validation state, remove mode are NOT reset.	No system data changed; no transaction submitted.	EditTP §7 Global Context Reactions; §7 CTA	Edit TP never initiates connect	Pass	Pass	Pass
TP-18	Validation in progress: CTA shows "Checking..."	Low	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: TP enabled	1. Change the draft to trigger validation 2. Observe CTA during resolve	N/A	CTA = "Checking..." (disabled) while validation is pending; draft remains visible.	No system data changed; no transaction submitted.	EditTP §7 CTA; §6 Validating state	Timing-sensitive; may need poll	Pass	Pass	Pass
SECTION 6 — ERROR, MARKET MOVE & DISMISSAL												
TP-19	A material market move triggers draft revalidation before handoff	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Ready draft	1. Trigger MaterialMarketMoveReceived 2. Observe	N/A	Draft is revalidated against latest context; a warning banner is shown; CTA only re-enables if the draft is still valid.	No system data changed; no transaction submitted.	EditTP §6 Transitions; §7 State Display; §5 Error Handling	InlineBanner warning variant	Fail - No warning banner after MaterialMarketMoveReceived; CTA stays enabled with the stale draft.	Fail - Banner shown, but the CTA stays disabled even though the revalidated draft is still valid.	Pass
TP-20	Selected position is no longer valid: the action is blocked	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: any state	1. Trigger SelectedPositionInvalidated 2. Observe	N/A	Enters Error; handoff is blocked; parent screen is asked to refresh open positions and history.	No system data changed; no transaction submitted.	EditTP §6 (any → Error); §8 Error Recovery; §12		Pass	Pass	Pass
TP-21	Cancel or dismiss before handoff: the position is unchanged	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: a draft change made	1. Make a valid draft change 2. Tap Cancel / dismiss the sheet before Confirm	N/A	Sheet closes with NO mutation to the parent position list; no tx submitted.	No system data changed; no transaction submitted.	EditTP §8 Confirmation; §5 Error Handling	Desktop = modal, narrow = sheet (§11)	Pass	Pass	Pass
SECTION 7 — Happy case: SET NEW TAKE PROFIT												
TP-22	Long position: set a new TP by TP price and reach Ready	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Long position; WITHOUT TP	1. Enable Take Profit 2. Enter a TP price above entry 3. Observe derived gain + CTA	TP price = entry price + valid amount	Derived Gain % shown; no validation error; CTA = "Confirm Change" (enabled).	No system data changed; no transaction submitted.	EditTP §8; §7 (Ready)	End-to-end Happy case	Pass	Pass	Pass
TP-23	Short position: set a new TP by TP price and reach Ready	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Short position; WITHOUT TP	1. Enable Take Profit 2. Enter a TP price below entry 3. Observe derived gain + CTA	TP price = entry price − valid amount	Derived Gain % shown; no validation error; CTA = "Confirm Change" (enabled).	No system data changed; no transaction submitted.	EditTP §8; §7 (Ready)	End-to-end Happy case	Pass	Pass	Pass
TP-24	Long position: set a TP by Gain % and reach Ready	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Long position; WITHOUT TP	1. Enable Take Profit 2. Enter a positive Gain % 3. Observe derived TP price + CTA	Gain % = 25	TP Price derives to a value above entry; no validation error; CTA = "Confirm Change" (enabled).	No system data changed; no transaction submitted.	EditTP §8 Price And Gain; §7 (Ready)		Pass	Pass	Pass
TP-25	Short position: set a TP by Gain % and reach Ready	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Short position; WITHOUT TP	1. Enable Take Profit 2. Enter a positive Gain % 3. Observe derived TP price + CTA	Gain % = 25	TP Price derives to a value below entry; no validation error; CTA = "Confirm Change" (enabled).	No system data changed; no transaction submitted.	EditTP §8 Price And Gain; §7 (Ready)		Pass	Pass	Pass
TP-26	Long position: a TP price above entry by the smallest valid increment is accepted	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Long position; WITHOUT TP	1. Enable TP 2. Enter a TP price one tick above entry 3. Observe	TP price = entry price + 1 tick	Accepted; small positive Gain % shown; CTA = "Confirm Change" (enabled).	No system data changed; no transaction submitted.	EditTP §8 Price And Gain	Lower valid boundary (Happy case)	Pass	Pass	Pass

Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
TP-27	Long position: a large profit target converts to a high, valid TP price	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Long position; WITHOUT TP	1. Enable TP 2. Enter a large Gain % 3. Observe derived price + CTA	Gain % = 200	Derived TP price is high and above entry; validates; CTA = "Confirm Change" (enabled).	No system data changed; no transaction submitted.	EditTP §8 Price And Gain		Fail - Gain % = 200 derives a TP price shown in scientific notation (1.71e+5).	Fail - Display fixed, but CTA shows "Review Errors": max-price guard rejects a derived TP above 3x market price.	Pass
TP-28	Set a TP with a decimal price within the quote token's precision	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Long position; WITHOUT TP; TP enabled	1. Enter a decimal TP price within quote-token decimals 2. Observe	TP price = a valid decimal (e.g. within display precision)	Value accepted and shown correctly; derived gain computed; CTA = "Confirm Change".	No system data changed; no transaction submitted.	EditTP §9; §8 (AmountInput)	Precision cap per §9/§5.1	Pass	Pass	Pass
SECTION 8 — Happy case: EDIT EXISTING TAKE PROFIT												
TP-29	Long position with a TP: raise the TP price to a new valid value	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Long position; WITH TP; toggle ON	1. Change TP price to a higher value (still above entry) 2. Observe derived gain + CTA	TP price = current TP + valid amount	Derived Gain % updates; CTA = "Confirm Change" (enabled).	No system data changed; no transaction submitted.	EditTP §8 Price And Gain; §7 (Ready)		Pass	Pass	Pass
TP-30	Long position with a TP: lower the TP price while keeping it above entry	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Long position; WITH TP; toggle ON	1. Change TP price to a lower value still above entry 2. Observe	TP price = between entry and current TP	Validates; derived gain updates; CTA = "Confirm Change" (enabled).	No system data changed; no transaction submitted.	EditTP §8 Price And Gain		Pass	Pass	Pass
TP-31	Short position with a TP: change the TP price to a new valid value below entry	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Short position; WITH TP; toggle ON	1. Change TP price to a new value below entry 2. Observe	TP price = entry price − valid amount	Validates; derived gain updates; CTA = "Confirm Change" (enabled).	No system data changed; no transaction submitted.	EditTP §8 Price And Gain		Pass	Pass	Pass
TP-32	Edit the existing TP by changing the Gain %	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Long position; WITH TP; toggle ON	1. Change Gain % to a new positive value 2. Observe TP price + CTA	Gain % = new positive value	TP Price re-derives; CTA = "Confirm Change" (enabled).	No system data changed; no transaction submitted.	EditTP §8 Price And Gain		Pass	Pass	Pass
TP-33	Position with a TP: change the price, then restore the original to return to "No Changes"	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Long position; WITH TP; toggle ON	1. Change TP price to a new value 2. Change it back to the original TP price 3. Observe CTA	TP price = original current TP	CTA returns to "No Changes" (disabled) — net draft equals the current position.	No system data changed; no transaction submitted.	EditTP §5 Functional; §7 CTA		Fail - After restoring the original price the CTA stays "Confirm Change" — draft is compared as a string ("57041" vs "57041.00").	Pass	Pass
TP-34	Position with a TP: re-entering the current price keeps "No Changes"	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Long position; WITH TP; toggle ON	1. Re-type the current TP price value 2. Observe CTA	TP price = current TP (unchanged)	CTA = "No Changes" (disabled).	No system data changed; no transaction submitted.	EditTP §7 CTA		Pass	Pass	Pass
SECTION 9 — Happy case: REMOVE TAKE PROFIT												
TP-35	Remove the existing TP and hand off to TransactionLifecycle	High	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: WITH TP; toggle ON	1. Turn Take Profit toggle OFF (remove mode) 2. Tap "Remove Take Profit"	N/A	Remove-mode message shown; CTA = "Remove Take Profit" (enabled); tapping hands off to TransactionLifecycle. No-sign scope: verify handoff, do not sign.	No transaction signed/submitted.	EditTP §8 Toggle/Confirmation; §4; §12	T3 (sign/submit) out of scope	Pass	Pass	Pass
TP-36	Re-enabling TP after switching to remove mode restores the previous TP price	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: WITH TP; toggle ON	1. Disable TP (remove mode) 2. Re-enable the toggle 3. Observe inputs + CTA	N/A	Returns to edit mode with the prior TP price restored in the inputs; CTA reflects "No Changes" until edited.	No system data changed; no transaction submitted.	EditTP §8 Toggle		Fail - Re-enabling the toggle shows empty TP inputs instead of restoring the previous TP; CTA = "Enter Take Profit".	Pass	Pass
SECTION 10 — Happy case: DISPLAY, FORMATTING & CONTEXT												
TP-37	Position metrics are displayed read-only	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position.	1. Open Edit TP 2. Read the context summary + detail card	N/A	Deposit, position size, leverage, entry price and current market price are all displayed read-only.	No system data changed; no transaction submitted.	EditTP §7 Layout; §3 Inputs		Pass	Pass	Pass
TP-38	Prices are displayed with price·point formatting	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: TP enabled	1. Read entry price, market price, current TP, edited TP 2. Observe formatting	N/A	All price fields use price · point formatting per NumberFormat.	No system data changed; no transaction submitted.	EditTP §9		Pass	Pass	Pass

Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
TP-39	Gain % is displayed with rate·2dp formatting	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: TP enabled	1. Enter a TP price 2. Read the derived Gain %	N/A	Gain % is formatted as rate · 2 dp.	No system data changed; no transaction submitted.	EditTP §9		Fail - Gain % shown with 4 dp (99.9229%) instead of 2 dp.	Pass	Pass
TP-40	Fiat equivalents are displayed with money·standard formatting	Low	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position.	1. Read deposit / size fiat equivalents	N/A	Fiat equivalents use money · standard formatting.	No system data changed; no transaction submitted.	EditTP §9		Pass	Pass	Pass
TP-41	Position with a TP: the Current TP row shows the active TP price	Low	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: WITH TP	1. Open Edit TP 2. Read the Current TP row	N/A	Current TP row shows the existing TP price (not "Not set").	No system data changed; no transaction submitted.	EditTP §7 Conditional Rows		Pass	Pass	Pass
TP-42	With Take Profit off, the Gain row shows a placeholder	Low	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: WITHOUT TP; toggle OFF	1. Keep TP disabled 2. Read the Gain row	N/A	Gain row shows a placeholder while Take Profit is disabled.	No system data changed; no transaction submitted.	EditTP §7 Conditional Rows		Pass	Pass	Pass
SECTION 11 — Happy case: STATE FLOW & PRESENTATION												
TP-43	While typing, state and CTA move through Idle, Editing, "Checking..." and "Confirm Change"	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: WITHOUT TP	1. Enable TP 2. Type a valid TP price 3. Watch CTA through validation	Valid TP price	CTA moves through Enter Take Profit → Checking... → Confirm Change without getting stuck.	No system data changed; no transaction submitted.	EditTP §6 States/Transitions; §7 CTA	Timing-sensitive; poll	Pass	Pass	Pass
TP-44	Market moves but the draft is still valid: a warning is shown, then the CTA is re-enabled	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Ready draft	1. With a Ready draft, trigger MaterialMarketMoveReceived (non-breaking move) 2. Observe	N/A	Warning banner shown; after revalidation the draft is still valid so CTA returns to "Confirm Change".	No system data changed; no transaction submitted.	EditTP §6 Transitions; §7	Happy case: recovery from market move	Fail - No warning banner after the market move (same defect as TP-19).	Fail - Banner shown, but the CTA is not re-enabled after revalidation (same defect as TP-19).	Pass
TP-45	Desktop: the dialog is centered and dismisses correctly	Low	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Desktop viewport	1. Open Edit TP on desktop 2. Dismiss via close affordance / backdrop / Esc	N/A	Surface renders as a centered modal; close affordance, backdrop and Esc dismiss when allowed with no position change.	No system data changed; no transaction submitted.	EditTP §11 Platform Notes		Pass	Pass	Pass
TP-46	Narrow screen: the surface slides up as a bottom sheet	Low	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Narrow / mobile-width viewport	1. Open Edit TP on a narrow viewport 2. Observe presentation	N/A	Surface renders as a bottom sheet; body auto-scrolls for keyboard.	No system data changed; no transaction submitted.	EditTP §11 Platform Notes	Web-mobile uses bottom-sheet	Fail - Bottom sheet: the keyboard covers the TP Price input; the body does not auto-scroll.	Pass	Pass
TP-47	Elements have accessible names and a logical focus order	Low	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: TP enabled	1. Tab through toggle, inputs, metrics, CTA	N/A	Toggle, inputs, position metrics and CTA all have accessible names; keyboard focus order follows the visible layout.	No system data changed; no transaction submitted.	EditTP §5 Accessibility		Pass	Pass	Pass
TP-48	Toggle announces its on/off state and that turning it off removes the current TP	Low	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: WITH TP	1. With a screen reader, toggle Take Profit off/on	N/A	Toggle announces checked/unchecked and, when disabling an existing TP, that doing so removes TP.	No system data changed; no transaction submitted.	EditTP §5 Accessibility		Fail - Screen reader announces only "switch, off"; no hint that turning it off removes the current TP.	Pass	Pass
SECTION 12 — ADDITIONAL EDGE / VALIDATION												
TP-49	Long position with a TP: changing the TP price to exactly the entry price is invalid	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: Long position; WITH TP; toggle ON	1. Set TP price equal to entry price 2. Observe validation + CTA	TP price = entry price	Inline validation error; CTA = "Review Errors" (disabled) — equality is not above entry.	No system data changed; no transaction submitted.	EditTP §8 Price And Gain	Boundary (=entry) is invalid	Pass	Pass	Pass
TP-50	With Take Profit on, a Gain % of 0% is invalid	Medium	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: TP enabled	1. Enter Gain % = 0 2. Observe	Gain % = 0	Derived TP equals entry (no profit) → invalid; CTA disabled / "Review Errors".	No system data changed; no transaction submitted.	EditTP §8 Price And Gain; §7 CTA		Pass	Pass	Pass
TP-51	TP price field handles a leading or trailing decimal point correctly	Low	Eternl wallet connected (mainnet, read-only); at least one open leveraged position exists on the test pair (fBTC-fUSDM); Leverage screen → Open Positions visible; Edit TP surface (ModalSheet) opened for the selected position. Delta: TP enabled	1. Type values like ".5" or "1." in TP price 2. Observe	".5" / "12."	Input is normalized per AmountInput (decimal truncation/zero handling) without breaking derived gain.	No system data changed; no transaction submitted.	EditTP §8 (AmountInput); §9	AmountInput owns raw behavior	Pass	Pass	Pass
SECTION 13 — SIGN TRANSACTION SUCCESS (end-to-end · edit TP / SL)												

Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
TP-52	Set a new TP successfully: confirm the change, sign, submit and reach Success	High	Eternl wallet connected (mainnet) with ADA for fees and able to sign; pair fBTC-fUSDM. Delta: Long position WITHOUT TP	1. Open the Leverage page (/leverage) 2. Select pair fBTC-fUSDM 3. In Open Positions, locate the target position 4. Click "Set TP" on the position row 5. Turn Take Profit ON 6. Enter TP price = entry +10% 7. Check the derived Gain % 8. Check CTA = "Confirm Change" (enabled) 9. Click "Confirm Change" 10. Review the transaction in the wallet extension and click Sign / Approve 11. Wait for submit and on-chain confirmation 12. Observe the Success state (checkmark, summary, truncated copyable txHash, "View on Explorer")	TP = entry +10%	Wallet signing modal opens; after signing the tx is submitted and confirmed; Success shows checkmark + heading + summary + truncated copyable txHash + "View on Explorer".	Take Profit updated on-chain; open positions & history refreshed.	TransactionLifecycle Submitting→Success; EditTP §4/§12	Requires real signing	Fail - Success shown, but on-chain TP is unchanged — the build request sends the OLD TP (stale position snapshot), not the draft TP.	Fail - New TP written, but rounded to 2 dp (57,041.375 → 57,041.38); does not match the quote-token precision.	Pass
TP-53	Remove the existing TP successfully: choose "Remove Take Profit", sign and reach Success	High	Eternl wallet connected (mainnet) with ADA for fees and able to sign; pair fBTC-fUSDM. Delta: Long position WITH TP	1. Open the Leverage page (/leverage) 2. Select pair fBTC-fUSDM 3. In Open Positions, locate the target position 4. Click the edit icon on the position row to open Edit TP 5. Turn Take Profit OFF 6. Check the remove-mode message 7. Check CTA = "Remove Take Profit" (enabled) 8. Click "Remove Take Profit" 9. Review the transaction in the wallet extension and click Sign / Approve 10. Wait for submit and on-chain confirmation 11. Observe the Success state (checkmark, summary, truncated copyable txHash, "View on Explorer")	N/A	After signing, the remove-TP tx is submitted and confirmed; Success state shown with txHash + explorer link.	Take Profit removed on-chain; open positions & history refreshed.	TransactionLifecycle; EditTP §8 Confirmation	Requires real signing	Fail - Remove sends takeProfitPrice = null; BFF returns 400 (field is a required number — spec says send 0).	Pass	Pass
TP-54	Successful signing goes through Submitting, Pending Confirmation and Success	High	Eternl wallet connected (mainnet) with ADA for fees and able to sign; pair fBTC-fUSDM. Delta: Long position WITH TP	1. Open the Leverage page (/leverage) 2. Select pair fBTC-fUSDM 3. In Open Positions, locate the target position 4. Click the edit icon on the position row to open Edit TP 5. Enter new TP price = current TP + 5% 6. Check the derived Gain % 7. Check CTA = "Confirm Change" (enabled) 8. Click "Confirm Change" 9. Review the transaction in the wallet extension and click Sign / Approve 10. Observe Submitting (CTA spinner, inputs disabled) 11. Observe Pending Confirmation ("Transaction submitted, awaiting confirmation"; txHash not shown yet) 12. Observe Success (truncated copyable txHash + "View on Explorer")	TP = current TP + 5%	Submitting: CTA spinner, inputs disabled. Pending: "Transaction submitted, awaiting confirmation", txHash NOT shown yet. Success: truncated copyable txHash + "View on Explorer".	Take Profit updated on-chain; open positions & history refreshed.	TransactionLifecycle States & State Flow	Polling path	Pass	Pass	Pass
TP-55	Web, successful signing: the dialog closes and the toast moves from PROCESSING to SUCCESS	Medium	Eternl wallet connected (mainnet) with ADA for fees and able to sign; pair fBTC-fUSDM. Delta: Long position WITH TP; Web (desktop browser)	1. Open the Leverage page (/leverage) 2. Select pair fBTC-fUSDM 3. In Open Positions, locate the target position 4. Click the edit icon on the position row to open Edit TP 5. Enter new TP price = current TP + 5% 6. Check the derived Gain % 7. Check CTA = "Confirm Change" (enabled) 8. Click "Confirm Change" 9. Review the transaction in the wallet extension and click Sign / Approve 10. After the txHash is returned, observe that the dialog closes and the toast shows PROCESSING ("Transaction submitted" + copyable hash) 11. Wait for confirmation; observe the toast changes to SUCCESS ("Transaction successful" + explorer link) and auto-dismisses after 3 s	TP = current TP + 5%	After submitTx returns txHash the dialog closes; toast shows PROCESSING ("Transaction submitted" + copyable hash); on confirm it becomes SUCCESS ("Transaction successful") with explorer link and auto-dismisses after 3 s.	Take Profit updated on-chain; open positions & history refreshed.	TransactionLifecycle Notification Stack (Web)	Web-only behavior	Fail - SUCCESS toast does not auto-dismiss after 3 s; it stays until closed manually.	Pass	Pass

Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
TP-56	Successful signing: the parent screen reloads open positions and history and shows the new TP	Medium	Eternl wallet connected (mainnet) with ADA for fees and able to sign; pair fBTC-fUSDM. Delta: Long position WITH TP	1. Open the Leverage page (/leverage) 2. Select pair fBTC-fUSDM 3. In Open Positions, locate the target position 4. Click the edit icon on the position row to open Edit TP 5. Enter new TP price = current TP + 5% 6. Check the derived Gain % 7. Check CTA = "Confirm Change" (enabled) 8. Click "Confirm Change" 9. Review the transaction in the wallet extension and click Sign / Approve 10. Wait for submit and on-chain confirmation 11. Click "Done" (or let it auto-dismiss) 12. Check the position row in Open Positions and Action History	TP = current TP + 5%	On Success, Open Positions and Action History refresh; the position row reflects the updated TP price.	UI reflects the new on-chain TP.	EditTP §12 Contracts; TransactionLifecycle Success side effects		Fail - Open Positions still shows the old TP after Success — on-chain TP was not updated (see TP-52).	Pass	Pass
TP-57	Cancel the wallet signing dialog to restore the form, then re-sign successfully	Medium	Eternl wallet connected (mainnet) with ADA for fees and able to sign; pair fBTC-fUSDM. Delta: Long position WITH TP	1. Open the Leverage page (/leverage) 2. Select pair fBTC-fUSDM 3. In Open Positions, locate the target position 4. Click the edit icon on the position row to open Edit TP 5. Enter new TP price = current TP + 5% 6. Check the derived Gain % 7. Check CTA = "Confirm Change" (enabled) 8. Click "Confirm Change" 9. In the wallet extension, click Cancel / Reject 10. Observe the dialog (form restored, CTA re-enabled, no error banner) 11. Click "Confirm Change" again 12. Review the transaction in the wallet extension and click Sign / Approve 13. Wait for submit and on-chain confirmation 14. Observe the Success state (checkmark, summary, truncated copyable txHash, "View on Explorer")	TP = current TP + 5%	On cancel: dialog returns to pre-sign ready (form restored, CTA re-enabled, no error banner). Re-signing proceeds to submit and reaches Success.	Take Profit updated on-chain; open positions & history refreshed.	TransactionLifecycle Signing Cancelled	Guards accidental cancel	Pass	Pass	Pass
TP-58	Retryable submit error: choose "Retry" and complete successfully	Medium	Eternl wallet connected (mainnet) with ADA for fees and able to sign; pair fBTC-fUSDM. Delta: Long position WITH TP; a way to force a retryable submit error	1. Open the Leverage page (/leverage) 2. Select pair fBTC-fUSDM 3. In Open Positions, locate the target position 4. Click the edit icon on the position row to open Edit TP 5. Enter new TP price = current TP + 5% 6. Check the derived Gain % 7. Check CTA = "Confirm Change" (enabled) 8. Click "Confirm Change" 9. Review the transaction in the wallet extension and click Sign / Approve 10. Force a retryable submit error (e.g. block the submit request in DevTools / BFF 5xx stub) 11. Observe the error banner above the CTA and the Retry button 12. Remove the block, then click Retry 13. Sign again in the wallet if prompted 14. Wait for submit and on-chain confirmation 15. Observe the Success state (checkmark, summary, truncated copyable txHash, "View on Explorer")	TP = current TP + 5%	Error banner above CTA with retryable message + Retry; form restored. Retry re-enters Submitting and reaches Success with txHash.	Take Profit updated on-chain; open positions & history refreshed.	TransactionLifecycle Error→Retry→Submitting→Success		Pass	Pass	Pass
TP-59	Edit TP — build request carries one LeverageEditTakeProfit intent with the NEW TP price	High	Eternl wallet connected (mainnet) with ADA for fees and able to sign; pair fBTC-fUSDM. Delta: Long position WITH TP	1. Open browser DevTools → Network tab (filter: tx/cardano/build) 2. Open the Leverage page (/leverage) 3. Select pair fBTC-fUSDM 4. In Open Positions, locate the target position 5. Click the edit icon on the position row to open Edit TP 6. Enter new TP price = current TP + valid amount 7. Check the derived Gain % 8. Check CTA = "Confirm Change" (enabled) 9. Click "Confirm Change" 10. Inspect the request body of POST /api/v1/tx/cardano/build 11. Review the transaction in the wallet extension and click Sign / Approve 12. Wait for submit and on-chain confirmation 13. Close the dialog; check the position's TP in Open Positions	TP = current TP + valid amount	Request has exactly one intent: type = LeverageEditTakeProfit, takeProfitPrice = new draft TP (full quote precision), loanUtxo = this position's Trading Loan Owner NFT UTxO; the lending pool UTxO is NOT consumed. Build returns cborHex + fee; after confirmation the datum TP (order-book GetActivePosition) = new TP.	Take Profit updated on-chain.	leverage_edit_take_profit_intent.yaml; EditTP §4/§12		Fail - takeProfitPrice in the request = OLD TP (stale position snapshot), not the draft TP.	Fail - Draft TP sent, but rounded to 2 dp (57,041.375 → 57,041.38) before the build call.	Pass

Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
TP-60	Remove TP — build request sends takeProfitPrice = 0	High	Eternl wallet connected (mainnet) with ADA for fees and able to sign; pair fBTC-fUSDM. Delta: Long position WITH TP	1. Open browser DevTools → Network tab (filter: tx/cardano/build) 2. Open the Leverage page (/leverage) 3. Select pair fBTC-fUSDM 4. In Open Positions, locate the target position 5. Click the edit icon on the position row to open Edit TP 6. Turn Take Profit OFF 7. Check the remove-mode message 8. Check CTA = "Remove Take Profit" (enabled) 9. Click "Remove Take Profit" 10. Inspect the request body of POST /api/v1/tx/cardano/build 11. Review the transaction in the wallet extension and click Sign / Approve 12. Wait for submit and on-chain confirmation 13. Close the dialog; check Current TP = "Not set"	N/A	Request: type = LeverageEditTakeProfit, takeProfitPrice = 0 ("not set" sentinel), loanUtxo = the position's loan UTxO. After confirmation Current TP shows "Not set".	Take Profit removed on-chain.	leverage_edit_take_profit_intent.yaml		Fail - takeProfitPrice = null in the request; BFF returns 400 (required number).	Pass	Pass
TP-61	Long position with SL — change the SL price to a new valid value, sign, Success; TP unchanged	High	Eternl wallet connected (mainnet) with ADA for fees and able to sign; pair fBTC-fUSDM. Delta: Long position WITH TP + SL	1. Open browser DevTools → Network tab (filter: tx/cardano/build) 2. Open the Leverage page (/leverage) 3. Select pair fBTC-fUSDM 4. In Open Positions, locate the target position 5. Click the edit icon on the position row to open Edit TP/SL 6. Enter new SL price = current SL + valid amount (still below entry, above liquidation) 7. Leave the TP unchanged 8. Check CTA = "Confirm Change" (enabled) 9. Click "Confirm Change" 10. Inspect the request body of POST /api/v1/tx/cardano/build 11. Review the transaction in the wallet extension and click Sign / Approve 12. Wait for submit and on-chain confirmation 13. Observe the Success state (checkmark, summary, truncated copyable txHash, "View on Explorer") 14. Check the position's SL (new value) and TP (unchanged) in Open Positions	SL = current SL + valid amount	Build request carries the new stopLossPrice and the unchanged takeProfitPrice; tx confirmed; Success with txHash; position shows the new SL and the same TP.	Stop Loss updated on-chain.	list_leverage_trading_positions.md (stopLossPrice); leverage_edit_take_profit_intent.yaml	API gap: edit intent has only takeProfitPrice — confirm SL edit intent/field with BE/BA.	Fail - Success shown, but the Current SL row keeps the old value until a manual reload (open positions not refreshed after an SL-only change).	Pass	Pass
TP-62	Short position with SL — change the SL price to a new valid value, sign, Success	High	Eternl wallet connected (mainnet) with ADA for fees and able to sign; pair fBTC-fUSDM. Delta: Short position WITH SL	1. Open the Leverage page (/leverage) 2. Select pair fBTC-fUSDM 3. In Open Positions, locate the target position 4. Click the edit icon on the position row to open Edit TP/SL 5. Enter new SL price = current SL − valid amount (still above entry, below liquidation) 6. Check CTA = "Confirm Change" (enabled) 7. Click "Confirm Change" 8. Review the transaction in the wallet extension and click Sign / Approve 9. Wait for submit and on-chain confirmation 10. Observe the Success state (checkmark, summary, truncated copyable txHash, "View on Explorer") 11. Check the position's SL in Open Positions	SL = current SL − valid amount	Build request carries the new stopLossPrice; tx confirmed; position shows the new SL.	Stop Loss updated on-chain.	list_leverage_trading_positions.md	Confirm SL edit intent with BE	Pass	Pass	Pass
TP-63	Edit TP and SL together — ONE transaction carries both new prices	High	Eternl wallet connected (mainnet) with ADA for fees and able to sign; pair fBTC-fUSDM. Delta: Long position WITH TP + SL	1. Open browser DevTools → Network tab (filter: tx/cardano/build) 2. Open the Leverage page (/leverage) 3. Select pair fBTC-fUSDM 4. In Open Positions, locate the target position 5. Click the edit icon on the position row to open Edit TP/SL 6. Enter new TP price = current TP + x 7. Enter new SL price = current SL + y 8. Check CTA = "Confirm Change" (enabled) 9. Click "Confirm Change" 10. Count the build requests sent and the wallet prompts shown 11. Inspect the request body of POST /api/v1/tx/cardano/build 12. Review the transaction in the wallet extension and click Sign / Approve 13. Wait for submit and on-chain confirmation 14. Check both new values on the position in Open Positions	TP = current TP + x; SL = current SL + y	One build request and one wallet prompt; the request carries both new takeProfitPrice and stopLossPrice; after confirmation the position shows both new values.	TP and SL updated on-chain in one tx.	leverage_edit_take_profit_intent.yaml; TransactionLifecycle.md	Confirm SL edit intent with BE	Fail - Two build requests and two wallet prompts (one per field); the second tx fails — loan UTxO already spent by the first.	Fail - Single tx built, but stopLossPrice goes through the TP rounding path — SL rounded to 2 dp (same defect as TP-52 R2).	Pass

Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
TP-64	Remove SL only — build sends stopLossPrice = 0 and keeps the TP	Medium	Eternl wallet connected (mainnet) with ADA for fees and able to sign; pair fBTC-fUSDM. Delta: Long position WITH TP + SL	1. Open browser DevTools → Network tab (filter: tx/cardano/build) 2. Open the Leverage page (/leverage) 3. Select pair fBTC-fUSDM 4. In Open Positions, locate the target position 5. Click the edit icon on the position row to open Edit TP/SL 6. Turn Stop Loss OFF 7. Check CTA = "Confirm Change" (enabled) 8. Click "Confirm Change" 9. Inspect the request body of POST /api/v1/tx/cardano/build 10. Review the transaction in the wallet extension and click Sign / Approve 11. Wait for submit and on-chain confirmation 12. Check SL = "Not set" and TP unchanged in Open Positions	N/A	stopLossPrice = 0 ("not set"); takeProfitPrice = current TP; after confirmation SL shows "Not set" and TP is unchanged.	Stop Loss removed on-chain; TP kept.	list_leverage_trading_positions.md		Fail - stopLossPrice = null in the request; BFF returns 400 (same defect as TP-60).	Pass	Pass
TP-65	Add an SL to a position that has a TP only	Medium	Eternl wallet connected (mainnet) with ADA for fees and able to sign; pair fBTC-fUSDM. Delta: Long position WITH TP, WITHOUT SL	1. Open the Leverage page (/leverage) 2. Select pair fBTC-fUSDM 3. In Open Positions, locate the target position 4. Click the edit icon on the position row to open Edit TP/SL 5. Turn Stop Loss ON 6. Enter SL price = entry −5% 7. Check CTA = "Confirm Change" (enabled) 8. Click "Confirm Change" 9. Review the transaction in the wallet extension and click Sign / Approve 10. Wait for submit and on-chain confirmation 11. Observe the Success state (checkmark, summary, truncated copyable txHash, "View on Explorer") 12. Check the position shows the TP and the new SL in Open Positions	SL = entry −5%	Build request carries the new stopLossPrice and the existing takeProfitPrice; position shows the TP and the new SL.	Stop Loss added on-chain.	list_leverage_trading_positions.md		Pass	Pass	Pass
SECTION 14 — AUTO-EXECUTION: JOB MATCHES WHEN PRICE MEETS TP / SL												
TP-66	Auto take-profit, Long: price rises to the TP, the job auto-executes and closes the position	High	Eternl connected (mainnet); an open LONG leveraged position with an active Take Profit price; live market feed; take-profit auto-execution job enabled.	1. Let market price rise until it reaches the position's TP price 2. Observe	market price ≥ TP price	The auto-execution job matches/triggers the take-profit and closes the position automatically — no user signing required.	Position closed at take-profit; proceeds settled to the wallet.	OpenPositions AC (profit-taken events refresh list and history)	Auto-exec owned by backend keeper/matcher — verify trigger semantics vs backend leverage spec	Pass	Pass	Pass
TP-67	Auto take-profit, Short: price falls to the TP, the job auto-executes and closes the position	High	Eternl connected (mainnet); an open SHORT leveraged position with an active Take Profit price; live market feed; auto-execution job enabled.	1. Let market price fall until it reaches the position's TP price 2. Observe	market price ≤ TP price	The auto-execution job triggers the take-profit and closes the position automatically — no user signing required.	Position closed at take-profit; proceeds settled to the wallet.	OpenPositions AC (profit-taken events)	Backend keeper owns trigger; verify semantics	Pass	Pass	Pass
TP-68	After auto take-profit: the profit-taken event is recorded and lists reload	High	A leveraged position with an active TP has just been auto-executed by the job.	1. After the TP triggers 2. Inspect Open Positions and Action History	N/A	A "profit-taken" entry is recorded; Open Positions removes/updates the closed position; Action History shows the take-profit close event.	List & history reflect the auto-close.	OpenPositions AC (profit-taken events refresh list and history)		Fail - Action History records the auto-close as "Close position" instead of a profit-taken event.	Pass	Pass
TP-69	Price nears but does not reach the TP: the auto take-profit job is not triggered	Medium	Open leveraged position with an active TP; live market feed; auto-execution job enabled.	1. Let price move close to, but not reach, the TP price 2. Observe	market price just short of TP	Job does not execute; position stays open with TP unchanged.	No change.	OpenPositions AC (profit-taken events)	Negative boundary	Pass	Pass	Pass
TP-70	Price hits exactly the TP threshold: auto take-profit triggers at the boundary	Medium	Open leveraged position with an active TP; live market feed; auto-execution job enabled.	1. Let price reach exactly the TP trigger price 2. Observe	market price == TP price	Job triggers at the boundary per side direction and closes the position.	Position closed at take-profit.	OpenPositions AC; backend trigger rule	Confirm inclusive boundary vs backend rule	Fail - Price == TP did not trigger; keeper uses a strict ">" comparison.	Fail - Fixed for Long; Short still uses a strict "<", so an exact TP does not trigger.	Pass
TP-71	Auto take-profit while viewing the position: the stale surface closes and data reloads	Medium	Open position with an active TP; user has the position detail / Edit TP surface open when the price reaches TP.	1. TP triggers while the detail/edit surface is open 2. Observe	market price meets TP	Externally-executed handling closes the stale detail/edit surface and refreshes positions, pending orders, and history.	Stale surface closed; lists refreshed.	PendingOrder (externally executed orders close stale surfaces); OpenPositions		Pass	Pass	Pass
TP-72	After the auto-close: realized PnL is settled	Medium	A position with an active TP has been auto-executed by the job.	1. After the auto-close 2. Inspect wallet balance / My Account leverage PnL	N/A	Position value / realized PnL is settled to the wallet at the take-profit price; My Account leverage reflects the realized outcome.	Proceeds credited; position no longer open.	MyAccount.Leverage; OpenPositions settlement	Amounts owned by backend settlement	Pass	Pass	Pass
TP-73	TP removed before the price reaches it: the auto take-profit job does not run	Low	A position whose TP was removed (signed) before the price reached the former TP level.	1. Remove TP (signed) 2. Let price reach the former TP level 3. Observe	market price reaches former TP	No auto-execution occurs; the position stays open (no active TP to trigger).	Position remains open.	OpenPositions AC; EditTP remove flow		Fail - Blocked: the TP removal tx could not be built (BFF 400, see TP-53), so the precondition could not be set up.	Pass	Pass
TP-74	After editing the TP, the job triggers at the NEW TP price, not the old one	High	Long position whose TP was edited and confirmed on-chain (TP-52/TP-59); live feed; job enabled.	1. Let price pass the OLD TP but stay below the NEW TP → observe 2. Let price reach the NEW TP → observe	old TP < market price < new TP; then market ≥ new TP	No execution at the old TP; the job closes the position only when price reaches the new TP.	Position closed at the new take-profit.	OpenPositions.md AC; leverage_edit_take_profit_intent.yaml		Fail - Job fired at the OLD TP — the edit tx had not written the new TP on-chain (see TP-52).	Pass	Pass
TP-75	After editing the SL, the job triggers at the NEW SL price	High	Long position whose SL was edited and confirmed on-chain (TP-61); live feed; job enabled.	1. Let price fall to the NEW SL 2. Observe	market price ≤ new SL	The job closes the position at the new SL; a stop-loss event is recorded.	Position closed at the new stop-loss.	OpenPositions.md; backend trigger rule		Fail - SL not executed at the new SL price — keeper does not trigger SL (same defect as OP-60).	Pass	Pass
TP-76	After removing the SL, price crossing the former SL level does NOT trigger	Medium	Long position whose SL was removed on-chain (TP-64); live feed; job enabled.	1. Let price fall below the former SL level 2. Observe	market price ≤ former SL	No execution; the position stays open.	Position remains open.	OpenPositions.md		Pass	Pass	Pass

Legend & Traceability

Column meanings	
Test ID	TP-xx = Edit Take Profit / Stop Loss case on an already-open leverage position (edit surface, sign transaction, auto-execution).
Test Title	What the case verifies: [Function / condition] — [expected outcome].
Priority	High / Medium / Low.
Precondition	State required before running the case. "Delta:" = extra state on top of the shared precondition.
Steps	Actions to perform, in order. Sign-transaction cases list every step from opening the Leverage page.
Input / Test Data	Concrete input values used (representative numbers, see the baseline below).
Expected Result	Expected behaviour at execution time.
Postcondition	System state AFTER the case.
Traceability (Test Basis)	Spec section, API schema or source file the case verifies (explained in the traceability table below).
Note	VERIFY / ANOMALY / API gap / environment notes.
Round 1/2/3 Result	Execution outcome per round: "Pass" or "Fail - <reason>". Every case is re-run each round: Pass after Pass = regression re-check; the first Pass after a Fail = fix verified.
Test data baseline (representative)	
Pair under test	fBTC-fUSDM (base = fBTC, quote = fUSDM; prices are quoted as fUSDM / fBTC). Any live leverage pair works.
Wallet	Eternl, mainnet. UI cases run read-only; sign-transaction cases (Section 13) need a wallet able to sign plus ADA for fees.
Position under test	Long or Short leverage position on the pair, WITH / WITHOUT TP and SL as stated in each case's "Delta:".

Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
	TP / SL edit values	New TP = current TP + 5% (or entry +10% when setting a first TP); SL moves stay between entry and liquidation price.										
	Gain % examples	20, 25 and 200 (valid); 0 (invalid — derives TP = entry).										
	Illustrative entry price	~57,041 fUSDM / fBTC (exact value is live-market dependent).										
	Build endpoint	POST /api/v1/tx/cardano/build — inspect the request body via browser DevTools → Network.										
	Explorer	CardanoScan ("View on Explorer" link after Success).										
	Traceability table (test basis → what it defines → cases covering it)											
	Basis (as cited in the Traceability column)	**Description**								**Covered by**		
	EditTP §3 / §7 Layout	Header shows side, base token, pair, size and leverage; position context and detail metrics are read-only.								TP-03, TP-37		
	EditTP §4 / §12 Contracts	Confirm Change / Remove Take Profit hand off to TransactionLifecycle; on success the parent refreshes open positions and history.								TP-16, TP-20, TP-35, TP-52, TP-56, TP-59		
	EditTP §5 Functional	Open from row edit icon, "Set TP" or position detail; toggle matches the current TP on open; disabling TP with no TP = no change.								TP-01, TP-06, TP-33		
	EditTP §5 Error Handling	Invalid draft shows inline validation; market change revalidates before handoff; invalidated position blocks; dismiss = no change.								TP-19, TP-21		
	EditTP §5 Accessibility	Toggle, inputs, metrics and CTA have accessible names; toggle announces state and that turning it off removes the TP; logical focus order.								TP-47, TP-48		
	EditTP §6 State machine	Idle → Editing → Validating → Ready / Error; MaterialMarketMoveReceived revalidates; SelectedPositionInvalidated → Error.								TP-18, TP-19, TP-20, TP-43, TP-44		
	EditTP §7 CTA	Connect wallet / No Changes / Enter Take Profit / Review Errors / Checking... (disabled); Confirm Change / Remove Take Profit (enabled).								TP-04, TP-05, TP-06, TP-10, TP-11, TP-17, TP-18, TP-33, TP-34, TP-43, TP-50		
	EditTP §7 State Display / Global Context	Ready shows the derived paired value with Confirm Change enabled; wallet changes recompute the CTA without resetting the draft.								TP-12, TP-14, TP-17, TP-19, TP-22, TP-23, TP-24, TP-25, TP-29, TP-44		
	EditTP §7 Conditional Rows	Current TP shows "Not set" when no TP; Gain shows a placeholder when TP is off; remove-mode / no-change messages.								TP-02, TP-41, TP-42		
	EditTP §8 Toggle	Opens ON when a TP exists, OFF otherwise; ON reveals TP inputs; OFF on an existing TP enters remove mode.								TP-01, TP-02, TP-04, TP-05, TP-06, TP-35, TP-36		
	EditTP §8 Price And Gain (direction rule)	TP price ↔ Gain % derive each other; Long TP must be above entry, Short TP below entry (mirrored for SL: Long SL below entry and above liquidation, Short SL above entry and below liquidation).								TP-07, TP-08, TP-11, TP-12, TP-13, TP-14, TP-15, TP-22, TP-23, TP-24, TP-25, TP-26, TP-27, TP-29, TP-30, TP-31, TP-32, TP-49, TP-50		
	EditTP §8 Confirmation / Error Recovery	CTA enabled only for a valid change; cancel / dismiss before handoff leaves the position unchanged; invalid draft keeps user input.								TP-16, TP-20, TP-21, TP-35, TP-53		
	EditTP §8 (AmountInput) / §9 Number formatting	Numeric input only (digits and "."); prices price·point, Gain % rate·2dp, fiat money·standard; TP input capped to quote precision.								TP-09, TP-28, TP-38, TP-39, TP-40, TP-51		
	EditTP §11 Platform Notes	Desktop = centered modal (close / backdrop / Esc); narrow screen = bottom sheet with keyboard auto-scroll.								TP-45, TP-46		
	TransactionLifecycle.md	Shared tx flow: Submitting → Pending Confirmation → Success (txHash + explorer); Signing Cancelled restores the form; Error → Retry; Web toast PROCESSING → SUCCESS.								TP-16, TP-52, TP-53, TP-54, TP-55, TP-56, TP-57, TP-58, TP-63		
	leverage_edit_take_profit_intent.yaml	Build intent LeverageEditTakeProfit: takeProfitPrice = final value (0 clears the TP); consumes and re-outputs the loan UTxO; lending pool UTxO not consumed.								TP-59, TP-60, TP-61, TP-63, TP-74		
	list_leverage_trading_positions.md	BFF positions read: order-book GetActivePosition returns takeProfitPrice and stopLossPrice per position (source of the TP / SL shown after an edit).								TP-61, TP-62, TP-64, TP-65		
	OpenPositions.md AC	Open Positions list: profit-taken / closed events refresh the list and Action History; TP / SL columns reflect the on-chain values.								TP-66, TP-67, TP-68, TP-69, TP-70, TP-71, TP-72, TP-73, TP-74, TP-75, TP-76		
	PendingOrder.md	Externally executed orders close stale detail / edit surfaces and refresh positions, pending orders and history.								TP-71		
	MyAccount.Leverage	My Account leverage table shows realized PnL after a position is closed.								TP-72		
	Backend trigger rule	Auto-execution (keeper / matcher) is owned by the backend; trigger direction and boundary inclusivity to be confirmed against the backend leverage spec.								TP-70, TP-75		
	Test-execution summary (76 cases, 3 rounds):											
	- Round 1: 50 Pass, 26 Fail.											
	- Round 2: the 26 Round-1 fails retested → 19 Pass; 7 still Fail (TP-19, TP-27, TP-44, TP-52, TP-59, TP-63, TP-70). All Round-1 passes re-run: still Pass.											
	- Round 3: TP-19, TP-27, TP-44, TP-52, TP-59, TP-63, TP-70 → Pass.											
	- Final status: 76 Pass / 0 Fail.											