Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
SECTION 1 — OPEN POSITION PANEL												
OP-01	Default panel state — Market/Long active, Deposit empty, CTA disabled	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated.	1. Open the panel with a pair selected 2. Observe controls + CTA	N/A	Market tab active; Buy/Long active (positive tone); Deposit empty with "Available" shown; leverage at default within range; CTA = "Enter Deposit" (disabled).	No system data changed; no transaction submitted.	OpenPanel.md; useLeverageOpenDraft.ts:120-137		Pass	Pass	Pass
OP-02	Order Type Market/Limit — Limit price only on Limit tab	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated.	1. Select Limit → observe 2. Select Market → observe	N/A	Limit tab shows a Limit Price field; Market tab does not; switching to Market clears limit price.	No system data changed; no transaction submitted.	useLeverageOpenDraft.ts:222-226	Phase = market-only in checkout; Limit visible on preprod — VERIFY	Pass	Pass	Pass
OP-03	Direction toggle — Buy/Long vs Sell/Short active state	Low	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated.	1. Click Buy/Long → observe 2. Click Sell/Short → observe	N/A	Selected side highlighted (positive tone for Long, negative tone for Short); other side inactive.	No system data changed; no transaction submitted.	LeverageOpenPanel.tsx:103-108,144-157		Pass	Pass	Pass
OP-04	Deposit — valid decimal within balance accepted	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated.	1. Enter a valid decimal in Deposit 2. Observe	Deposit = 0.2 (≤ available)	Value accepted and shown correctly in the Deposit field.	No system data changed; no transaction submitted.	leverageOpenFormSchema.ts:45-49	testid open-deposit-amount-input	Pass	Pass	Pass
OP-05	Deposit — left empty → CTA disabled	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated.	1. Leave Deposit empty 2. Observe CTA	Deposit = (empty)	CTA = "Enter Deposit" (disabled).	No system data changed; no transaction submitted.	useLeverageOpenDraft.ts:121-126		Pass	Pass	Pass
OP-06	Deposit — enter 0 → CTA disabled	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated.	1. Enter 0 in Deposit 2. Observe CTA	Deposit = 0	CTA = "Enter Deposit" (disabled) — amount must be > 0.	No system data changed; no transaction submitted.	leverageOpenFormSchema.ts:48-49; useLeverageOpenDraft.ts:124-125		Pass	Pass	Pass
OP-07	Deposit — over available balance → warning + CTA "Fix Errors"	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated.	1. Enter a Deposit greater than Available 2. Observe banner + CTA	Deposit = 100 (> available 9.997)	Validation warning banner shown; CTA = "Fix Errors" (disabled).	No system data changed; no transaction submitted.	LeverageOpenPanel.tsx:233-237; useLeverageOpenDraft.ts:123-127	testid open-validation-banner	Pass	Pass	Pass
OP-08	Deposit — Max fills the full available balance	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated.	1. Press Max 2. Observe Deposit field	Available = 9.997 fBTC	Max fills Deposit with the full available balance.	No system data changed; no transaction submitted.	LeverageOpenPanel.tsx:181-184	testid open-deposit-max	Pass	Pass	Pass
OP-09	Deposit — non-numeric characters rejected	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated.	1. Try typing letters / special chars in Deposit 2. Observe	"abc" / "$@!"	Field rejects non-numeric input; only digits and "." accepted.	No system data changed; no transaction submitted.	TokenRow / AmountInput		Pass	Pass	Pass
OP-10	Leverage slider — changes multiplier within [min, max]	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated.	1. Drag the leverage slider 2. Observe the multiplier value	leverage = 3x	Multiplier updates; clamped within [minLeverage, maxLeverage]; marks at min/2/3/4/max.	No system data changed; no transaction submitted.	LeverageOpenPanel.tsx:208-219	testid open-leverage-slider / open-leverage-multiplier	Pass	Pass	Pass
SECTION 2 — TAKE PROFIT / STOP LOSS TOGGLE												
OP-11	Take Profit toggle ON reveals TP PRICE + GAIN fields	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated.	1. Turn the Take Profit toggle ON 2. Observe	N/A	TP PRICE and GAIN inputs become visible and editable.	No system data changed; no transaction submitted.	Screenshot; useLeverageOpenDraft.ts:232-237	TP UI hidden in checkout (LeverageOpenPanel.tsx:221) — VERIFY on build	Pass	Pass	Pass
OP-12	Take Profit toggle OFF hides TP fields; open proceeds without TP	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: TP enabled first	1. Turn the Take Profit toggle OFF 2. Observe	N/A	TP PRICE + GAIN hidden; takeProfitPrice cleared; open flow proceeds with no TP.	No system data changed; no transaction submitted.	useLeverageOpenDraft.ts:232-236 (setTakeProfitEnabled(false)→price null)		Pass	Pass	Pass
OP-13	Default Take Profit toggle state on panel open	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated.	1. Open the panel fresh 2. Observe the toggle default	N/A	Toggle default state is consistent and intentional (screenshot shows ON).	No system data changed; no transaction submitted.	Screenshot	Confirm intended default (ON vs OFF) with spec/PO — VERIFY	Pass	Pass	Pass
OP-14	TP enabled but TP PRICE empty → validation + CTA blocked	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: TP enabled	1. Enable TP, leave TP PRICE empty 2. Observe banner + CTA	TP PRICE = (empty)	Validation "Enter a take-profit price"; CTA disabled / "Fix Errors".	No system data changed; no transaction submitted.	leverageOpenFormSchema.ts:66-72	message oracle from schema	Pass	Pass	Pass
OP-15	Stop Loss toggle ON reveals SL PRICE + LOSS % fields; OFF hides them and clears the SL	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated.	1. Turn the Stop Loss toggle ON 2. Observe 3. Type an SL PRICE, then turn the toggle OFF 4. Observe	SL PRICE = entry − 5%	ON: SL PRICE (unit fUSDM / fBTC) and LOSS % inputs visible; SL PRICE ↔ LOSS % derive from each other. OFF: fields hidden and stopLossPrice cleared to null.	No system data changed; no transaction submitted.	list_leverage_trading_positions.md (order-book stopLossPrice); OpenPanel.md	SL UI not yet in OpenPanel.md — confirm with BA.	Pass	Pass	Pass
SECTION 3 — TP PRICE / GAIN INPUTS & PAIRING												
OP-16	Editing TP PRICE derives the GAIN %	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: TP enabled	1. Type a valid TP PRICE 2. Observe GAIN	TP PRICE in profit direction	GAIN % recomputes from TP PRICE vs entry price.	No system data changed; no transaction submitted.	Screenshot (TP PRICE 44 → GAIN 99.9229%)	pairing derivation	Fail - GAIN % is calculated incorrectly — leverage is not applied (TP PRICE 44 → GAIN 99.9229%).	Pass	Pass
OP-17	Editing GAIN % derives the TP PRICE	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: TP enabled	1. Type a valid GAIN % 2. Observe TP PRICE	GAIN = 20	TP PRICE recomputes from GAIN and entry price.	No system data changed; no transaction submitted.	Screenshot	pairing derivation	Fail - TP PRICE derived from GAIN % is calculated incorrectly — leverage is not applied (same formula defect as OP-16).	Pass	Pass
OP-18	TP PRICE unit label	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: TP enabled	1. Read the TP PRICE unit	N/A	TP PRICE shows unit "fUSDM / fBTC" (quote / base).	No system data changed; no transaction submitted.	Screenshot		Pass	Pass	Pass
OP-19	GAIN shows % with expected precision	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: TP enabled	1. Enter a TP PRICE 2. Read GAIN precision	N/A	GAIN shows "%" suffix; precision consistent (screenshot shows 4 dp, e.g. 99.9229).	No system data changed; no transaction submitted.	Screenshot; NumberFormat	Confirm intended dp (2 vs 4) — VERIFY	Fail - GAIN is shown with 4 dp (99.9229%) instead of 2 dp.	Pass	Pass
OP-20	TP PRICE rejects non-numeric input	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: TP enabled	1. Type letters / special chars in TP PRICE	"abc" / "$@!"	Only digits and "." accepted; non-numeric rejected.	No system data changed; no transaction submitted.	AmountInput		Pass	Pass	Pass
OP-21	TP PRICE precision capped to quote-token decimals	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: TP enabled	1. Enter more decimals than quote precision 2. Observe	over-precise decimal	Input capped/truncated to quote-token display precision.	No system data changed; no transaction submitted.	NumberFormat		Pass	Pass	Pass

Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
SECTION 4 — TP / SL DIRECTION VALIDATION												
OP-22	Long — TP PRICE above entry is valid	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: Long; TP enabled	1. Enter TP PRICE > entry price 2. Observe	TP PRICE = entry + valid amount	Positive GAIN; no validation error; open flow can proceed.	No system data changed; no transaction submitted.	EditTP.md §8 (direction rule)	TP semantics derived (OpenPanel spec stripped TP)	Pass	Pass	Pass
OP-23	Long — TP PRICE at/below entry should be invalid	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: Long; TP enabled	1. Enter TP PRICE ≤ entry price 2. Observe validation + CTA	TP PRICE = entry − 1 tick	Expected: validation error, CTA blocked — Long TP must be above entry.	No system data changed; no transaction submitted.	EditTP.md §8	ANOMALY: screenshot shows Long TP=44 < entry 57,041 accepted → possible bug — VERIFY	Fail - Long TP PRICE = 44 (entry 57,041) accepted with no validation error; CTA "Open Long fBTC" enabled.	Pass	Pass
OP-24	Short — TP PRICE below entry is valid	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: Short; TP enabled	1. Enter TP PRICE < entry price 2. Observe	TP PRICE = entry − valid amount	Positive GAIN; no validation error; open flow can proceed.	No system data changed; no transaction submitted.	EditTP.md §8	derived	Pass	Pass	Pass
OP-25	Short — TP PRICE at/above entry should be invalid	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: Short; TP enabled	1. Enter TP PRICE ≥ entry price 2. Observe validation + CTA	TP PRICE = entry + 1 tick	Expected: validation error, CTA blocked — Short TP must be below entry.	No system data changed; no transaction submitted.	EditTP.md §8	VERIFY on build	Fail - Short TP PRICE above entry accepted with no validation error; CTA "Open Short fBTC" enabled.	Pass	Pass
OP-26	GAIN sign matches profit direction	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: TP enabled	1. Enter a valid TP in profit direction 2. Read GAIN	N/A	GAIN is positive when TP is in the profit direction for the chosen side.	No system data changed; no transaction submitted.	Screenshot; EditTP.md §8		Pass	Pass	Pass
OP-27	Long — SL PRICE at/above entry, or at/below Est. Liquidation Price, is invalid	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: Long; SL enabled	1. Enter SL PRICE ≥ entry → observe 2. Enter SL PRICE ≤ Est. Liquidation Price → observe	SL = entry + 1 tick; SL = liquidation price − 1 tick	Both inputs show a validation error; CTA = "Fix Errors" (disabled); no build request is sent.	No system data changed; no transaction submitted.	list_leverage_trading_positions.md; EditTP.md §8 (direction rule, mirrored for SL)		Fail - SL = liquidation price − 1 tick accepted; CTA "Open Long fBTC" enabled (no lower-bound check against Est. Liquidation Price).	Pass	Pass
OP-28	Short — SL PRICE at/below entry, or at/above Est. Liquidation Price, is invalid	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: Short; SL enabled	1. Enter SL PRICE ≤ entry → observe 2. Enter SL PRICE ≥ Est. Liquidation Price → observe	SL = entry − 1 tick; SL = liquidation price + 1 tick	Both inputs show a validation error; CTA = "Fix Errors" (disabled); no build request is sent.	No system data changed; no transaction submitted.	list_leverage_trading_positions.md; EditTP.md §8		Pass	Pass	Pass
SECTION 5 — Happy case: OPEN WITH TAKE PROFIT												
OP-29	Happy case — Long: deposit + leverage + TP price → CTA "Open Long fBTC" enabled	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: Long	1. Enter deposit 2. Set leverage 3. Enable TP, enter valid TP price 4. Observe preview + CTA	valid deposit + TP above entry	Preview ready; CTA = "Open Long fBTC" (enabled, positive tone).	No system data changed; no transaction submitted.	useLeverageOpenDraft.ts:132-135	end-to-end Happy case	Pass	Pass	Pass
OP-30	Happy case — Short: → CTA "Open Short fBTC" enabled	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: Short	1. Enter deposit + leverage 2. Enable TP, enter valid TP price below entry 3. Observe CTA	valid deposit + TP below entry	Preview ready; CTA = "Open Short fBTC" (enabled, negative tone).	No system data changed; no transaction submitted.	useLeverageOpenDraft.ts:132-135; LeverageOpenPanel.tsx:103-108	end-to-end Happy case	Pass	Pass	Pass
OP-31	Happy case — Long: set TP via GAIN entry → Ready	High	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: Long	1. Enter deposit + leverage 2. Enable TP, enter positive GAIN 3. Observe TP price + CTA	GAIN = 25	TP PRICE derives above entry; CTA = "Open Long fBTC" (enabled).	No system data changed; no transaction submitted.	Screenshot pairing		Pass	Pass	Pass
OP-32	Happy case — Long: TP just above entry (minimal valid) accepted	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: Long; TP enabled	1. Enter TP one tick above entry	TP = entry + 1 tick	Accepted; small positive GAIN; CTA enabled.	No system data changed; no transaction submitted.	EditTP.md §8	lower boundary	Pass	Pass	Pass
OP-33	Happy case — Long: large gain derives high TP and validates	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: Long; TP enabled	1. Enter large GAIN 2. Observe	GAIN = 200	Derived TP high & above entry; validates; CTA enabled.	No system data changed; no transaction submitted.	Screenshot pairing		Pass	Pass	Pass
OP-34	Happy case — Open WITHOUT TP still reaches "Open Long fBTC"	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: TP disabled	1. Enter deposit + leverage, TP off 2. Observe CTA	valid deposit	CTA = "Open Long fBTC" (enabled); TP is optional.	No system data changed; no transaction submitted.	useLeverageOpenDraft.ts:132-135		Pass	Pass	Pass
OP-35	Happy case — Preview rows populate	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: valid draft	1. Reach preview-ready 2. Read the rows	N/A	Rows show: Position Size, Position Value, Market Price, Price Impact, Entry Price, Est. Liquidation Price, Hourly Borrow Fee, Refundable Deposit, Opening Fee, Matching Fee.	No system data changed; no transaction submitted.	Screenshot; useLeverageOpenDraft.ts:38-49	Matching Fee not in checkout preview model — VERIFY	Fail - Matching Fee row missing from the preview (field not in the preview model).	Pass	Pass
SECTION 6 — CTA STATES												
OP-36	Wallet not connected → CTA "Connect wallet"	High	On /leverage, pair selected, wallet NOT connected.	1. Observe CTA	N/A	CTA = "Connect wallet" (disabled); panel never initiates connection.	No system data changed; no transaction submitted.	useLeverageOpenDraft.ts:119		Pass	Pass	Pass
OP-37	No pair selected → CTA "Select Pair"	Medium	On /leverage, wallet connected, no pair selected.	1. Observe CTA	N/A	CTA = "Select Pair" (disabled).	No system data changed; no transaction submitted.	useLeverageOpenDraft.ts:120		Pass	Pass	Pass
OP-38	Preview loading → CTA "Loading Preview..."	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: valid draft; preview in flight	1. Change draft to trigger preview 2. Observe CTA during load	N/A	CTA = "Loading Preview..." (disabled) while preview resolves.	No system data changed; no transaction submitted.	useLeverageOpenDraft.ts:128-129	timing-sensitive	Pass	Pass	Pass
OP-39	Preview error → CTA "Retry Preview"	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: draft caused a preview error (DraftError)	1. Trigger a preview error 2. Observe CTA	N/A	CTA = "Retry Preview" (enabled only when error is retryable); uses open-retry-preview.	No system data changed; no transaction submitted.	useLeverageOpenDraft.ts:130-131; LeverageOpenPanel.tsx:244-256	testid open-retry-preview	Fail - "Retry Preview" is rendered, but clicking it does nothing (no preview refetch).	Pass	Pass
OP-40	CTA tone — Long positive / Short negative	Low	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: preview ready	1. Toggle side with a ready draft 2. Observe CTA color	N/A	Enabled CTA uses positive color for Long and negative color for Short.	No system data changed; no transaction submitted.	LeverageOpenPanel.tsx:103-108		Pass	Pass	Pass
SECTION 7 — SIGN TRANSACTION SUCCESS (open with TP / TP + SL)												

Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
OP-41	Sign success — Open Long with TP → sign → submit → Success	High	Eternl (Cardano) wallet connected on mainnet with ≥ 0.2 fBTC available plus ADA for fees, able to sign; live market data for fBTC-fUSDM.	1. Open the Leverage page (/leverage) 2. Select pair fBTC-fUSDM 3. On the Open Position panel, select Order Type = Market 4. Click Buy/Long 5. Enter Deposit = 0.2 fBTC 6. Drag the leverage slider to 3x 7. Turn Take Profit ON and enter TP PRICE = entry +10% 8. Wait for the preview to load; check CTA = "Open Long fBTC" (enabled) 9. Click "Open Long fBTC" 10. Review the transaction in the wallet extension and click Sign / Approve 11. Wait for submit and on-chain confirmation 12. Observe the Success state (checkmark, summary, truncated copyable txHash, "View on Explorer")	Market · Long · Deposit 0.2 fBTC · Leverage 3x · TP = entry +10%	Signing modal opens; after signing the tx is submitted and confirmed; Success shows checkmark + summary + truncated copyable txHash + "View on Explorer".	Position opened on-chain; Open Positions & history refreshed; panel reset.	LeverageOpenPanel.tsx:257-297; TransactionLifecycle.md	requires real signing; explorer=CardanoScan	Pass	Pass	Pass
OP-42	Sign success — full lifecycle: Submitting → Pending Confirmation → Success	High	Eternl (Cardano) wallet connected on mainnet with ≥ 0.2 fBTC available plus ADA for fees, able to sign; live market data for fBTC-fUSDM.	1. Open the Leverage page (/leverage) 2. Select pair fBTC-fUSDM 3. On the Open Position panel, select Order Type = Market 4. Click Buy/Long 5. Enter Deposit = 0.2 fBTC 6. Drag the leverage slider to 3x 7. Turn Take Profit ON and enter TP PRICE = entry +10% 8. Wait for the preview to load; check CTA = "Open Long fBTC" (enabled) 9. Click "Open Long fBTC" 10. Review the transaction in the wallet extension and click Sign / Approve 11. Observe Submitting (CTA spinner, inputs disabled) 12. Observe Pending Confirmation ("Transaction submitted, awaiting confirmation"; txHash not shown yet) 13. Observe Success (truncated copyable txHash + "View on Explorer")	Market · Long · Deposit 0.2 fBTC · Leverage 3x · TP = entry +10%	Submitting: CTA spinner, inputs disabled. Pending: "Transaction submitted, awaiting confirmation", txHash NOT shown yet. Success: txHash + explorer link.	Position opened on-chain; Open Positions & history refreshed; panel reset.	TransactionLifecycle.md States & State Flow	polling path	Pass	Pass	Pass
OP-43	Sign success (Web) — dialog → toast PROCESSING → SUCCESS	Medium	Eternl (Cardano) wallet connected on mainnet with ≥ 0.2 fBTC available plus ADA for fees, able to sign; live market data for fBTC-fUSDM. Delta: Web (desktop browser)	1. Open the Leverage page (/leverage) 2. Select pair fBTC-fUSDM 3. On the Open Position panel, select Order Type = Market 4. Click Buy/Long 5. Enter Deposit = 0.2 fBTC 6. Drag the leverage slider to 3x 7. Turn Take Profit ON and enter TP PRICE = entry +10% 8. Wait for the preview to load; check CTA = "Open Long fBTC" (enabled) 9. Click "Open Long fBTC" 10. Review the transaction in the wallet extension and click Sign / Approve 11. After the txHash is returned, observe that the dialog closes and the toast shows PROCESSING ("Transaction submitted" + copyable hash) 12. Wait for confirmation; observe the toast changes to SUCCESS ("Transaction successful" + explorer link) and auto-dismisses after 3 s	Market · Long · Deposit 0.2 fBTC · Leverage 3x · TP = entry +10%	After submitTx returns txHash the dialog closes; toast PROCESSING ("Transaction submitted" + copyable hash) → SUCCESS ("Transaction successful") + explorer, auto-dismiss 3 s.	Position opened on-chain; Open Positions & history refreshed; panel reset.	TransactionLifecycle.md Notification Stack (Web)	web-only	Pass	Pass	Pass
OP-44	Sign success — new position appears with its TP; panel resets	Medium	Eternl (Cardano) wallet connected on mainnet with ≥ 0.2 fBTC available plus ADA for fees, able to sign; live market data for fBTC-fUSDM.	1. Open the Leverage page (/leverage) 2. Select pair fBTC-fUSDM 3. On the Open Position panel, select Order Type = Market 4. Click Buy/Long 5. Enter Deposit = 0.2 fBTC 6. Drag the leverage slider to 3x 7. Turn Take Profit ON and enter TP PRICE = entry +10% 8. Wait for the preview to load; check CTA = "Open Long fBTC" (enabled) 9. Click "Open Long fBTC" 10. Review the transaction in the wallet extension and click Sign / Approve 11. Wait for submit and on-chain confirmation 12. Click "Done" on the Success dialog 13. Check the new row in Open Positions (TAKE PROFIT column) and that the panel is reset	Market · Long · Deposit 0.2 fBTC · Leverage 3x · TP = entry +10%	Open Positions shows the new position (with TAKE PROFIT column populated); panel resets to default.	Position opened on-chain; Open Positions & history refreshed; panel reset.	OpenPositions.md; LeverageOpenPanel.tsx:294 (onDone reset)		Fail - New position's TAKE PROFIT column shows "—"; the TP was not written on-chain (see OP-49).	Pass	Pass

Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
OP-45	Sign — cancel wallet modal restores panel, then re-sign succeeds	Medium	Eternl (Cardano) wallet connected on mainnet with ≥ 0.2 fBTC available plus ADA for fees, able to sign; live market data for fBTC-fUSDM.	1. Open the Leverage page (/leverage) 2. Select pair fBTC-fUSDM 3. On the Open Position panel, select Order Type = Market 4. Click Buy/Long 5. Enter Deposit = 0.2 fBTC 6. Drag the leverage slider to 3x 7. Turn Take Profit ON and enter TP PRICE = entry +10% 8. Wait for the preview to load; check CTA = "Open Long fBTC" (enabled) 9. Click "Open Long fBTC" 10. In the wallet extension, click Cancel / Reject 11. Observe the panel (form restored, CTA re-enabled, no error banner) 12. Click "Open Long fBTC" again 13. Review the transaction in the wallet extension and click Sign / Approve 14. Wait for submit and on-chain confirmation 15. Observe the Success state (checkmark, summary, truncated copyable txHash, "View on Explorer")	Market · Long · Deposit 0.2 fBTC · Leverage 3x · TP = entry +10%	On cancel: panel returns to ready (form restored, CTA re-enabled, no error banner). Re-signing proceeds to Success.	Position opened on-chain; Open Positions & history refreshed; panel reset.	TransactionLifecycle.md Signing Cancelled		Pass	Pass	Pass
OP-46	Sign — retryable submit error → Retry → Success	Medium	Eternl (Cardano) wallet connected on mainnet with ≥ 0.2 fBTC available plus ADA for fees, able to sign; live market data for fBTC-fUSDM. Delta: a way to force a retryable submit error (DevTools request block or BFF 5xx stub)	1. Open the Leverage page (/leverage) 2. Select pair fBTC-fUSDM 3. On the Open Position panel, select Order Type = Market 4. Click Buy/Long 5. Enter Deposit = 0.2 fBTC 6. Drag the leverage slider to 3x 7. Turn Take Profit ON and enter TP PRICE = entry +10% 8. Wait for the preview to load; check CTA = "Open Long fBTC" (enabled) 9. Click "Open Long fBTC" 10. Review the transaction in the wallet extension and click Sign / Approve 11. Force a retryable submit error (e.g. block the submit request in DevTools / BFF 5xx stub) 12. Observe the error banner above the CTA and the Retry button 13. Remove the block, then click Retry 14. Sign again in the wallet if prompted 15. Wait for submit and on-chain confirmation 16. Observe the Success state (checkmark, summary, truncated copyable txHash, "View on Explorer")	Market · Long · Deposit 0.2 fBTC · Leverage 3x · TP = entry +10%	Error banner above CTA with Retry; form restored. Retry re-enters Submitting and reaches Success.	Position opened on-chain; Open Positions & history refreshed; panel reset.	TransactionLifecycle.md Error→Retry→Success; LeverageOpenPanel.tsx:291-293	testid leverage-open-transaction-retry	Fail - Retry re-submits the stale CBOR; the wallet rejects it (inputs already spent) — the tx must be rebuilt on Retry.	Pass	Pass
OP-47	Open Long with BOTH Take Profit and Stop Loss — build request carries TP + SL, sign succeeds, position holds both	High	Eternl (Cardano) wallet connected on mainnet with ≥ 0.2 fBTC available plus ADA for fees, able to sign; live market data for fBTC-fUSDM.	1. Open browser DevTools → Network tab (filter: tx/cardano/build) 2. Open the Leverage page (/leverage) 3. Select pair fBTC-fUSDM 4. On the Open Position panel, select Order Type = Market 5. Click Buy/Long 6. Enter Deposit = 0.2 fBTC 7. Drag the leverage slider to 3x 8. Turn Take Profit ON and enter TP PRICE = entry +10% 9. Turn Stop Loss ON and enter SL PRICE = entry −5% 10. Wait for the preview to load; check CTA = "Open Long fBTC" (enabled) 11. Click "Open Long fBTC" 12. Inspect the request body of POST /api/v1/tx/cardano/build 13. Review the transaction in the wallet extension and click Sign / Approve 14. Wait for submit and on-chain confirmation 15. Close the Success dialog; check the new row in Open Positions (TAKE PROFIT and STOP LOSS)	Deposit 0.2 fBTC; leverage 3x; TP = entry +10%; SL = entry −5%	Exactly one build request: side = long, orderType = market, takeProfitPrice = entered TP, stopLossPrice = entered SL (both > 0), positionSize = preview value, swapPoolUtxos non-empty. Build returns cborHex + fee; wallet signs; tx confirmed; Success shows txHash. New position shows TAKE PROFIT = TP and STOP LOSS = SL (matches order-book GetActivePosition).	Position opened on-chain with TP and SL in the datum.	leverage_open_position_intent.yaml; CardanoLeverageJs.kt buildCardanoLeverageOpenCbor; list_leverage_trading_positions.md step 2	API gap: leverage_open_position_intent.yaml has no stopLossPrice field yet — confirm field name with BE/BA.	Fail - Build request carries no takeProfitPrice / stopLossPrice (only swap + create-loan intents are sent); position opened with TP and SL both "Not set".	Fail - TP now written; stopLossPrice is sent but the BFF returns 400 "unknown field stopLossPrice" — build blocked.	Pass

Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
OP-48	Open Short with BOTH Take Profit and Stop Loss — build request carries TP + SL, sign succeeds, position holds both	High	Eternl (Cardano) wallet connected on mainnet with ≥ 0.2 fBTC available plus ADA for fees, able to sign; live market data for fBTC-fUSDM.	1. Open browser DevTools → Network tab (filter: tx/cardano/build) 2. Open the Leverage page (/leverage) 3. Select pair fBTC-fUSDM 4. On the Open Position panel, select Order Type = Market 5. Click Sell/Short 6. Enter Deposit = 0.2 fBTC 7. Drag the leverage slider to 3x 8. Turn Take Profit ON and enter TP PRICE = entry −10% 9. Turn Stop Loss ON and enter SL PRICE = entry +5% 10. Wait for the preview to load; check CTA = "Open Short fBTC" (enabled) 11. Click "Open Short fBTC" 12. Inspect the request body of POST /api/v1/tx/cardano/build 13. Review the transaction in the wallet extension and click Sign / Approve 14. Wait for submit and on-chain confirmation 15. Close the Success dialog; check the new row in Open Positions (TAKE PROFIT and STOP LOSS)	Deposit 0.2 fBTC; leverage 3x; TP = entry −10%; SL = entry +5%	One build request: side = short, takeProfitPrice < entry < stopLossPrice; build OK; tx confirmed; new position shows TAKE PROFIT and STOP LOSS with the entered values.	Position opened on-chain with TP and SL in the datum.	leverage_open_position_intent.yaml; CardanoLeverageJs.kt	API gap: leverage_open_position_intent.yaml has no stopLossPrice field yet — confirm field name with BE/BA.	Fail - Build request carries no takeProfitPrice / stopLossPrice (same defect as OP-47).	Fail - SL stored with Long semantics on a Short position: datum SL is below entry (sign inverted).	Pass
OP-49	Open Long with Take Profit ONLY — build request carries TP, SL is "not set"	High	Eternl (Cardano) wallet connected on mainnet with ≥ 0.2 fBTC available plus ADA for fees, able to sign; live market data for fBTC-fUSDM.	1. Open browser DevTools → Network tab (filter: tx/cardano/build) 2. Open the Leverage page (/leverage) 3. Select pair fBTC-fUSDM 4. On the Open Position panel, select Order Type = Market 5. Click Buy/Long 6. Enter Deposit = 0.2 fBTC 7. Drag the leverage slider to 3x 8. Turn Take Profit ON and enter TP PRICE = entry +10% 9. Keep Stop Loss OFF 10. Wait for the preview to load; check CTA = "Open Long fBTC" (enabled) 11. Click "Open Long fBTC" 12. Inspect the request body of POST /api/v1/tx/cardano/build 13. Review the transaction in the wallet extension and click Sign / Approve 14. Wait for submit and on-chain confirmation 15. Close the Success dialog; check TAKE PROFIT = TP and STOP LOSS = "Not set" in Open Positions	Deposit 0.2 fBTC; leverage 3x; TP = entry +10%	Build request: takeProfitPrice = entered TP; stopLossPrice = 0 or omitted (on-chain "not set" sentinel). After confirmation the position shows TAKE PROFIT = TP and STOP LOSS = "Not set".	Position opened on-chain with TP only.	leverage_open_position_intent.yaml (takeProfitPrice required; 0 = not set); CardanoLeverageJs.kt		Fail - takeProfitPrice missing from the build request; position opened with TAKE PROFIT = "—" (TP silently dropped).	Pass	Pass
OP-50	Open Short with Take Profit ONLY — build request carries TP, SL is "not set"	High	Eternl (Cardano) wallet connected on mainnet with ≥ 0.2 fBTC available plus ADA for fees, able to sign; live market data for fBTC-fUSDM.	1. Open browser DevTools → Network tab (filter: tx/cardano/build) 2. Open the Leverage page (/leverage) 3. Select pair fBTC-fUSDM 4. On the Open Position panel, select Order Type = Market 5. Click Sell/Short 6. Enter Deposit = 0.2 fBTC 7. Drag the leverage slider to 3x 8. Turn Take Profit ON and enter TP PRICE = entry −10% 9. Keep Stop Loss OFF 10. Wait for the preview to load; check CTA = "Open Short fBTC" (enabled) 11. Click "Open Short fBTC" 12. Inspect the request body of POST /api/v1/tx/cardano/build 13. Review the transaction in the wallet extension and click Sign / Approve 14. Wait for submit and on-chain confirmation 15. Close the Success dialog; check TAKE PROFIT = TP and STOP LOSS = "Not set" in Open Positions	Deposit 0.2 fBTC; leverage 3x; TP = entry −10%	Build request: side = short, takeProfitPrice = entered TP (< entry), stopLossPrice = 0 or omitted. Position shows TAKE PROFIT = TP, STOP LOSS = "Not set".	Position opened on-chain with TP only.	leverage_open_position_intent.yaml; CardanoLeverageJs.kt		Fail - takeProfitPrice missing from the build request (same defect as OP-49).	Pass	Pass
OP-51	Open with neither TP nor SL — build request sends takeProfitPrice = 0	Medium	Eternl (Cardano) wallet connected on mainnet with ≥ 0.2 fBTC available plus ADA for fees, able to sign; live market data for fBTC-fUSDM.	1. Open browser DevTools → Network tab (filter: tx/cardano/build) 2. Open the Leverage page (/leverage) 3. Select pair fBTC-fUSDM 4. On the Open Position panel, select Order Type = Market 5. Click Buy/Long 6. Enter Deposit = 0.2 fBTC 7. Drag the leverage slider to 3x 8. Keep Take Profit OFF 9. Keep Stop Loss OFF 10. Wait for the preview to load; check CTA = "Open Long fBTC" (enabled) 11. Click "Open Long fBTC" 12. Inspect the request body of POST /api/v1/tx/cardano/build 13. Review the transaction in the wallet extension and click Sign / Approve 14. Wait for submit and on-chain confirmation 15. Close the Success dialog; check the new row in Open Positions	Deposit 0.2 fBTC; leverage 3x; TP OFF; SL OFF	takeProfitPrice = 0 (required field, "not set" sentinel); no stopLossPrice > 0; build succeeds.	Position opened without TP/SL.	leverage_open_position_intent.yaml		Fail - takeProfitPrice field absent from the request (required by the intent schema; must be 0).	Pass	Pass

Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
OP-52	TP and SL toggled OFF after entering prices — build request sends no stale TP/SL values	Medium	Eternl (Cardano) wallet connected on mainnet with ≥ 0.2 fBTC available plus ADA for fees, able to sign; live market data for fBTC-fUSDM.	1. Open browser DevTools → Network tab (filter: tx/cardano/build) 2. Open the Leverage page (/leverage) 3. Select pair fBTC-fUSDM 4. On the Open Position panel, select Order Type = Market 5. Click Buy/Long 6. Enter Deposit = 0.2 fBTC 7. Drag the leverage slider to 3x 8. Turn Take Profit ON and enter TP PRICE = entry +10% 9. Turn Stop Loss ON and enter SL PRICE = entry −5% 10. Turn Take Profit OFF 11. Turn Stop Loss OFF 12. Wait for the preview to load; check CTA = "Open Long fBTC" (enabled) 13. Click "Open Long fBTC" 14. Inspect the request body of POST /api/v1/tx/cardano/build 15. Review the transaction in the wallet extension and click Sign / Approve 16. Wait for submit and on-chain confirmation 17. Close the Success dialog; check the new row in Open Positions	TP = entry +10%; SL = entry −5%; then both OFF	takeProfitPrice = 0 and stopLossPrice = 0 / omitted; the earlier prices are not sent.	Position opened without TP/SL.	useLeverageOpenDraft.ts:232-236; leverage_open_position_intent.yaml		Fail - takeProfitPrice / stopLossPrice absent from the request instead of 0 (same defect as OP-51).	Fail - SL price entered then toggled off is still sent as stopLossPrice (stale value not cleared).	Pass
SECTION 8 — AUTO-EXECUTION: JOB MATCHES WHEN PRICE MEETS TP / SL												
OP-53	Auto TP — Long: price rises to TP → job auto-executes, closes position	High	Open LONG position with an active TP; live market feed; auto-execution job enabled.	1. Let market price rise to the position's TP price 2. Observe	market price ≥ TP price	The job matches/triggers the take-profit and closes the position automatically — no user signing.	Position closed at take-profit; proceeds settled to wallet.	OpenPositions.md AC (profit-taken events refresh list and history)	backend keeper owns trigger — verify vs backend leverage spec	Pass	Pass	Pass
OP-54	Auto TP — Short: price falls to TP → job auto-executes, closes position	High	Open SHORT position with an active TP; live market feed; auto-execution job enabled.	1. Let market price fall to the position's TP price 2. Observe	market price ≤ TP price	The job triggers the take-profit and closes the position automatically — no user signing.	Position closed at take-profit; proceeds settled.	OpenPositions.md AC (profit-taken events)	backend keeper owns trigger	Pass	Pass	Pass
OP-55	Auto TP — profit-taken event recorded; lists refresh	High	A position with an active TP has just been auto-executed.	1. After the TP triggers 2. Inspect Open Positions and Action History	N/A	A "profit-taken" entry is recorded; Open Positions removes/updates the closed position; Action History shows the take-profit close event.	List & history reflect the auto-close.	OpenPositions.md AC (profit-taken events refresh list and history)		Pass	Pass	Pass
OP-56	Auto TP — price near but not reaching TP does NOT trigger	Medium	Open position with an active TP; live market feed; job enabled.	1. Let price move close to, but not reach, the TP price 2. Observe	market price just short of TP	Job does not execute; position stays open with TP unchanged.	No change.	OpenPositions.md AC	negative boundary	Pass	Pass	Pass
OP-57	Auto TP — price reaching exactly TP executes (boundary)	Medium	Open position with an active TP; live market feed; job enabled.	1. Let price reach exactly the TP trigger price 2. Observe	market price == TP price	Job triggers at the boundary per side direction and closes the position.	Position closed at take-profit.	OpenPositions.md AC; backend trigger rule	confirm inclusive boundary — VERIFY	Fail - PROCESSING toast never changes to SUCCESS; status polling stops after 60 s.	Fail - SUCCESS shown, but "View on Explorer" opens preprod CardanoScan on mainnet.	Pass
OP-58	Auto TP while viewing — stale surface closes + refresh	Medium	Open position with an active TP; user viewing the position/detail when price meets TP.	1. TP triggers while the detail surface is open 2. Observe	market price meets TP	Externally-executed handling closes the stale surface and refreshes positions, pending orders, and history.	Stale surface closed; lists refreshed.	PendingOrder.md (externally executed close stale surfaces); OpenPositions.md		Pass	Pass	Pass
OP-59	Auto TP — realized PnL settled after auto-close	Medium	A position with an active TP has been auto-executed.	1. After auto-close 2. Inspect wallet / My Account leverage PnL	N/A	Position value / realized PnL settled to wallet at take-profit price; My Account leverage reflects the outcome.	Proceeds credited; position no longer open.	MyAccount.Leverage; OpenPositions.md	amounts owned by backend settlement	Pass	Pass	Pass
OP-60	Auto SL — Long: price falls to SL → job auto-executes and closes the position	High	Open LONG position with an active SL (opened via OP-47 or seeded through the order-book fixture); live market feed; auto-execution job enabled.	1. Let market price fall to the position's SL price 2. Observe Open Positions + Action History	market price ≤ SL price	The job matches/triggers the stop-loss and closes the position automatically — no user signing. Position removed from Open Positions; Action History shows a stop-loss close event.	Position closed at stop-loss; remaining value settled to the wallet.	list_leverage_trading_positions.md (order-book stopLossPrice); OpenPositions.md	Backend keeper owns trigger — verify vs backend leverage spec	Fail - Price fell below SL but the job did not execute — keeper only scans positions with takeProfitPrice > 0 (no SL trigger).	Pass	Pass
OP-61	Auto SL — Short: price rises to SL → job auto-executes and closes the position	High	Open SHORT position with an active SL; live market feed; auto-execution job enabled.	1. Let market price rise to the position's SL price 2. Observe	market price ≥ SL price	The job triggers the stop-loss and closes the position automatically — no user signing.	Position closed at stop-loss; remaining value settled.	OpenPositions.md; backend trigger rule		Fail - Job did not execute (same keeper defect as OP-60).	Pass	Pass
OP-62	Auto SL — stop-loss event recorded, lists refresh, realized loss settled	High	A position with an active SL has just been auto-executed by the job.	1. After the SL triggers 2. Inspect Open Positions, Action History, wallet balance / My Account leverage PnL	N/A	A stop-loss entry is recorded; Open Positions removes the closed position; Action History shows the stop-loss close; realized PnL (negative) is settled to the wallet.	List, history and balance reflect the auto-close.	OpenPositions.md; MyAccount.Leverage		Fail - Blocked: SL never executed in R1 (OP-60), so no stop-loss close to inspect.	Fail - Action History labels the stop-loss close as "Profit taken" and shows realized PnL as positive.	Pass
OP-63	Auto SL — price near but not reaching SL does NOT trigger	Medium	Open position with an active SL; live market feed; job enabled.	1. Let price move close to, but not reach, the SL price 2. Observe	market price just short of SL	Job does not execute; position stays open with SL unchanged.	No change.	OpenPositions.md; backend trigger rule	Negative boundary	Pass	Pass	Pass
OP-64	Position with TP + SL — SL hit first: closed by SL only, TP no longer active	High	Open LONG position with active TP and SL (OP-47); live feed; job enabled.	1. Let price fall to the SL 2. Observe 3. Let price later rise to the former TP level	market price ≤ SL, later ≥ former TP	Position is closed once by the SL; the TP is cleared with it; no second (TP) execution happens later.	Position closed at stop-loss only.	OpenPositions.md; order-book GetActivePosition		Fail - SL not executed (same keeper defect as OP-60); position stayed open below SL.	Pass	Pass
OP-65	Position with TP + SL — TP hit first: closed by TP only, SL never executes	High	Open LONG position with active TP and SL (OP-47); live feed; job enabled.	1. Let price rise to the TP 2. Observe 3. Let price later fall to the former SL level	market price ≥ TP, later ≤ former SL	Position is closed once by the TP (profit-taken); no SL execution happens afterwards.	Position closed at take-profit only.	OpenPositions.md AC (profit-taken)		Pass	Pass	Pass
SECTION 9 — EDGE / ANOMALY (verify on deployed build)												
OP-66	ANOMALY — Long with TP below entry accepted (screenshot)	High	Long draft; Entry Price ~57,041; TP PRICE = 44; GAIN 99.9229% (as in screenshot).	1. Reproduce: Long, TP PRICE far below entry 2. Observe validation + GAIN + CTA	TP PRICE = 44 (Long, entry 57,041)	Expected: rejected (Long TP must be above entry). Screenshot shows it accepted with +99.9% GAIN → investigate direction validation and GAIN formula.	No system data changed; no transaction submitted.	EditTP.md §8; leverageOpenFormSchema.ts:1-11,66-72; Screenshot	PRIMARY BUG SUSPECT — confirm on build	Fail - TP PRICE 44 on a Long (entry 57,041) accepted with GAIN +99.9229%.	Fail - TP 44 is now rejected, but GAIN still shows +99.9229% for the invalid TP (should be blank or negative).	Pass
OP-67	Matching Fee row present on preprod but absent from checkout model	Medium	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: valid draft	1. Reach preview-ready 2. Look for Matching Fee row	N/A	Matching Fee row renders with a value (or intentional "—"). Confirm the field is wired end to end.	No system data changed; no transaction submitted.	Screenshot; useLeverageOpenDraft.ts:38-49 (no matchingFee)	checkout preview model lacks matchingFee — VERIFY	Fail - Matching Fee row missing from the preview (same defect as OP-35).	Pass	Pass
OP-68	TP PRICE = 0 while TP enabled → blocked	Low	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: TP enabled	1. Enter TP PRICE = 0 2. Observe	TP PRICE = 0	Invalid (must be > 0); validation "Enter a take-profit price" / CTA blocked.	No system data changed; no transaction submitted.	leverageOpenFormSchema.ts:56,66-72		Pass	Pass	Pass
OP-69	GAIN = 0 while TP enabled → blocked	Low	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: TP enabled	1. Enter GAIN = 0 2. Observe	GAIN = 0	Derived TP = entry (no profit) → invalid; CTA blocked.	No system data changed; no transaction submitted.	EditTP.md §8; schema		Pass	Pass	Pass
OP-70	Toggling TP off after entering a price clears the TP	Low	Cardano wallet connected; on /leverage with pair fBTC-fUSDM selected; Open Position panel visible; Order Type = Market; Direction = Buy/Long unless stated. Delta: TP enabled with a price entered	1. Enter a TP price 2. Toggle TP off 3. Observe draft/open flow	N/A	takeProfitPrice cleared to null; open proceeds without a TP.	No system data changed; no transaction submitted.	useLeverageOpenDraft.ts:232-236	setter-confirmed behavior	Pass	Pass	Pass

Legend & Traceability

Column meanings

Test ID	OP-xx = Open Position panel case (open with Take Profit / Stop Loss, sign transaction, auto-execution).
Test Title	What the case verifies: [Function / condition] — [expected outcome].
Priority	High / Medium / Low.
Precondition	State required before running the case. "Delta:" = extra state on top of the shared precondition.
Steps	Actions to perform, in order. Sign-transaction cases list every step from opening the Leverage page.

Test ID	Test Title	Priority	Precondition	Steps	Input / Test Data	Expected Result	Postcondition	Traceability (Test Basis)	Note	Round 1 Result	Round 2 Result	Round 3 Result
	Input / Test Data	Concrete input values used (representative numbers, see the baseline below).										
	Expected Result	Expected behaviour at execution time.										
	Postcondition	System state AFTER the case.										
	Traceability (Test Basis)	Spec section, API schema or source file the case verifies (explained in the traceability table below).										
	Note	VERIFY / ANOMALY / API gap / environment notes.										
	Round 1/2/3 Result	Execution outcome per round: "Pass" or "Fail - <reason>". Every case is re-run each round: Pass after Pass = regression re-check; the first Pass after a Fail = fix verified.										
	Test data baseline (representative)											
	Pair under test	fBTC-fUSDM (base = fBTC, quote = fUSDM; prices are quoted as fUSDM / fBTC). Any live leverage pair works.										
	Wallet	Eternl (Cardano), mainnet. Sign-transaction cases (Section 7) need a wallet able to sign plus ADA for fees.										
	Available balance	9.997 fBTC (Max fills this value).										
	Deposit / Leverage	Deposit 0.2 fBTC; leverage 3x (slider clamped to [min, max] of the pair).										
	TP / SL values	Long: TP = entry +10%, SL = entry −5%. Short: TP = entry −10%, SL = entry +5%.										
	Illustrative entry price	~57,041 fUSDM / fBTC (from the preprod screenshot; live-market dependent).										
	Build endpoint	POST /api/v1/tx/cardano/build — inspect the request body via browser DevTools → Network.										
	Explorer	CardanoScan ("View on Explorer" link after Success).										
	Traceability table (test basis → what it defines → cases covering it)											
	Basis (as cited in the Traceability column)	**Description**								**Covered by**		
	OpenPanel.md	L3 spec of the Open Position panel (side, deposit, leverage, preview, CTA). TP section is stripped and SL UI is not specified yet.								OP-01, OP-15		
	useLeverageOpenDraft.ts	Draft hook: CTA ladder Connect wallet → Select Pair → Enter Deposit → Fix Errors → Loading Preview... → Retry Preview → Open <side> <base>; order type; TP OFF clears the price; preview rows.								OP-01, OP-02, OP-05, OP-06, OP-07, OP-11, OP-12, OP-29, OP-30, OP-34, OP-35, OP-36, OP-37, OP-38, OP-39, OP-52, OP-67, OP-70		
	LeverageOpenPanel.tsx	Panel UI: side tone (Long positive / Short negative), Max button, leverage slider marks, validation banner, Retry Preview, transaction wiring and reset on Done.								OP-03, OP-07, OP-08, OP-10, OP-30, OP-39, OP-40, OP-41, OP-44, OP-46		
	leverageOpenFormSchema.ts	Form schema: deposit numeric and > 0; when TP is enabled a TP price > 0 is required ("Enter a take-profit price").								OP-04, OP-06, OP-14, OP-66, OP-68, OP-69		
	AmountInput / TokenRow	Shared numeric input: digits and "." only; precision capped to the token's display precision.								OP-09, OP-20		
	NumberFormat	Display formats: prices price·point, GAIN % rate, amounts quantity·standard.								OP-19, OP-21		
	Screenshot (preprod)	Reference screenshot of the preprod panel: TP toggle default ON, TP PRICE 44 → GAIN 99.9229% at entry ~57,041, Matching Fee row present.								OP-11, OP-13, OP-16, OP-17, OP-18, OP-19, OP-26, OP-31, OP-33, OP-35, OP-66, OP-67		
	EditTP.md §8 (direction rule)	Direction rule reused for opening: Long TP above entry, Short TP below entry; SL mirrored (Long SL below entry and above liquidation, Short SL above entry and below liquidation).								OP-22, OP-23, OP-24, OP-25, OP-26, OP-27, OP-28, OP-32, OP-66, OP-69		
	TransactionLifecycle.md	Shared tx flow: Submitting → Pending Confirmation → Success (txHash + explorer); Signing Cancelled restores the panel; Error → Retry; Web toast PROCESSING → SUCCESS.								OP-41, OP-42, OP-43, OP-45, OP-46		
	leverage_open_position_intent.yaml	Build intent LeverageOpenPosition: side, orderType, deposit, leverage, positionSize, takeProfitPrice (required; 0 = not set), swapPoolUtxos. No stopLossPrice field yet (API gap).								OP-47, OP-48, OP-49, OP-50, OP-51, OP-52		
	CardanoLeverageJs.kt (buildCardanoLeverageOpenCbor)	KMP bridge that builds the open-position tx and calls the build endpoint; currently sends swap + create-loan intents only (no takeProfitPrice).								OP-47, OP-48, OP-49, OP-50		
	list_leverage_trading_positions.md	BFF positions read: order-book GetActivePosition returns takeProfitPrice and stopLossPrice per position.								OP-15, OP-27, OP-28, OP-47, OP-60, OP-64		
	OpenPositions.md AC	Open Positions list: new position row with TAKE PROFIT / STOP LOSS; profit-taken / closed events refresh the list and Action History.								OP-44, OP-53, OP-54, OP-55, OP-56, OP-57, OP-58, OP-59, OP-60, OP-61, OP-62, OP-63, OP-64, OP-65		
	PendingOrder.md	Externally executed orders close stale detail surfaces and refresh positions, pending orders and history.								OP-58		
	MyAccount.Leverage	My Account leverage table shows realized PnL after a position is closed.								OP-59, OP-62		
	Backend trigger rule	Auto-execution (keeper / matcher) is owned by the backend; trigger direction and boundary inclusivity to be confirmed against the backend leverage spec.								OP-57, OP-61, OP-63		
	Test-execution summary (70 cases, 3 rounds):											
	- Round 1: 47 Pass, 23 Fail.											
	- Round 2: the 23 Round-1 fails retested → 17 Pass; 6 still Fail (OP-47, OP-48, OP-52, OP-57, OP-62, OP-66). All Round-1 passes re-run: still Pass.											
	- Round 3: OP-47, OP-48, OP-52, OP-57, OP-62, OP-66 → Pass.											
	- Final status: 70 Pass / 0 Fail.											