




e0 por mun. (est. vs. obs.), 1980-1984, gru_ambos_fam_poisson_age_rw2_1_1_20_reg_bym2_1_1_20_per_rw2_1_1_20_s_t_iid_1_1_20_cel_iid_1_1_20_sam_100



e0 por mun. (est. vs. obs.), 1985-1989, gru_ambos_fam_poisson_age_rw2_1_1_20_reg_bym2_1_1_20_per_rw2_1_1_20_s_t_iid_1_1_20_cel_iid_1_1_20_sam_100





e0 por mun. (est. vs. obs.), 1995-1999, gru_ambos_fam_poisson_age_rw2_1_1_20_reg_bym2_1_1_20_per_rw2_1_1_20_s_t_iid_1_1_20_cel_iid_1_1_20_sam_100

Hombres

< e0 observado




Hombres

> e0 observado



Hombres

Estimación adecuada






Mujeres


Estimación adecuada




e0

e0 por mun. (est. vs. obs.), 2000–2004, gru_ambos_fam_poisson_age_rw2_1_1_20_reg_bym2_1_1_20_per_rw2_1_1_20_s_t_iid_1_1_20_cel_iid_1_1_20_sam_100





e0 por mun. (est. vs. obs.), 2010–2014, gru_ambos_fam_poisson_age_rw2_1_1_20_reg_bym2_1_1_20_per_rw2_1_1_20_s_t_iid_1_1_20_cel_iid_1_1_20_sam_100



e0 por mun. (est. vs. obs.), 2015–2019, gru_ambos_fam_poisson_age_rw2_1_1_20_reg_bym2_1_1_20_per_rw2_1_1_20_s_t_iid_1_1_20_cel_iid_1_1_20_sam_100

