






e0 por mun. (est. vs. obs.), 1980–1984, gru_ambos_fam_poisson_age_rw2_1_1_20_reg_bym2_1_1_20_per_rw2_1_1_20_s_t_iid_1_1_20_cel_iid_1_1_20_sam_1000







e0 por mun. (est. vs. obs.), 1995–1999, gru_ambos_fam_poisson_age_rw2_1_1_20_reg_bym2_1_1_20_per_rw2_1_1_20_s_t_iid_1_1_20_cel_iid_1_1_20_sam_1000



e0 por mun. (est. vs. obs.), 2000–2004, gru_ambos_fam_poisson_age_rw2_1_1_20_reg_bym2_1_1_20_per_rw2_1_1_20_s_t_iid_1_1_20_cel_iid_1_1_20_sam_1000


Hombres

< e0 observado




Hombres

> e0 observado




Hombres

Estimación adecuada







Mujeres


Estimación adecuada






e0



e0 por mun. (est. vs. obs.), 2010–2014, gru_ambos_fam_poisson_age_rw2_1_1_20_reg_bym2_1_1_20_per_rw2_1_1_20_s_t_iid_1_1_20_cel_iid_1_1_20_sam_1000



e0 por mun. (est. vs. obs.), 2015–2019, gru_ambos_fam_poisson_age_rw2_1_1_20_reg_bym2_1_1_20_per_rw2_1_1_20_s_t_iid_1_1_20_cel_iid_1_1_20_sam_1000



e0

