





e0 por mun. (est. vs. obs.), 1980–1984, gru\_ambos\_fam\_poisson\_age\_rw2\_1\_1\_0.05\_reg\_bym2\_1\_1\_0.05\_per\_rw2\_1\_1\_0.05\_s\_t\_iid\_1\_1\_0.04\_sam\_1000







e0 por mun. (est. vs. obs.), 1995–1999, gru\_ambos\_fam\_poisson\_age\_rw2\_1\_1\_0.05\_reg\_bym2\_1\_1\_0.05\_per\_rw2\_1\_1\_0.05\_s\_t\_iid\_1\_1\_0.05\_cel\_iid\_1\_1\_0.04\_sam\_1000



e0 por mun. (est. vs. obs.), 2000–2004, gru\_ambos\_fam\_poisson\_age\_rw2\_1\_1\_0.05\_reg\_bym2\_1\_1\_0.05\_per\_rw2\_1\_1\_0.05\_s\_t\_iid\_1\_1\_0.05\_cel\_iid\_1\_1\_0.04\_sam\_1000


Hombres

< e0 observado




Hombres

> e0 observado




Hombres

Estimación adecuada








Mujeres

Estimación adecuada




e0 por mun. (est. vs. obs.), 2005–2009, gru\_ambos\_fam\_poisson\_age\_rw2\_1\_1\_0.05\_reg\_bym2\_1\_1\_0.05\_per\_rw2\_1\_1\_0.05\_s\_t\_iid\_1\_1\_0.04\_sam\_1000







e0

e0 por mun. (est. vs. obs.), 2010–2014, gru\_ambos\_fam\_poisson\_age\_rw2\_1\_1\_0.05\_reg\_bym2\_1\_1\_0.05\_s\_t\_iid\_1\_1\_0.04\_cel\_iid\_1\_1\_0.04\_sam\_1000



e0 por mun. (est. vs. obs.), 2015–2019, gru\_ambos\_fam\_poisson\_age\_rw2\_1\_1\_0.05\_reg\_bym2\_1\_1\_0.05\_per\_rw2\_1\_1\_0.05\_s\_t\_iid\_1\_1\_0.04\_sam\_1000



e0

