




e0 por mun. (est. vs. obs.), 1980–1984, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.045_sam_500





e0 por mun. (est. vs. obs.), 1985–1989, gru ambos fam poisson age rw2 1 1 0.05 reg bym2 1 1 0.05 per rw2 1 1 0.05 s t iid 1 1 0.05 cel iid 1 1 0.045 sam 500





e0 por mun. (est. vs. obs.), 1995-1999, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.05_cel_iid_1_1_0.045_sam_500



e0 por mun. (est. vs. obs.), 2000–2004, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.05_cel_iid_1_1_0.045_sam_500

Hombres

< e0 observado

Culebra

Maricao

Hombres


> e0 observado

Santa Isabel

Loiza


Hombres

Estimación adecuada



Mujeres

Estimación adecuada




e0

e0 por mun. (est. vs. obs.), 2005–2009, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.05_cel_iid_1_1_0.045_sam_500


Hombres
< e0 observado

Hombres
> e0 observado




Hombres
Estimación adecuada

Mujeres
Estimación adecuada



e0 por mun. (est. vs. obs.), 2010–2014, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.045_sam_500



e0 por mun. (est. vs. obs.), 2015-2019, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.05_cel_iid_1_1_0.045_sam_500

