




e0 por mun. (est. vs. obs.), 1980–1984, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.25_sam_500



e0 por mun. (est. vs. obs.), 1985–1989, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.25_sam_500




e0 por mun. (est. vs. obs.), 1990–1994, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.25_sam_500



e0 por mun. (est. vs. obs.), 1995-1999, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.05_cel_iid_1_1_0.25_sam_500


Hombres

< e0 observado




Hombres

> e0 observado




Hombres

Estimación adecuada




Mujeres

Estimación adecuada



e0


e0 por mun. (est. vs. obs.), 2000–2004, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.05_cel_iid_1_1_0.25_sam_500



e0 por mun. (est. vs. obs.), 2005–2009, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.05_cel_iid_1_1_0.25_sam_500


Hombres

< e0 observado




Hombres

> e0 observado



Hombres

Estimación adecuada




Mujeres

Estimación adecuada






e0

e0 por mun. (est. vs. obs.), 2010–2014, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_s_t_iid_1_1_0.05_cel_iid_1_1_0.25_sam_500



e0 por mun. (est. vs. obs.), 2015–2019, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.25_cel_iid_1_1_0.25_sam_500



e0

