










e0 por mun. (est. vs. obs.), 1990–1994, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.05_cel_iid_1_1_0.05_sam_1000




e0 por mun. (est. vs. obs.), 1995–1999, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.05_cel_iid_1_1_0.05_sam_1000





e0 por mun. (est. vs. obs.), 2000–2004, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.05_cel_iid_1_1_0.05_sam_1000





e0 por mun. (est. vs. obs.), 2010–2014, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.05_cel_iid_1_1_0.05_sam_1000





e0 por mun. (est. vs. obs.), 2020–2024, gru_ambos_fam_poisson_age_rw2_1_1_0.05_reg_bym2_1_1_0.05_per_rw2_1_1_0.05_s_t_iid_1_1_0.05_cel_iid_1_1_0.05_sam_1000

