







e0 por mun. (est. vs. obs.), 1980–1984, gru_ambos_fam_nbinomial_hyp_2.303_0.5_age_rw2_1_1_100_reg_bym2_1_1_100_per_rw2_1_1_100_s_t_iid_1_1_100_cel_iid_1_1_100_sam_10



e0 por mun. (est. vs. obs.), 1985–1989, gru_ambos_fam_nbinomial_hyp_2.303_0.5_age_rw2_1_1_100_reg_bym2_1_1_100_per_rw2_1_1_100_s_t_iid_1_1_100_cel_iid_1_1_100_sam_100






e0 por mun. (est. vs. obs.), 1990–1994, gru_ambos_fam_nbinomial_hyp_2.303_0.5_age_rw2_1_1_100_reg_bym2_1_1_100_per_rw2_1_1_100_s_t_iid_1_1_100_cel_iid_1_1_100_sam_1



e0

e0 por mun. (est. vs. obs.), 1995–1999, gru_ambos_fam_nbinomial_hyp_2.303_0.5_age_rw2_1_1_100_reg_bym2_1_1_100_per_rw2_1_1_100_s_t_iid_1_1_100_cel_iid_1_1_100_sam



e0 por mun. (est. vs. obs.), 2000–2004, gru_ambos_fam_nbinomial_hyp_2.303_0.5_age_rw2_1_1_100_reg_bym2_1_1_100_per_rw2_1_1_100_s_t_iid_1_1_100_cel_iid_1_1_100_sam

Hombres

< e0 observado




Hombres

> e0 observado




Hombres

Estimación adecuada








Mujeres

Estimación adecuada








e0


e0 por mun. (est. vs. obs.), 2005–2009, gru_ambos_fam_nbinomial_hyp_2.303_0.5_age_rw2_1_1_100_reg_bym2_1_1_100_per_rw2_1_1_100_s_t_iid_1_1_100_cel_iid_1_1_100_sam_1




e0

e0 por mun. (est. vs. obs.), 2010–2014, gru_ambos_fam_nbinomial_hyp_2.303_0.5_age_rw2_1_1_100_reg_bym2_1_1_100_per_rw2_1_1_100_s_t_iid_1_1_100_cel_iid_1_1_100_sam_100





e0



e0