





e0 por mun. (est. vs. obs.), 1980–1984, gru\_ambos\_fam\_nbinomial\_hyp\_2.303\_0.5\_age\_rw2\_1\_1\_0.5\_reg\_bym2\_1\_1\_0.5\_per\_rw2\_1\_1\_0.5\_s\_t\_iid\_1\_1\_0.5\_cel\_iid\_1\_1\_0.5\_sam\_1000



e0 por mun. (est. vs. obs.), 1985–1989, gru\_ambos\_fam\_nbinomial\_hyp\_2.303\_0.5\_age\_rw2\_1\_1\_0.5\_reg\_bym2\_1\_1\_0.5\_s\_t\_iid\_1\_1\_0.5\_cel\_iid\_1\_1\_0.5\_sam\_1000







e0 por mun. (est. vs. obs.), 1990–1994, gru ambos fam nbinoial hyp 2.303 0.5 age rw2 1 1 0.5 reg bym2 1 1 0.5 per rw2 1 1 0.5 s t iid 1 1 0.5 cel iid 1 1 0.5 sam 1000



51  
e0



e0 por mun. (est. vs. obs.), 1995–1999, gru\_ambos\_fam\_nbinomial\_hyp\_2.303\_0.5\_age\_rw2\_1\_1\_0.5\_reg\_bym2\_1\_1\_0.5\_per\_rw2\_1\_1\_0.5\_s\_t\_iid\_1\_1\_0.5\_cel\_iid\_1\_1\_0.5\_sam\_10



e0 por mun. (est. vs. obs.), 2000–2004, gru\_ambos\_fam\_nbinomial\_hyp\_2.303\_0.5\_age\_rw2\_1\_1\_0.5\_reg\_bym2\_1\_1\_0.5\_s\_t\_iid\_1\_1\_0.5\_cel\_iid\_1\_1\_0.5\_sam\_10

Hombres

< e0 observado




Hombres

> e0 observado




Hombres

Estimación adecuada



Mujeres






Estimación adecuada



e0



e0 por mun. (est. vs. obs.), 2005–2009, gru\_ambos\_fam\_nbinomial\_hyp\_2.303\_0.5\_age\_rw2\_1\_1\_0.5\_reg\_bym2\_1\_1\_0.5\_per\_rw2\_1\_1\_0.5\_s\_t\_iid\_1\_1\_0.5\_cel\_iid\_1\_1\_0.5\_sam\_100



e0

e0 por mun. (est. vs. obs.), 2010–2014, gru\_ambos\_fam\_nbinomial\_hyp\_2.303\_0.5\_age\_rw2\_1\_1\_0.5\_per\_rw2\_1\_1\_0.5\_s\_t\_iid\_1\_1\_0.5\_cel\_iid\_1\_1\_0.5\_sam\_1000

