




e0 por mun. (est. vs. obs.), 1980–1984, gru_ambos_fam_poisson_age_rw2_1_1_0.5_reg_bym2_1_1_0.5_per_rw2_1_1_0.5_s_t_iid_1_1_0.5_cel_iid_1_1_0.5_sam_100




e0 por mun. (est. vs. obs.), 1985–1989, gru_ambos_fam_poisson_age_rw2_1_1_0.5_reg_bym2_1_1_0.5_per_rw2_1_1_0.5_s_t_iid_1_1_0.5_cel_iid_1_1_0.5_sam_100



e0 por mun. (est. vs. obs.), 1990–1994, gru_ambos_fam_poisson_age_rw2_1_1_0.5_reg_bym2_1_1_0.5_per_rw2_1_1_0.5_s_t_iid_1_1_0.5_cel_iid_1_1_0.5_sam_100




e0 por mun. (est. vs. obs.), 1995–1999, gru_ambos_fam_poisson_age_rw2_1_1_0.5_reg_bym2_1_1_0.5_per_rw2_1_1_0.5_s_t_iid_1_1_0.5_cel_iid_1_1_0.5_sam_100



e0 por mun. (est. vs. obs.), 2000–2004, gru_ambos_fam_poisson_age_rw2_1_1_0.5_reg_bym2_1_1_0.5_per_rw2_1_1_0.5_s_t_iid_1_1_0.5_cel_iid_1_1_0.5_sam_100

Hombres

< e0 observado




Hombres

> e0 observado




Hombres

Estimación adecuada




Mujeres



Estimación adecuada








e0 por mun. (est. vs. obs.), 2005–2009, gru_ambos_fam_poisson_age_rw2_1_1_0.5_reg_bym2_1_1_0.5_per_rw2_1_1_0.5_s_t_iid_1_1_0.5_cel_iid_1_1_0.5_sam_100



e0 por mun. (est. vs. obs.), 2010–2014, gru ambos fam poisson age rw2 1 1 0.5 reg bym2 1 1 0.5 per rw2 1 1 0.5 s t iid 1 1 0.5 cel iid 1 1 0.5 sam 100



e0 por mun. (est. vs. obs.), 2015–2019, gru_ambos_fam_poisson_age_rw2_1_1_0.5_reg_bym2_1_1_0.5_per_rw2_1_1_0.5_s_t_iid_1_1_0.5_cel_iid_1_1_0.5_sam_100



e0

