










e0 por mun. (est. vs. obs.), 1990–1994, gru_ambos_fam_poisson_age_rw2_1_1_0.005_reg_bym2_1_1_0.005_per_rw2_1_1_0.005_s_t_iid_1_1_0.005_cel_iid_1_1_0.005_sam_1000



e0 por mun. (est. vs. obs.), 1995-1999, gru_ambos_fam_poisson_age_rw2_1_1_0.005_reg_bym2_1_1_0.005_per_rw2_1_1_0.005_s_t_iid_1_1_0.005_cel_iid_1_1_0.005_sam_1000



e0 por mun. (est. vs. obs.), 2000–2004, gru_ambos_fam_poisson_age_rw2_1_1_0.005_reg_bym2_1_1_0.005_per_rw2_1_1_0.005_s_t_iid_1_1_0.005_cel_iid_1_1_0.005_sam_1000


Hombres

< e0 observado




Hombres

> e0 observado




Hombres

Estimación adecuada



Mujeres

Estimación adecuada




e0

e0 por mun. (est. vs. obs.), 2005–2009, gru_ambos_fam_poisson_age_rw2_1_1_0.005_reg_bym2_1_1_0.005_per_rw2_1_1_0.005_s_t_iid_1_1_0.005_cel_iid_1_1_0.005_sam_1000


Hombres

< e0 observado




Hombres

> e0 observado



Hombres

Estimación adecuada




Mujeres

Estimación adecuada






e0

e0 por mun. (est. vs. obs.), 2010–2014, gru_ambos_fam_poisson_age_rw2_1_1_0.005_reg_bym2_1_1_0.005_per_rw2_1_1_0.005_s_t_iid_1_1_0.005_cel_iid_1_1_0.005_sam_1000



e0 por mun. (est. vs. obs.), 2015–2019, gru_ambos_fam_poisson_age_rw2_1_1_0.005_reg_bym2_1_1_0.005_per_rw2_1_1_0.005_s_t_iid_1_1_0.005_cel_iid_1_1_0.005_sam_1000



e0

