




e0 por mun. (est. vs. obs.), 1980–1984, gru_ambos_fam_nbinomial_hyp_2.303_0.5_age_rw2_1_1_0.005_reg_bym2_1_1_0.005_per_rw2_1_1_0.005_s_t_iid_1_1_0.005_cel_iid_1_1_0.005








e0 por mun. (est. vs. obs.), 1990–1994, gru_ambos_fam_nbinomial_hyp_2.303_0.5_age_rw2_1_1_0.005_reg_bym2_1_1_0.005_per_rw2_1_1_0.005_s_t_iid_1_1_0.005_cel_iid_1_1_0.005



e0 por mun. (est. vs. obs.), 1995–1999, gru_ambos_fam_nbinomial_hyp_2.303_0.5_age_rw2_1_1_0.005_reg_bym2_1_1_0.005_per_rw2_1_1_0.005_s_t_iid_1_1_0.005_cel_iid_1_1_0.005



e0 por mun. (est. vs. obs.), 2000–2004, gru_ambos_fam_nbinomial_hyp_2.303_0.5_age_rw2_1_1_0.005_reg_bym2_1_1_0.005_s_t_iid_1_1_0.005_cel_iid_1_1_0.005

Hombres

< e0 observado

Culebra

Maricao

Hombres


> e0 observado

Santa Isabel

Loiza


Hombres

Estimación adecuada








Mujeres

Estimación adecuada








e0

e0 por mun. (est. vs. obs.), 2005–2009, gru_ambos_fam_nbinomial_hyp_2.303_0.5_age_rw2_1_1_0.005_reg_bym2_1_1_0.005_per_rw2_1_1_0.005_s_t_iid_1_1_0.005_cel_iid_1_1_0.005







e0

e0 por mun. (est. vs. obs.), 2010–2014, gru_ambos_fam_nbinomial_hyp_2.303_0.5_age_rw2_1_1_0.005_reg_bym2_1_1_0.005_per_rw2_1_1_0.005_s_t_iid_1_1_0.005_cel_iid_1_1_0.005



e0 por mun. (est. vs. obs.), 2015–2019, gru_ambos_fam_nbinomial_hyp_2.303_0.5_age_rw2_1_1_0.005_reg_bym2_1_1_0.005_per_rw2_1_1_0.005_s_t_iid_1_1_0.005_cel_iid_1_1_0.005



e0

