




e0 por mun. (est. vs. obs.), 1980–1984, gru_ambos_fam_poisson_age_rw2_1_1_0.001_reg_bym2_1_1_0.001_per_rw2_1_1_0.001_s_t_iid_1_1_0.001_cel_iid_1_1_0.001_sam_1000








e0 por mun. (est. vs. obs.), 1995-1999, gru_ambos_fam_poisson_age_rw2_1_1_0.001_reg_bym2_1_1_0.001_per_rw2_1_1_0.001_s_t_iid_1_1_0.001_cel_iid_1_1_0.001_sam_1000


Hombres

< e0 observado




Hombres

> e0 observado




Hombres

Estimación adecuada





Mujeres

Estimación adecuada







e0


e0 por mun. (est. vs. obs.), 2000–2004, gru_ambos_fam_poisson_age_rw2_1_1_0.001_reg_bym2_1_1_0.001_per_rw2_1_1_0.001_s_t_iid_1_1_0.001_cel_iid_1_1_0.001_sam_1000



e0 por mun. (est. vs. obs.), 2005–2009, gru_ambos_fam_poisson_age_rw2_1_1_0.001_reg_bym2_1_1_0.001_per_rw2_1_1_0.001_s_t_iid_1_1_0.001_cel_iid_1_1_0.001_sam_1000



e0 por mun. (est. vs. obs.), 2010–2014, gru_ambos_fam_poisson_age_rw2_1_1_0.001_reg_bym2_1_1_0.001_per_rw2_1_1_0.001_s_t_iid_1_1_0.001_cel_iid_1_1_0.001_sam_1000



e0 por mun. (est. vs. obs.), 2015-2019, gru_ambos_fam_poisson_age_rw2_1_1_0.001_reg_bym2_1_1_0.001_per_rw2_1_1_0.001_s_t_iid_1_1_0.001_cel_iid_1_1_0.001_sam_1000

