




e0 por mun. (est. vs. obs.), 1980-1984, gru_ambos_fam_poisson_age_rw2_1_1_10_reg_bym2_1_1_10_per_rw2_0.5_0.5_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100





e0 por mun. (est. vs. obs.), 1985–1989, gru_ambos_fam_poisson_age_rw2_1_1_10_reg_bym2_1_1_10_per_rw2_0.5_0.5_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100



e0 por mun. (est. vs. obs.), 1990–1994, gru_ambos_fam_poisson_age_rw2_1_1_10_reg_bym2_1_1_10_per_rw2_0.5_0.5_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100




e0 por mun. (est. vs. obs.), 1995–1999, gru ambos fam poisson age rw2 1 1 10 reg bym2 1 1 10 per rw2 0.5 0.5 10 s t iid 1 1 10 cel iid 1 1 10 sam 10



e0 por mun. (est. vs. obs.), 2000–2004, `gru_ambos_fam_poisson_age_rw2_1_1_10_reg_bym2_1_1_10_per_rw2_0.5_0.5_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100`

Hombres

< e0 observado




Hombres

> e0 observado




Hombres

Estimación adecuada








Mujeres

Estimación adecuada




e0

e0 por mun. (est. vs. obs.), 2005–2009, gru_ambos_fam_poisson_age_rw2_1_1_10_reg_bym2_1_1_10_per_rw2_0.5_0.5_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100









e0


e0 por mun. (est. vs. obs.), 2010–2014, gru_ambos_fam_poisson_age_rw2_1_1_10_reg_bym2_1_1_10_per_rw2_0.5_0.5_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100



e0 por mun. (est. vs. obs.), 2015–2019, gru_ambos_fam_poisson_age_rw2_1_1_10_reg_bym2_1_1_10_per_rw2_0.5_0.5_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100



e0



Culebra

60616263646566676869707172737475767778798081828384858687888990

60616263646566676869707172737475767778798081828384858687888990

60616263646566676869707172737475767778798081828384858687888990

60616263646566676869707172737475767778798081828384858687888990

e0