




e0 por mun. (est. vs. obs.), 1980–1984, gru_ambos_fam_poisson_age_rw2_1_1_10_reg_bym2_0.5_1_10_per_rw2_0.5_1_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100





e0 por mun. (est. vs. obs.), 1985-1989, gru_ambos_fam_poisson_age_rw2_1_1_10_reg_bym2_0.5_1_10_per_rw2_0.5_1_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100



e0 por mun. (est. vs. obs.), 1990–1994, gru_ambos_fam_poisson_age_rw2_1_1_10_reg_bym2_0.5_1_10_per_rw2_0.5_1_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100




e0 por mun. (est. vs. obs.), 1995-1999, gru_ambos_fam_poisson_age_rw2_1_1_10_reg_bym2_0.5_1_10_per_rw2_0.5_1_10_s_t iid_1_1_10_cel iid_1_1_10_sam_100



e0 por mun. (est. vs. obs.), 2000-2004, gru_ambos_fam_poisson_age_rw2_1_1_10_reg_bym2_0.5_1_10_per_rw2_0.5_1_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100

Hombres

< e0 observado




Hombres

> e0 observado




Hombres

Estimación adecuada



Mujeres

Estimación adecuada




e0

e0 por mun. (est. vs. obs.), 2005–2009, gru_ambos_fam_poisson_age_rw2_1_1_10_reg_bym2_0.5_1_10_per_rw2_0.5_1_10_s_t iid_1_1_10_cel iid_1_1_10_sam_100


Hombres

< e0 observado




Hombres

> e0 observado



Hombres

Estimación adecuada




Mujeres

Estimación adecuada



e0

e0 por mun. (est. vs. obs.), 2010–2014, gru_ambos_fam_poisson_age_rw2_1_1_10_reg_bym2_0.5_1_10_per_rw2_0.5_1_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100



e0 por mun. (est. vs. obs.), 2015–2019, gru_ambos_fam_poisson_age_rw2_1_1_10_reg_bym2_0.5_1_10_per_rw2_0.5_1_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100

