








e0 por mun. (est. vs. obs.), 1985–1989, gru_ambos_fam_poisson_age_rw2_0.5_0.5_10_reg_bym2_0.5_0.5_10_per_rw2_0.5_0.5_10_s_t_iid_0.5_0.5_10_cel_iid_0.5_1_10_sam_100



e0 por mun. (est. vs. obs.), 1990–1994, gru_ambos_fam_poisson_age_rw2_0.5_0.5_10_reg_bym2_0.5_0.5_10_per_rw2_0.5_0.5_10_s_t_iid_0.5_0.5_10_cel_iid_0.5_1_10_sam_100






e0 por mun. (est. vs. obs.), 1995–1999, gru ambos fam poisson age rw2 0.5 0.5 10 reg bym2 0.5 0.5 10 per rw2 0.5 0.5 10 s t iid 0.5 0.5 10 cel iid 0.5 1 10 sam 100








20

e0 por mun. (est. vs. obs.), 2000–2004, gru_ambos_fam_poisson_age_rw2_0.5_0.5_10_reg_bym2_0.5_0.5_10_per_rw2_0.5_0.5_10_s_t_iid_0.5_0.5_10_cel_iid_0.5_1_10_sam_100




e0 por mun. (est. vs. obs.), 2005–2009, gru_ambos_fam_poisson_age_rw2_0.5_0.5_10_reg_bym2_0.5_0.5_10_per_rw2_0.5_0.5_10_s_t_iid_0.5_0.5_10_cel_iid_0.5_1_10_sam_100







e0

e0 por mun. (est. vs. obs.), 2010–2014, gru_ambos_fam_poisson_age_rw2_0.5_10_reg_bym2_0.5_0.5_10_per_rw2_0.5_0.5_10_s_t_iid_0.5_0.5_10_cel_iid_0.5_1_10_sam_100



e0 por mun. (est. vs. obs.), 2015–2019, gru_ambos_fam_poisson_age_rw2_0.5_0.5_10_reg_bym2_0.5_0.5_10_per_rw2_0.5_0.5_10_s_t_iid_0.5_0.5_10_cel_iid_0.5_1_10_sam_100



e0

e0 por mun. (est. vs. obs.), 2020–2024, gru_ambos_fam_poisson_age_rw2_0.5_0.5_10_reg_bym2_0.5_0.5_10_per_rw2_0.5_0.5_10_s_t_iid_0.5_0.5_10_cel_iid_0.5_1_10_sam_100

