




e0 por mun. (est. vs. obs.), 1980-1984, gru_ambos_fam_poisson_age_rw2_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_s_t_iid_0.5_0.5_5_cel_iid_0.5_0.5_5_sam_100







e0 por mun. (est. vs. obs.), 1985–1989, gru_ambos_fam_poisson_age_rw2_0.5_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_s_t_iid_0.5_0.5_5_cel_iid_0.5_0.5_5_sam_100






e0 por mun. (est. vs. obs.), 1990–1994, gru_ambos_fam_poisson_age_rw2_0.5_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_s_t_iid_0.5_0.5_5_cel_iid_0.5_0.5_5_sam_100





e0 por mun. (est. vs. obs.), 1995-1999, gru_ambos_fam_poisson_age_rw2_0.5_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_t_iid_0.5_0.5_5_cel_iid_0.5_0.5_5_sam_100




e0 por mun. (est. vs. obs.), 2000–2004, gru_ambos_fam_poisson_age_rw2_0.5_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_s_t_iid_0.5_0.5_5_cel_iid_0.5_0.5_5_sam_100









```
e0 por mun. (est. vs. obs.), 2005–2009, gru_ambos_fam_poisson_age_rw2 0.5 0.5 5 reg_bym2 0.5 0.5 5 per_rw2 0.5 0.5 5 s_t iid 0.5 0.5 5 cel iid 0.5 0.5 5 sam 100
```



e0 por mun. (est. vs. obs.), 2010–2014, gru_ambos_fam_poisson_age_rw2_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_s_t_iid_0.5_0.5_5_cel_iid_0.5_0.5_5_sam_100



e0 por mun. (est. vs. obs.), 2015–2019, gru_ambos_fam_poisson_age_rw2_0.5_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_s_t_iid_0.5_0.5_5_cel_iid_0.5_0.5_5_sam_100



e0

