




e0 por mun. (est. vs. obs.), 1980–1984, gru_ambos_fam_poisson_age_rw2_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_s_t_iid_0.5_0.5_5_cel_iid_0.5_0.5_2.5_sam_100





e0 por mun. (est. vs. obs.), 1985–1989, gru_ambos_fam_poisson_age_rw2_0.5_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_s_t_iid_0.5_0.5_5_cel_iid_0.5_0.5_2.5_sam_100










e0 por mun. (est. vs. obs.), 1995-1999, gru_ambos_fam_poisson_age_rw2_0.5_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_t_iid_0.5_5_cel_iid_0.5_0.5_2.5_sam_100




e0 por mun. (est. vs. obs.), 2000–2004, gru_ambos_fam_poisson_age_rw2_0.5_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_s_t_iid_0.5_0.5_2.5_sam_100



e0 por mun. (est. vs. obs.), 2005–2009, gru_ambos_fam_poisson_age_rw2_0.5_0.5_5_per_rw2_0.5_0.5_5_t_iid_0.5_0.5_5_cel_iid_0.5_0.5_2.5_sam_100



e0 por mun. (est. vs. obs.), 2010–2014, gru_ambos_fam_poisson_age_rw2_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_s_t_iid_0.5_0.5_2.5_sam_100



e0 por mun. (est. vs. obs.), 2015–2019, gru_ambos_fam_poisson_age_rw2_0.5_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_s_t_iid_0.5_0.5_5_cel_iid_0.5_0.5_2.5_sam_100

