






e0 por mun. (est. vs. obs.), 1980–1984, gru_ambos_fam_poisson_age_rw2_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_s_t_iid_0.5_0.5_5_cel_iid_0.5_10_sam_1000









e0 por mun. (est. vs. obs.), 1995-1999, gru_ambos_fam_poisson_age_rw2_0.5_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_t_iid_0.5_5_cel_iid_0.5_0.5_10_sam_1000




e0 por mun. (est. vs. obs.), 2000–2004, gru_ambos_fam_poisson_age_rw2_0.5_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_t_iid_0.5_0.5_5_cel_iid_0.5_0.5_10_sam_1000




e0 por mun. (est. vs. obs.), 2005–2009, gru_ambos_fam_poisson_age_rw2_0.5_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_t_iid_0.5_0.5_5_cel_iid_0.5_0.5_10_sam_1000

Hombres




Hombres



Hombres

Estimación adecuada




Mujeres

Estimación adecuada



e0 por mun. (est. vs. obs.), 2010–2014, gru_ambos_fam_poisson_age_rw2_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_s_t_iid_0.5_0.5_5_cel_iid_0.5_0.5_10_sam_1000



e0 por mun. (est. vs. obs.), 2015-2019, gru_ambos_fam_poisson_age_rw2_0.5_0.5_5_reg_bym2_0.5_0.5_5_per_rw2_0.5_0.5_5_s_t_iid_0.5_0.5_5_cel_iid_0.5_0.5_10_sam_1000

