


e0 por mun. (est. vs. obs.), 1980-1984, gru_hombres_fam_poisson_age_rw2_1_1_10_reg_bym2_1_1_10_per_rw2_1_1_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100





e0 por mun. (est. vs. obs.), 1990–1994, gru_hombres_fam_poisson_age_rw2_1_1_10_reg_bym2_1_1_10_per_rw2_1_1_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100




e0 por mun. (est. vs. obs.), 1995–1999, gru_hombres_fam_poisson_age_rw2_1_1_10_reg_bym2_1_1_10_per_rw2_1_1_10_sel_iid_1_1_10_sam_100


Hombres
< e0 observado




Hombres
> e0 observado




Hombres
Estimación adecuada



e0 por mun. (est. vs. obs.), 2000–2004, gru_hombres_fam_poisson_age_rw2_1_1_10_reg_bym2_1_1_10_per_rw2_1_1_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100




e0 por mun. (est. vs. obs.), 2005–2009, gru_hombres_fam_poisson_age_rw2_1_1_10_reg_bym2_1_1_10_per_rw2_1_1_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100



e0 por mun. (est. vs. obs.), 2010–2014, gru_hombres_fam_poisson_age_rw2_1_1_10_reg_bym2_1_1_10_per_rw2_1_1_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100



e0 por mun. (est. vs. obs.), 2015–2019, gru_hombres_fam_poisson_age_rw2_1_1_10_reg_bym2_1_1_10_per_rw2_1_1_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100



e0 por mun. (est. vs. obs.), 2020–2024, gru_hombres_fam_poisson_age_rw2_1_1_10_reg_bym2_1_1_10_per_rw2_1_1_10_s_t_iid_1_1_10_cel_iid_1_1_10_sam_100

