






e0 por mun. (est. vs. obs.), 1985–1989, gru_hombres_fam_poisson_age_rw2_25_25_60_reg_bym2_25_25_60_per_rw2_25_25_60_s_t_iid_25_25_60_cel_25_25_60_sam_100



e0 por mun. (est. vs. obs.), 1990–1994, gru_hombres_fam_poisson_age_rw2_25_25_60_reg_bym2_25_25_60_per_rw2_25_25_60_s_t_iid_25_25_60_cel_iid_25_25_60_sam_100








e0 por mun. (est. vs. obs.), 2005–2009, gru_hombres_fam_poisson_age_rw2_25_25_60_reg_bym2_25_25_60_per_rw2_25_25_60_s_t_iid_25_25_60_cel_iid_25_25_60_sam_100


Hombres
< e0 observado




Hombres
> e0 observado



Hombres
Estimación adecuada



e0 por mun. (est. vs. obs.), 2010–2014, gru hombres fam poisson age rw2 25 25 60 reg bym2 25 25 60 per rw2 25 25 60 s t iid 25 25 60 cel iid 25 25 60 sam 100



e0 por mun. (est. vs. obs.), 2015–2019, gru hombres fam poisson age rw2 25 25 60 reg bym2 25 25 60 per rw2 25 25 60 s t iid 25 25 60 cel iid 25 25 60 sam 100



