x

Tailwind CSS Workshop

Daniel Tsivkovski and Dylan Ravel

Chapman Computer Science Club

Table of Contents

1. Setup

2. Colors

3. Hover Effects

4. Padding & Margin

5. Flexboxes

6. Responsiveness

Setup - Installing the Repo

1. Make sure **git** or **GitHub Desktop** is installed
2. Navigate to http://tiny.cc/csclubtailwind
3. Create your own fork of the repo (optional)
4. Clone the new repo









Setup - VSCode Extension

1. Search for **Tailwind CSS IntelliSense** in the VSCode extensions marketplace
2. Install the extension
3. If prompted, press **restart extensions**



Setup - nvm and running it

1. Install nvm (used for managing npm instances)
   a) Mac / Linux: https://github.com/nvm-sh/nvm
   b) Windows: https://github.com/coreybutler/nvm-windows

2. Open your project in the terminal or VSCode
   1. Your terminal should look like:
      `daniel@MacBookPro tailwind-workshop %`

3. Run `nvm install` and then `nvm use`

4. Run `npm install` and `npm run dev` to start your development server

Exercise 1 – Colors (1)

- Default colors have a **color** value and **number** value
  - Ex: `orange-100` or `rose-700`
  - Lightest is `50`, darkest is `950`

- Combine with a **utility** to color what you need
  - `bg-{color}`
  - `border-{color}`
  - `text-{color}`

Exercise 1 – Colors (2)

- Create gradients using gradient utilities
  - `bg-gradient-to-b`
  - `bg-gradient-to-br`
- Color utilities
  - `from-{color}`
  - `to-{color}`
  - `via-{color}`
- Example
  - `bg-gradient-to-b from-blue-500 to-lime-200`

Exercise 2 – Mouse Hover Effect

- Make your website feel alive with a hover state
  - **Example:** `hover:bg-blue-500`
  - *Anything* can be changed
- Use transitions for smooth changes
  - `transition-all`
- Things to try:
  - `scale-50` and `scale-150`
  - `translate-y-{number}`
  - `cursor-{type}`
  - Colors as in previous slide



Exercise 3 – Padding and Margin

- Ways to provide spacing for elements
  - **Padding** – on the *INSIDE*
  - **Margin** – on the *OUTSIDE*
  - **Gap** – Spacing between inner elements

- Modifiers
  - `l, t, r, b` for different sides
  - `x, y` for opposite sides
  - **Example**: `px-10` or `mb-4`



Exercise 4 – Flexboxes

- Organizing your layouts
  - **Columns** and **rows**
  - **NOT** the same as a grid
- Alignment
  - Main-axis: `justify-*`
  - Cross-axis: `items-*`
- Other adjustments
  - Flexbox fills the space available: `flex-grow` or `flex-1`
  - `flex-wrap` will wrap items if they extend past the width or height

`flex flex-col justify-center items-start`

Notice how it's aligned to the left

That's because this column has `items-start` on it

Exercise 5 – Styling Challenge

- Improve the look of an info card

- Try these classes
  - `drop-shadow-*`
  - `bg-clip-text` with `bg-gradient-*` and `text-transparent`
  - `font-weight` (or `font-bold`)
  - `rounded-*`
  - `list-disc`

- Try your own style!



All of this can be done with just Tailwind!



Exercise 6 – Responsiveness

- “59.99% of global web traffic comes from mobile phones” (Research.com)

- Use breakpoints by screen size
  - xs, sm, md, lg, xl, etc.
  - `hidden md:block`
  - `flex-col sm:flex-row`

Variant	Minimum width	CSS
`@3xs`	16rem *(256px)*	`@container (width >= 16rem) { … }`
`@2xs`	18rem *(288px)*	`@container (width >= 18rem) { … }`
`@xs`	20rem *(320px)*	`@container (width >= 20rem) { … }`
`@sm`	24rem *(384px)*	`@container (width >= 24rem) { … }`
`@md`	28rem *(448px)*	`@container (width >= 28rem) { … }`
`@lg`	32rem *(512px)*	`@container (width >= 32rem) { … }`
`@xl`	36rem *(576px)*	`@container (width >= 36rem) { … }`
`@2xl`	42rem *(672px)*	`@container (width >= 42rem) { … }`
`@3xl`	48rem *(768px)*	`@container (width >= 48rem) { … }`
`@4xl`	56rem *(896px)*	`@container (width >= 56rem) { … }`
`@5xl`	64rem *(1024px)*	`@container (width >= 64rem) { … }`
`@6xl`	72rem *(1152px)*	`@container (width >= 72rem) { … }`
`@7xl`	80rem *(1280px)*	`@container (width >= 80rem) { … }`

Exercise 7 – All Fun and Games 🍭 👶 😸

- Mess around with this one!
  - Style it how you'd like, replace the image, etc.
  - Try to break it with some crazy tailwind classes

- Pro Tip
  - You can do custom classes with square brackets
  - Ex: `scale-[118%]` or `bg-[#f405fc]`



That’s all folks!

Any questions?

Daniel Tsivkovski

tsiv.dev

Dylan Ravel

dylanravel.com

https://tailwindcss.com/docs