


Supplementary Figure 1. Receiver operating characteristic curve (ROC) for prediction using GradientBoost Classifier and RandomForest Classifier



Receiver operating characteristic curve (ROC) of the panic event prediction model using the XGBoost , GradientBoost and RandomForest Classifier. The ROC-AUC score of XGBoost model was 0.905 (95% CI 0.885-0.924). The ROC-AUC score of GradientBoost model was 0.826(95% CI 0.736-0.917). The ROC-AUC score of Randomforest model was 0.730(95% CI 0.649-0.811).

ROC = Receiver operating characteristic curve

AUC = area under the receiver operating characteristic curve

Supplementary Table 1. Definition of panic symptoms based on DSM-5 criteria

Diagnostic Criteria	Panic symptoms
1.	Trembling or shaking
2.	Chest pain or discomfort
3.	Sensations of shortness of breath or something
4.	Palpitations, pounding heart, or accelerated heart rate
5.	Sweating
6.	Feeling dizzy, unsteady, light-headed, or faint
7.	Feelings of choking
8.	Fear of losing control or “going crazy”
9.	Fear of dying
10.	Chills or heart sensations
11.	Derealization (feelings of unreality) or depersonalization (being detached from oneself)
12.	Paresthesias (numbness or tingling sensations)

Supplementary Table 2. Distribution of datapoints in the study participants

Participant	Number of datapoints	Number of datapoints which panic events occurred
SYM2-1-353	337	11
SYM2-1-285	296	5
SYM2-1-325	290	0
SYM2-1-412	238	4
SYM2-1-573	235	0
SYM2-1-337	191	24
SYM2-1-405	187	6
SYM2-1-422	186	43
SYM2-1-563	162	0
SYM2-1-357	154	0
SYM2-1-330	148	0
SYM2-1-347	140	0
SYM2-1-381	134	0
SYM2-1-288	129	0
SYM2-1-401	125	0
SYM2-1-562	125	0
SYM2-1-425	103	4
SYM2-1-370	93	0
SYM2-1-634	85	0
SYM2-1-409	82	37
SYM2-1-341	69	0
SYM2-1-438	65	0
SYM2-1-301	64	8
SYM2-1-566	56	0
SYM2-1-403	48	0
SYM2-1-396	42	2
SYM2-1-633	41	0
SYM2-1-420	41	1
SYM2-1-309	30	0
SYM2-1-384	28	0
SYM2-1-476	26	2
SYM2-1-445	25	0
SYM2-1-478	25	0
SYM2-1-355	19	0

SYM2-1-366	19	0
SYM2-1-610	15	0
SYM2-1-399	15	0
SYM2-1-579	10	0
SYM2-1-477	8	0
SYM2-1-574	6	0
SYM2-1-597	5	0
SYM2-1-363	3	2
SYM2-1-327	1	0

Among the 43 study participants, the median value of number of datapoints was 65 (IQR = 119). Among participants with panic symptoms, the median value of number of datapoints which panic events occurred was 5.0 (IQR = 9.0).

Supplementary Table 3. List of variables used in the model and descriptions of each variable.

Variables	Descriptions	Groups	Data collection interval
ID	Participant' identification number	-	Baseline
panic	Panic status of the date	-	Baseline
age	Age	Demographic data	Baseline
sex	Sex	Demographic data	Baseline
marriage	Marriage status	Demographic data	Baseline
job	Job status	Demographic data	Baseline
smoking_history	Smoking history	Demographic data	Baseline
alcohol_drinking_history	Alcohol drinking history	Demographic data	Baseline
suicide history	Suicide history	Demographic data	Baseline
SPAQ_1	Seasonal Pattern Assessment Questionnaire – Demographic section	Psychological scales	52 week
SPAQ_2	Seasonal Pattern Assessment Questionnaire – Calendar section	Psychological scales	52 week
CES_D	Center for Epidemiologic Studies Depression score	Psychological scales	12 week
GAD_7	Generalized Anxiety Disorder-7 score	Psychological scales	4 week
STAI_X1	State-Trait Anxiety Inventory score – State Anxiety section	Psychological scales	4 week
STAI_X2	State-Trait Anxiety Inventory score – Trait Anxiety section	Psychological scales	26 week
KOSSSF	Korean Occupational Stress Scale-Short Form score	Psychological scales	12 week

PHQ_9	Patient Health Questionnaire-9 score	Psychological scales	4 week
SADS	Social Avoidance and Distress Scale score	Psychological scales	52 week
BRIAN	Biological Rhythms Interview of Assessment in Neuropsychiatry score	Psychological scales	12 week
CSM	Composite Scale of Morningness score	Psychological scales	12 week
ACQ	Anxiety Control Questionnaire score	Psychological scales	12 week
CTQ_1	Childhood Trauma Questionnaire score – Emotional abuse section	Psychological scales	52 week
CTQ_2	Childhood Trauma Questionnaire score – Physical abuse section	Psychological scales	52 week
CTQ_3	Childhood Trauma Questionnaire score – Sexual abuse section	Psychological scales	52 week
CTQ_4	Childhood Trauma Questionnaire score – Emotional neglect section	Psychological scales	52 week
CTQ_5	Childhood Trauma Questionnaire score – Physical neglect section	Psychological scales	52 week
APPQ_1	Albany Panic and Phobia Questionnaire score – Agoraphobia section	Psychological scales	4 week
APPQ_2	Albany Panic and Phobia Questionnaire score – Social Phobia section	Psychological scales	4 week
APPQ_3	Albany Panic and Phobia Questionnaire score – Interoceptive Fear section	Psychological scales	4 week
KRQ	Korean Resilience Quotient score	Psychological scales	26 week
BSQ	Body Shape Questionnaire score	Psychological scales	12 week
MDQ	Mood Disorder Questionnaire score	Psychological scales	26 week

BFNE	Brief Fear of Negative Evaluation score	Psychological scales	52 week
positive_feeling	Positive feeling level	Daily log	Everyday
negative_feeling	Negative feeling level	Daily log	Everyday
positive_energy	Positive energy level	Daily log	Everyday
negative_energy	Negative energy level	Daily log	Everyday
anxiety	Anxiety level	Daily log	Everyday
annoying	Annoying level	Daily log	Everyday
alcohol	Alcohol assumption of the date	Daily log	Everyday
coffee	Coffee assumption of the date	Daily log	Everyday
smoking	Smoking status	Daily log	Everyday
menstruation	Menstruation status of the date	Daily log	Everyday
exercise	Excercise stauts of the date	Daily log	Everyday
suicide_ideation	Suicidal ideation within 1 month	Daily log	Everyday
medication	Use of psychiatric medication in 1 month	Daily log	Everyday
HR_variance	Variance of heartrates of the date	Life log	Everyday
HR_maximum	Maximum value of heartrates of the date	Life log	Everyday
HR_mean	Mean value of heartrates of the date	Life log	Everyday
HR_hvar_mean	The daily average of the variance of the heart rate calculated every hour	Life log	Everyday
Bandpower (0.001-0.0005Hz)	Heart rate bandpower of 0.001-0.0005Hz	Life log	Everyday
Bandpower (0.0005-0.0001Hz)	Heart rate bandpower of 0.0005-0.0001Hz	Life log	Everyday
Bandpower (0.0001-0.00005Hz)	Heart rate bandpower of 0.0001-0.00005Hz	Life log	Everyday
Bandpower (0.00005-0.00001Hz)	Heart rate bandpower of 0.00005-0.00001Hz	Life log	Everyday
HR_acrophase	Acrophase of heart rate	Life log	Everyday
HR_amplitude	Amplitude of heart rate	Life log	Everyday
HR_mesor	Mesor of heartrate	Life log	Everyday
HR_acrophase_difference	The value obtained by subtracting the acrophase value of the day from the previous day's acrophase value	Life log	Everyday

HR_acrophase_difference_2d	The value obtained by subtracting the acrophase value of the day from the acrophase value of two days ago.	Life log	Everyday
HR_amplitude_difference	The value obtained by subtracting the amplitude value of the day from the previous day's amplitude value	Life log	Everyday
HR_amplitude_difference_2d	The value obtained by subtracting the amplitude value of the day from the amplitude value of two days ago	Life log	Everyday
HR_mesor_difference	The value obtained by subtracting the mesor value of the day from the previous day's mesor value	Life log	Everyday
HR_mesor_difference_2d	The value obtained by subtracting the mesor value of the day from the mesor value of two days ago.	Life log	Everyday
steps_maximum	The maximum value of steps per minute.	Life log	Everyday
steps_mean	The average value of steps per minute	Life log	Everyday
steps_variance	Variance of steps per minute	Life log	Everyday
steps_hvar_mean	The daily average of the variance of the step counts calculated every hour	Life log	Everyday
sleep_onset_time	Sleep onset time	Life log	Everyday
sleep_out_time	Sleep out time	Life log	Everyday
sleep_duration	Sleep duration of previous day	Life log	Everyday

Supplementary Table 4. Benchmark performance

Model	Techniques for class imbalance	Precision	Recall	F1 score	AUC	Accuracy
GradientBoost	Class weights	0.741	0.319	0.440	0.847	0.948
	SMOTE – oversampling	0.381	0.593	0.455	0.861	0.906
	Undersampling	0.196	0.779	0.312	0.863	0.778
	Bootstrapping	0.767	0.370	0.495	0.834	0.952
XGBoost	Hyperparameter tuning with Bayesian optimization	0.863	0.370	0.511	0.899	0.955
	SMOTE – oversampling	0.663	0.445	0.529	0.895	0.950
	Undersampling	0.257	0.791	0.387	0.891	0.838
	Adjusted sample_weight	0.444	0.642	0.512	0.906	0.921
	Hyperparameter tuning with Bayesian optimization	0.908	0.362	0.513	0.889	0.957
RandomForest	SMOTE – oversampling	0.547	0.579	0.560	0.890	0.942
	Undersampling	0.261	0.776	0.389	0.886	0.843

AUC = area under the receiver operating characteristic curve

Supplementary Table 5. Hyperparameter for benchmark table

Model	Methods for class imbalance	max_dept h	learning rate	n_estimat ors	colsampl e_bytree	min_child _weight	min_sam ples_leaf	min_sam ples_split	max_feat ures
Gradient Boost	Class weights	6-9	0.00005- 0.001	100-180	0.2-0.4	2-4	-	-	-
	SMOTE – oversampling	6-9	0.00005- 0.001	100-180	0.2-0.4	2-4	-	-	-
	Undersampling	6-9	0.00005- 0.001	100-180	0.2-0.4	2-4	-	-	-
	Bootstraping	6-9	0.00005- 0.001	100-180	0.2-0.4	2-4	-	-	-
XGBoost	Class weights	3-10	0.01-0.2	100-500	0.3-0.9	1-10	-	-	-
	SMOTE – oversampling	3-10	0.01-0.2	100-500	0.3-0.9	1-10	-	-	-
	Undersampling	3-10	0.01-0.2	100-500	0.3-0.9	1-10	-	-	-
	Adjusted sample_weight	3-10	0.01-0.2	100-500	0.3-0.9	1-10	-	-	-
Random Forest	Class weights	5-8	-	50-200	-	-	1-4	2-5	0.3-0.7
	SMOTE – oversampling	5-8	-	50-200	-	-	1-4	2-5	0.3-0.7
	Undersampling	5-8	-	50-200	-	-	1-4	2-5	0.3-0.7
	Adjusted sample_weight	-	-	-	-	-	-	-	-

Supplementary Table 6. Baseline demographic and main clinical characteristics of participants (n=43)

Characteristics	Value
Age in years, mean (SD)	36.0 (11.3)
Gender, female, n (%)	25 (58.1%)
Living alone (yes/no), n (%)	35 (77.8%)
College graduate (yes/no), n (%)	19 (44.2%)
Employed, n (%)	19 (42.2%)
Diagnosis of psychiatric disorder	
Depressive Disorders, n (%)	23 (54.8%)
Bipolar and Related disorders, n (%)	11 (26.2%)
Panic disorder, n (%)	15 (35.7%)
Social anxiety disorder, n (%)	6 (14.3%)
Generalized anxiety disorder, n (%)	1 (2.4%)
Obsessive-Compulsive Disorder, n (%)	1 (2.4%)
Post-Traumatic Stress Disorder, n (%)	2 (4.8%)
History of suicidal attempt, n (%)	14 (31.1%)
Current medication use, n (%)	25 (55.6%)
BRIAN score, mean (SD)	48.6 (12.1)
CSM score, mean (SD)	27.6 (8.8)
CTQ-1 score, mean (SD)	15.3 (6.0)
CTQ-2 score, mean (SD)	12.0 (6.5)
CTQ-3 score, mean (SD)	6.7 (3.0)
CTQ-4 score, mean (SD)	13.3 (7.1)
CTQ-5 score, mean (SD)	12.3 (3.2)
KRQ-53 score, mean (SD)	153.7 (34.2)
MDQ score, mean (SD)	7.2 (3.6)
SPAQ-1 score, mean (SD)	6.4 (6.6)
SPAQ-2 score, mean (SD)	1.6 (1.8)
STAI-X2 score, mean (SD)	55.2 (15.5)

SD=standard deviation, BRIAN=Biological Rhythms Interview of Assessment in Neuropsychiatry, CSM=Composite Scale of Morningness, CTQ=Childhood Trauma Questionnaire, KRQ-53=Korean Resilience Quotient-53, MDQ=Mood Disorder Questionnaire, SPAQ=Seasonal Pattern Assessment Questionnaire, STAI-X2= State-Trait Anxiety Inventory score – Trait Anxiety section

Supplementary Table 7. Performance score of panic prediction model using GradientBoosting, RandomForest, and XGBoost Classifier

	GradientBoosting	RandomForest	XGBoost
Accuracy Score	0.948 (95% CI 0.943-0.954)	0.936 (95% CI 0.935-0.937)	0.919 (95% CI 0.905-0.934)
ROC-AUC Score	0.826 (95% CI 0.736-0.917)	0.730 (95% CI 0.649-0.811)	0.905 (95% CI 0.885-0.924)
Precision Score	0.730 (95% CI 0.604-0.856)	0.000 (95% CI 0.000-0.000)	0.424 (95% CI 0.374-0.474)
Recall Score	0.327 (95% CI 0.238-0.416)	0.000 (95% CI 0.000-0.000)	0.678 (95% CI 0.580-0.776)
F1 Score	0.444 (95% CI 0.367-0.522)	0.000 (95% CI 0.000-0.000)	0.519 (95% CI 0.476-0.561)

AUC = area under the receiver operating characteristic curve

Supplementary Table 8. Performance score of panic event prediction model with data ablation.

	Entire digital phenotypic data model	lifelog data model	Clinical psychological data model	Daily log data model	Top-10-shapley-data model
Accuracy Score	0·919 (95% CI 0·905-0·934)	0·923 (95% CI 0·913-0·933)	0·829 (95% CI 0·802-0·856)	0·833 (95% CI 0·817-0·849)	0·838 (95% CI 0·824-0·853)
ROC-AUC Score	0·905 (95% CI 0·885-0·924)	0·745 (95% CI 0·693-0·796)	0·900 (95% CI 0·876-0·925)	0·827 (95% CI 0·816-0·839)	0·903 (95% CI 0·883-0·922)
Precision Score	0·424 (95% CI 0·374-0·474)	0·367 (95% CI 0·274-0·460)	0·248 (95% CI 0·219-0·277)	0·227 (95% CI 0·208-0·246)	0·257 (95% CI 0·238-0·277)
Recall Score	0·678 (95% CI 0·580-0·776)	0·280 (95% CI 0·199-0·360)	0·811 (95% CI 0·756-0·866)	0·669 (95% CI 0·595-0·743)	0·803 (95% CI 0·758-0·848)
F1 Score	0·519 (95% CI 0·476-0·561)	0·316 (95% CI 0·232-0·401)	0·379 (95% CI 0·346-0·412)	0·339 (95% CI 0·312-0·366)	0·389 (95% CI 0·365-0·414)

AUC = area under the receiver operating characteristic curve

Supplementary Table 9. Detailed description of inPHRsym dataset**(A) Socio-demographic data**

File name	Variables	Description
Baseline research population information.xlsx	Non-identifying key	A unique identifier used to anonymize the data without revealing personal information.
	Date of birth	The participant's date of birth, collected for age-related analyses.
	Gender	The participant's gender, collected for gender-related analyses.
	Date of study consent	The date on which the participant consented to participate in the study.
	Date of study consent withdrawal	The date on which the participant withdrew their consent to participate in the study.
	Height	The height of the participant, typically measured in centimeters or inches.
	Weight	The weight of the participant, typically measured in kilograms or pounds.
	Experience of mental illness	Indicates whether the participant has experienced any mental illnesses.
	Experience of physical illness	Indicates whether the participant has experienced any physical illnesses.
	Income	The income level of the participant, which can be used for socioeconomic status analysis.
	Education level	The highest level of education attained by the participant.
	Education level (other)	Additional information about the participant's education level if it doesn't fit standard categories.
	Marital status	The current marital status of the participant (e.g., single, married, divorced).
	Have a job	Indicates whether the participant is currently employed.
	Occupation	The participant's current occupation.
	Occupation (other)	Additional information about the participant's occupation if it doesn't fit standard categories.
	Number of children	The number of children the participant has.
	Religion	The participant's religious affiliation.
	Religion (other)	Additional information about the participant's religion if it doesn't fit standard categories.
	Psychiatric illnesses	Indicates whether the participant has been diagnosed with any psychiatric illnesses.
	List of psychiatric illnesses	A detailed list of any psychiatric illnesses diagnosed in the participant.
	Past smoking status	The participant's smoking status in the past.
	Past 12 weeks smoking status	The participant's smoking status in the past 12 weeks.
	Amount of smoking	The amount of smoking done by the participant, typically measured in cigarettes per day.
	Drinking status	The participant's current drinking status.
	Problems with drinking status	Any problems related to the participant's drinking status.

Drinking information	Detailed information about the participant's drinking habits.
Past 12 weeks drinking status	The participant's drinking status in the past 12 weeks.
Current or past problems with drinking status	Any current or past problems related to the participant's drinking.
Recent drinking information	Recent information about the participant's drinking habits.
Menopausal status (M-male)	Indicates whether the participant is menopausal (applicable to females) or male.
Suicide attempt status	Indicates whether the participant has attempted suicide.
Age at first suicide attempt	The age at which the participant first attempted suicide.
Number of suicide attempts in past month	The number of suicide attempts made by the participant in the past month.
Suicidal ideation in past month	Indicates whether the participant has had suicidal thoughts in the past month.
Suicide attempt in past month	Indicates whether the participant has attempted suicide in the past month.
Self-harm in the past month (Y/N)	Indicates whether the participant has engaged in self-harm in the past month (Yes/No).
Prescription drugs in the past month	Indicates whether the participant has used prescription drugs in the past month.
Prescription drug dosage in the past month (%)	The dosage of prescription drugs taken by the participant in the past month, expressed as a percentage.

(B) Panic symptom reports data

File name	Variables	Description
Panic Diary.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Date	The specific date on which the data entry or measurement was recorded.
	Start time	The time at which a specific event or measurement began.
	End time	The time at which a specific event or measurement ended.
	Duration	The total time length of a specific event or measurement, typically calculated from start time to end time.
	Intensity	The level or degree of severity of a specific event, condition, or feeling experienced by the participant.
	Comorbidities	The presence of one or more additional conditions or diseases co-occurring with the primary condition being studied.

(C) Lifelog data

File name	Variables	Description
Step count.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Date	The specific date on which the data entry or measurement was recorded.
	Measurement types	The types of measurements taken, indicating the different kinds of data recorded (e.g., heart rate, step count, sleep duration).
	Units of measure	The units used to quantify the recorded data (e.g., grams, liters, minutes, steps).
	Measure (-1: no value)	A column indicating the measurement value, where "-1" denotes no value or missing data.
	Total steps	The total number of steps taken by the participant, typically recorded over a specific period (e.g., daily).
Heart rate.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Date	The specific date on which the data entry or measurement was recorded.
	Measurement types	The types of measurements taken, indicating the different kinds of data recorded (e.g., heart rate, step count, sleep duration).
	Units of measure	The units used to quantify the recorded data (e.g., grams, liters, minutes, steps).
	Measure (-1: no value)	A column indicating the measurement value, where "-1" denotes no value or missing data.
	Average heart rate	This column contains the average heart rate of the respondent, typically measured in beats per minute (bpm) over a specified period.
Sleep.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Date	The specific date on which the data entry or measurement was recorded.
	Measurement types	The types of measurements taken, indicating the different kinds of data recorded (e.g., heart rate, step count, sleep duration).
	Units of measure	The units used to quantify the recorded data (e.g., grams, liters, minutes, steps).
	Measurement (-1: no value, 0: unknown sleep, 1: wake, 2: light sleep, 3: light sleep, 4: deep sleep)	A column indicating the measurement value, where "-1" denotes no value or missing data.
	Bedtime	This column records the time at which the respondent typically goes to bed or falls asleep.
	Wakeup time	This column records the time at which the respondent typically wakes up in the morning.

(D) Daily log data

File name	Variables	Description
Drinking.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Date	The specific date on which the data entry or measurement was recorded.
	When	The time or context of when a particular event or measurement took place.

	Liquor type	The type of alcoholic beverage consumed by the participant.
	Alcohol consumption	The amount of alcohol consumed by the participant.
	Unit of measure	The unit used to quantify the recorded data (e.g., grams, liters, minutes).
Caffeine.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Date	The specific date on which the data entry or measurement was recorded.
	When	The time or context of when a particular event or measurement took place.
	Type	The type or category of the recorded activity or measurement.
	Intake	The amount or quantity of a substance taken in by the participant.
	Unit of measure	The unit used to quantify the recorded data (e.g., grams, liters, minutes).
Workouts.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Date	The specific date on which the data entry or measurement was recorded.
	When	The time or context of when a particular event or measurement took place.
	Workout types	The different types of workouts or exercises performed by the participant.
	Workout time (minutes)	The duration of the workout or exercise session in minutes.
Smoking, Eating, Menstruation.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Date	The specific date on which the data entry or measurement was recorded.
	Amount smoked	The quantity of smoking done by the participant, typically measured in cigarettes per day.
	Breakfast	Details about the participant's breakfast consumption.
	Lunch	Details about the participant's lunch consumption.
	Dinner	Details about the participant's dinner consumption.
	Morning snacks	Details about any snacks consumed by the participant in the morning.
	Afternoon snacks	Details about any snacks consumed by the participant in the afternoon.
	Midnight snack	Details about any snacks consumed by the participant at midnight or late at night.
	Menstruation	Information regarding the participant's menstrual cycle, if applicable.
Illuminance.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Date	The specific date on which the data entry or measurement was recorded.
	Measurement	The types of measurements taken, indicating the different kinds of data recorded (e.g., heart rate, step count, sleep duration).
Message sending history.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Send date	The date on which a message was sent to the participant.
	Message subject	The subject line of the message sent to the participant.
	Message content	The content or body of the message sent to the participant.
	Push message sending time	The time at which a push notification message was sent to the participant.
	User message viewing time	The time at which the participant viewed the message sent to them.
Diary.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.

	Date	The specific date on which the data entry or measurement was recorded.
	Time	The specific time at which an event or measurement occurred
	Mood	The emotional state or mood of the participant at the time of the entry
	Contents	The content or description of the diary entry or data entry.
Emotion Diary.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Date	The specific date on which the data entry or measurement was recorded.
	Positive Mood	The level of positive mood experienced by the participant on that day, indicating feelings of happiness, contentment, or joy.
	Negative Mood	The level of negative mood experienced by the participant on that day, indicating feelings of sadness, anger, or frustration.
	Positive energy	The amount of positive energy or motivation reported by the participant, reflecting their enthusiasm and vigor.
	Negative energy	The amount of negative energy or demotivation reported by the participant, reflecting their fatigue or lethargy.
	Anxiety	The level of anxiety experienced by the participant, indicating feelings of worry, nervousness, or unease.
	Irritation	The level of irritation experienced by the participant, indicating feelings of annoyance or frustration.

(E) Clinical psychological data

File name	Variables	Description
PHQ_9.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey End Date	The date on which the participant completed the survey.
	Survey Completion Date	The date on which the participant finished and submitted their survey responses.
	Survey skipped	Indicates whether the participant skipped the survey (Yes/No).
	1.In the past two weeks, please select the view that applies to how often you have experienced the following issues	A prompt for the participant to evaluate their experiences over the past two weeks.
	1-1.There's little excitement or joy in life.	A statement for the participant to rate how often they felt a lack of excitement or joy in life over the past two weeks.
	1-2. I feel down, depressed, or hopeless.	A statement for the participant to rate how often they felt down, depressed, or hopeless over the past two weeks.
	1-3.I have trouble falling asleep or wake up frequently and/or sleep too much.	A statement for the participant to rate how often they had trouble sleeping over the past two weeks.
	1-4.Feel tired or have little energy.	A statement for the participant to rate how often they felt tired or had little energy over the past two weeks.
	1-5.My appetite has decreased and/or I eat too much.	A statement for the participant to rate how often their appetite decreased or they ate too much over the past two weeks.

	1-6.I see myself as a failure or feel that I have let myself and my family down.	A statement for the participant to rate how often they saw themselves as a failure or felt they let themselves and their family down over the past two weeks.
	1-7.It is difficult to concentrate on everyday tasks, such as reading the newspaper or watching TV.	A statement for the participant to rate how often they had difficulty concentrating on everyday tasks over the past two weeks.
	1-8.I speak and act slower than usual to the point that others notice, or I am so fidgety that I can't sit still.	A statement for the participant to rate how often they spoke and acted slower or were so fidgety they couldn't sit still over the past two weeks.
	1-9.You think you'd rather be dead or are thinking about harming yourself in some way.	A statement for the participant to rate how often they had thoughts of death or self-harm over the past two weeks.
	2.If any of the above problems apply to you, to what extent do they make it difficult for you to function in your daily life (work, household, interpersonal relationships)?	A prompt for the participant to rate how much the listed problems affected their daily functioning.
	1.Group scores for Depression Scale 1 summed up	The total scores for the group on the Depression Scale 1.
	Final Results	The final compiled results of the survey or questionnaire.
MDQ.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey End Date	The date on which the participant completed the survey.
	Survey Completion Date	The date on which the participant finished and submitted their survey responses.
	Survey skipped	Indicates whether the participant skipped the survey (Yes/No).
	1.Questions that probe changes in mood that have occurred in the past (not assessing your current state). Have there been times in the past (in the past) when you were not your usual self, such as when you were	This column captures responses to a question about historical changes in mood, specifically asking if there were times when the respondent felt different from their usual self.
	1-1.Have you ever felt so good or excited that other people said you weren't your usual self, or that you got into trouble because you were too excited?	This column records responses to whether the respondent has ever felt exceptionally good or excited to the point that others noticed a change or it led to trouble.
	1-2.You were overly excited and yelled at people, got into fights or arguments.	This column captures whether the respondent has experienced periods of excessive excitement resulting in yelling, fights, or arguments.
	1-3.You've been more confident than usual.	This column records instances where the respondent felt more confident than usual.
	1-4.I've been sleeping less than usual, or not feeling the need to sleep.	This column captures responses about reduced sleep or a decreased need for sleep.

	1-5.I have been talking more than usual or talking very fast.	This column records whether the respondent has experienced periods of talking more frequently or at a faster pace than usual.
	1-6. You felt like your thoughts were racing through your head or you were unable to calm your mind.	This column captures instances where the respondent felt their thoughts were racing or they were unable to calm their mind.
	1-7. You were easily distracted by what was going on around you, making it difficult to focus on what you were doing or to stay on task.	This column records whether the respondent experienced periods of being easily distracted, affecting their ability to focus or stay on task.
	1-8. I have felt more energized than usual.	This column captures responses about feeling unusually energized.
	1-9.There were times when I was more active or did more than usual.	This column records instances where the respondent felt more active or engaged in more activities than usual.
	1-10.I have been more sociable or outgoing (extroverted) than usual (one example: calling friends in the middle of the night).	This column captures whether the respondent has experienced periods of increased sociability or outgoing behavior.
	1-11.There were times when you were more interested in sexual activity than usual.	This column records instances where the respondent had an increased interest in sexual activity.
	1-12.You have acted out of character, or done something that others thought was outrageous, silly, or dangerous.	This column captures responses about acting out of character or engaging in behavior that others perceived as outrageous, silly, or dangerous.
	1-13.You've gotten yourself or your family in trouble for spending money.	This column records whether the respondent's spending habits have caused trouble for themselves or their family.
	2.If you answered yes to more than one of the above questions, how many of them happened around the same time?	This column captures the number of instances where multiple mood-related issues occurred simultaneously.
	3.To what extent did these things cause you problems? (Please check only one of the following)	This column records the extent to which the mood-related issues caused problems for the respondent.
	1.Mood Disorders Scale 1 group scores combined	This column captures the combined scores from the Mood Disorders Scale 1, reflecting the overall impact of mood disorders.
	2.Mood Disorders Scale Question 2 logic (true/false)	This column captures the logical assessment (true/false) of responses to Question 2 from the Mood Disorders Scale.
	3.Mood Disorders Scale Question 3 Logic (true/false)	This column captures the logical assessment (true/false) of responses to Question 3 from the Mood Disorders Scale.
	Final Results	The final compiled results of the survey or questionnaire.
CES_D.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey start date	The date on which the participant began the survey.
	Survey closing date	The date on which the participant completed the survey.

Survey Completion Date	The date on which the participant finished and submitted their survey responses.
Survey skipping	Indicates whether the participant skipped the survey (Yes/No).
Below is a list of ways people are (likely) to feel or behave. Please select how often you have felt this way in the past week.	This column introduces a list of statements regarding feelings or behaviors people may experience, and asks respondents to indicate how often they felt that way in the past week.
1. had no appetite	This column records responses about whether the respondent had no appetite during the past week.
2.I couldn't shake the depressing feeling.	This column captures whether the respondent experienced persistent feelings of depression that they couldn't shake.
3.It was hard to stay focused no matter what I was doing.	This column records whether the respondent had difficulty maintaining focus on tasks.
4.I was pretty depressed.	This column captures responses about whether the respondent felt significantly depressed.
5.I had a sleepless night (didn't sleep well).	This column records whether the respondent experienced sleepless nights or poor sleep quality.
6.I felt sad.	This column captures responses about whether the respondent felt sad.
7.I didn't know what to do with myself.	This column records whether the respondent felt lost or unsure of what to do with themselves.
8.There was nothing that made me happy.	This column captures responses about whether the respondent found nothing that made them happy.
9.It made me feel like a bad person.	This column records whether the respondent felt like a bad person due to their experiences or feelings.
10.I've lost interest in my daily activities.	This column captures responses about whether the respondent lost interest in their daily activities.
11.I slept much more than usual.	This column records whether the respondent slept more than usual.
12.I felt like my movements were too slow.	This column captures responses about whether the respondent felt their movements were slower than usual.
13. fidgeted.	This column records whether the respondent experienced fidgeting.
14.I wished I was dead.	This column captures responses about whether the respondent wished they were dead.
15.I wanted to hurt myself.	This column records whether the respondent had thoughts of self-harm.
16.I was tired all the time.	This column captures responses about whether the respondent felt tired all the time.
17. hated myself.	This column records whether the respondent experienced self-hatred.
18. I didn't try (to lose weight), but I lost a lot of weight.	This column captures responses about unintended weight loss without trying.
19.I had a lot of trouble falling asleep.	This column records whether the respondent had significant trouble falling asleep.

	20.I couldn't focus on important things.	This column captures responses about whether the respondent had difficulty focusing on important things.
	1.Sum the Depression Scale Revision 1 group scores	This column captures the total scores from the Depression Scale Revision 1, summing up the responses to the previous questions.
	End result	This column records the final compiled results or summary of the survey or questionnaire.
STAI_X1.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey start date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Survey skipping	Indicates whether the participant skipped the survey (Yes/No).
	Read the questions below carefully and select the view that best describes how you typically feel in your daily life.	This column introduces a series of statements about feelings and behaviors, asking respondents to select the view that best describes how they typically feel in their daily life.
	1.I am calm in my mind.	This column records responses about whether the respondent typically feels calm in their mind.
	2. I feel good about myself.	This column captures responses about whether the respondent typically feels good about themselves.
	3.I'm nervous.	This column records whether the respondent typically feels nervous.
	4.Feel regretful and sad.	This column captures responses about whether the respondent typically feels regretful and sad.
	5.I feel at ease.	This column records whether the respondent typically feels at ease.
	6.I'm panicking and don't know what to do.	This column captures responses about whether the respondent typically feels panicked and unsure of what to do.
	7.I am worried that there will be misfortune in the future.	This column records whether the respondent typically worries about future misfortune.
	8.I am relieved.	This column captures responses about whether the respondent typically feels relieved.
	9.I'm anxious.	This column records whether the respondent typically feels anxious.
	10.I feel comfortable.	This column captures responses about whether the respondent typically feels comfortable.
	11.I am confident.	This column records whether the respondent typically feels confident.
	12.I'm annoyed.	This column captures responses about whether the respondent typically feels annoyed.
	13.I'm feeling anxious.	This column records whether the respondent typically feels anxious.
	14.I am extremely nervous.	This column captures responses about whether the respondent typically feels extremely nervous.

	15.My mind is relaxed and cozy.	This column records whether the respondent typically feels their mind is relaxed and cozy.
	16.I am satisfied.	This column captures responses about whether the respondent typically feels satisfied.
	17.I'm worried.	This column records whether the respondent typically feels worried.
	18.I'm excited and can't help myself.	This column captures responses about whether the respondent typically feels excited and unable to contain themselves.
	19.I am amused.	This column records whether the respondent typically feels amused.
	20.I feel good.	This column captures responses about whether the respondent typically feels good.
	1.Sum Anxiety Scale Group 1 scores	This column records the total scores from the Anxiety Scale Group 1, summing up the responses to the previous questions.
	End result	This column records the final compiled results or summary of the survey or questionnaire.
STAI_X2.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey start date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Survey skipping	Indicates whether the participant skipped the survey (Yes/No).
	Read the questions below carefully and select the view that best describes how you typically feel in your daily life.	This column introduces a series of statements about feelings and behaviors, asking respondents to select the view that best describes how they typically feel in their daily life.
	1.I am calm in my mind.	This column records responses about whether the respondent typically feels calm in their mind.
	2. I feel good about myself.	This column captures responses about whether the respondent typically feels good about themselves.
	3.I'm nervous.	This column records whether the respondent typically feels nervous.
	4.Feel regretful and sad.	This column captures responses about whether the respondent typically feels regretful and sad.
	5.I feel at ease.	This column records whether the respondent typically feels at ease.
	6.I'm panicking and don't know what to do.	This column captures responses about whether the respondent typically feels panicked and unsure of what to do.
	7.I am worried that there will be misfortune in the future.	This column records whether the respondent typically worries about future misfortune.
	8.I am relieved.	This column captures responses about whether the respondent typically feels relieved.

	9.I'm anxious.	This column records whether the respondent typically feels anxious.
	10.I feel comfortable.	This column captures responses about whether the respondent typically feels comfortable.
	11.I am confident.	This column records whether the respondent typically feels confident.
	12.I'm annoyed.	This column captures responses about whether the respondent typically feels annoyed.
	13.I'm feeling anxious.	This column records whether the respondent typically feels anxious.
	14.I am extremely nervous.	This column captures responses about whether the respondent typically feels extremely nervous.
	15.My mind is relaxed and cozy.	This column records whether the respondent typically feels their mind is relaxed and cozy.
	16.I am satisfied.	This column captures responses about whether the respondent typically feels satisfied.
	17.I'm worried.	This column records whether the respondent typically feels worried.
	18.I'm excited and can't help myself.	This column captures responses about whether the respondent typically feels excited and unable to contain themselves.
	19.I am amused.	This column records whether the respondent typically feels amused.
	20.I feel good.	This column captures responses about whether the respondent typically feels good.
	1.Sum Anxiety Scale Group 1 scores	This column records the total scores from the Anxiety Scale Group 1, summing up the responses to the previous questions.
	End result	This column records the final compiled results or summary of the survey or questionnaire.
BFNE.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Skip Questionnaire	Indicates whether the participant skipped the survey (Yes/No).
	The following statements are about thoughts and feelings you may experience in social situations. Please read each statement carefully and check the box to the extent that it applies to you.	This column introduces a series of statements about thoughts and feelings in social situations, asking respondents to indicate how much each statement applies to them.
	1.I worry about what people think of me, even though I know it doesn't matter.	This column captures responses about whether the respondent worries about others' opinions despite knowing it shouldn't matter.

	2. I know that people have an unfavorable impression of me, but I don't care about it.	This column records responses about whether the respondent is aware of unfavorable impressions but is indifferent to them.
	3. I am often afraid that people will notice my decisions.	This column captures responses about whether the respondent fears that others will notice their decisions.
	4. I am rarely concerned about the impression I make on others.	This column records responses about whether the respondent is usually unconcerned with the impression they make on others.
	5. I worry that people won't approve of me.	This column captures responses about whether the respondent worries about not being approved of by others.
	6. I worry that people will find fault with me.	This column records responses about whether the respondent worries that others will find faults with them.
	7. I don't care what others think about me.	This column captures responses about whether the respondent is indifferent to others' opinions.
	8. When I talk to someone, I am concerned about what he thinks of me.	This column records responses about whether the respondent is concerned about the opinions of those they talk to.
	9. I worry about the impression I'm making.	This column captures responses about whether the respondent worries about the impression they are making.
	10. Even if I know someone is evaluating me, it doesn't affect me.	This column records responses about whether the respondent remains unaffected by being evaluated by others.
	11. Sometimes I think I care too much about what other people think of me.	This column captures responses about whether the respondent feels they care too much about others' opinions.
	12. I often worry that I will make a mistake or not do a good job.	This column records responses about whether the respondent frequently worries about making mistakes or not performing well.
	1. Fear Scale 1 group scores summed up	This column records the total scores from the Fear Scale 1, summing up the responses to the previous questions about social concerns and fears.
	Final Result	This column captures the final compiled results of the responses to the Fear Scale 1 questions, providing an overall assessment.
SADS.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Skip Question	Indicates whether the participant skipped the survey (Yes/No).
	The following questions are designed to find out how people feel about interpersonal situations. Please read each question carefully and select the	This column introduces a series of questions about feelings and reactions in various interpersonal situations over the past month.

view that best describes you these days (over the past month, including today).	
1. Talking to people	Captures responses about feelings and reactions when talking to people.
2. Getting in your car and going through an automatic car wash	Captures responses about feelings and reactions when going through an automatic car wash.
3. Doing strenuous exercise on a very hot day	Captures responses about feelings and reactions when doing strenuous exercise in hot weather.
4. Blowing air into an air bed quickly with your mouth	Captures responses about feelings and reactions when blowing air into an air bed.
5. Eating in front of other people	Captures responses about feelings and reactions when eating in front of others.
6. Hiking a mountain on a very hot day	Captures responses about feelings and reactions when hiking on a hot day.
7. Getting anesthesia at the dentist	Captures responses about feelings and reactions when getting anesthesia at the dentist.
8. Interrupting people during a meeting	Captures responses about feelings and reactions when interrupting people during a meeting.
9. Giving a story or speech in front of a group of people	Captures responses about feelings and reactions when giving a speech or story in front of a group.
10. Exercising vigorously by yourself	Captures responses about feelings and reactions when exercising vigorously alone.
11. Going to a place far from home alone	Captures responses about feelings and reactions when traveling far from home alone.
12. Introducing yourself in a large group of people	Captures responses about feelings and reactions when introducing oneself to a large group.
13. Walking alone in an isolated place where no one is around	Captures responses about feelings and reactions when walking alone in an isolated area.
14. Driving on the highway	Captures responses about feelings and reactions when driving on the highway.
15. Wearing clothes that stand out from the crowd	Captures responses about feelings and reactions when wearing standout clothing.
16. Being in a situation where you might get lost	Captures responses about feelings and reactions when in a situation where one might get lost.
17. Drinking very strong coffee	Captures responses about feelings and reactions when drinking very strong coffee.
18. Sitting in the middle of the theater watching a movie	Captures responses about feelings and reactions when sitting in the middle of a theater.
19. Running up a flight of stairs	Captures responses about feelings and reactions when running up stairs.
20. Taking the subway	Captures responses about feelings and reactions when taking the subway.
21. Talking on the phone	Captures responses about feelings and reactions when talking on the phone.
22. Meeting people you don't know	Captures responses about feelings and reactions when meeting new people.
23. Writing in front of other people	Captures responses about feelings and reactions when writing in front of others.

	24. Going into a room full of people	Captures responses about feelings and reactions when entering a crowded room.
	25. Going to a place far from home and staying overnight	Captures responses about feelings and reactions when staying overnight far from home.
	26. Feeling intoxicated	Captures responses about feelings and reactions when feeling intoxicated.
	27. Crossing a long bridge that is low and low-slung	Captures responses about feelings and reactions when crossing a low, long bridge.
	Albany Fear-Panic Scale Factors 1. Agoraphobia Score Total	Records the total score for agoraphobia based on previous responses.
	2. Albany Fear-Panic Scale Factor 2. Sum of Social Fear scores	Records the total score for social fear based on previous responses.
	3. Albany Fear-Panic Scale Factor 3. Internalizing Fear Score Sum	Records the total score for internalizing fear based on previous responses.
	Final Results	Captures the final compiled result of the survey or questionnaire, providing an overall assessment of feelings and reactions in interpersonal situations.
GAD_7.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Survey skipped	Indicates whether the participant skipped the survey (Yes/No).
	In the past two weeks, how often have you been disturbed by the following problems?	This column introduces a series of questions about how frequently various anxiety-related symptoms were experienced in the past two weeks.
	1. Feeling nervous, anxious, or panicky	Captures responses about how often the individual felt nervous, anxious, or panicky in the past two weeks.
	2. Unable to stop or control worrying	Captures responses about how often the individual felt unable to stop or control worrying in the past two weeks.
	3. Worrying too much about many different things	Captures responses about how often the individual worried too much about many different things in the past two weeks.
	4. I find it hard to be relaxed	Captures responses about how often the individual found it hard to relax in the past two weeks.
	5. I am so restless that I find it hard to sit still	Captures responses about how often the individual felt so restless that they found it hard to sit still in the past two weeks.
	6. I get irritated or angry easily	Captures responses about how often the individual got irritated or angry easily in the past two weeks.
	7. I feel afraid, as if something terrible is going to happen	Captures responses about how often the individual felt afraid, as if something terrible was going to happen, in the past two weeks.
	1. Summing the Generalized Anxiety Disorder Scale 1 Group Scores	Records the total score for the Generalized Anxiety Disorder Scale, combining the responses to the individual questions.

	Final Results	Captures the final compiled result of the survey or questionnaire, providing an overall assessment of the individual's anxiety levels over the past two weeks.
APPQ.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Survey skipped	Indicates whether the participant skipped the survey (Yes/No).
	For each of the following statements, please select how much you feel like this when you experience anxiety.	This column introduces a series of questions about the intensity of specific thoughts and feelings experienced during anxiety.
	1. I feel like throwing up	Captures responses about how much the individual feels like vomiting when experiencing anxiety.
	2. I feel like I'm going to faint	Captures responses about how much the individual feels like they are going to faint when experiencing anxiety.
	3. I definitely have a brain tumor	Captures responses about how much the individual believes they have a brain tumor when experiencing anxiety.
	4. I think I'm going to have a heart attack	Captures responses about how much the individual thinks they are going to have a heart attack when experiencing anxiety.
	5. I think I'm going to choke to death	Captures responses about how much the individual thinks they are going to choke to death when experiencing anxiety.
	6. I feel like I'm going to do something stupid	Captures responses about how much the individual feels like they are going to do something stupid when experiencing anxiety.
	7. I don't think I can see very well	Captures responses about how much the individual feels like they cannot see well when experiencing anxiety.
	8. I don't think I can control myself	Captures responses about how much the individual feels like they cannot control themselves when experiencing anxiety.
	9. I think I will hurt someone	Captures responses about how much the individual thinks they will hurt someone when experiencing anxiety.
	10. I think I'm going to have a stroke	Captures responses about how much the individual thinks they are going to have a stroke when experiencing anxiety.
	11. I think I'm going crazy	Captures responses about how much the individual thinks they are going crazy when experiencing anxiety.
	12. I often worry that I will make a mistake or not do a good job	Captures responses about how much the individual worries they will make a mistake or not perform well when experiencing anxiety.
	13. I think I will stutter or make incoherent sounds	Captures responses about how much the individual thinks they will stutter or make incoherent sounds when experiencing anxiety.

	14. I feel paralyzed with fear	Captures responses about how much the individual feels paralyzed with fear when experiencing anxiety.
	1. Summing agoraphobia perception scale 1 group scores	Records the total score for the Agoraphobia Perception Scale, combining the responses to the individual questions.
	Final Result	Captures the final compiled result of the survey or questionnaire, providing an overall assessment of the individual's anxiety and agoraphobia perceptions.
BSQ.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey End Date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Survey skipped	Indicates whether the participant skipped the survey (Yes/No).
	When you feel each of the following bodily sensations in an anxious state, please select how much it makes you feel afraid or concerned.	This column introduces a series of questions about the intensity of fear or concern experienced with specific bodily sensations during anxiety.
	1. My heart is pounding	Captures responses about the level of fear or concern felt when experiencing a pounding heart during anxiety.
	2. I feel a tightness in my chest	Captures responses about the level of fear or concern felt when experiencing tightness in the chest during anxiety.
	3. Numbness in my arms and legs	Captures responses about the level of fear or concern felt when experiencing numbness in the arms and legs during anxiety.
	4. Tingling in the tips of my fingers	Captures responses about the level of fear or concern felt when experiencing tingling in the fingertips during anxiety.
	5. Numbness in other parts of your body besides your hands and feet	Captures responses about the level of fear or concern felt when experiencing numbness in other body parts during anxiety.
	6. Shortness of breath	Captures responses about the level of fear or concern felt when experiencing shortness of breath during anxiety.
	7. Dizziness	Captures responses about the level of fear or concern felt when experiencing dizziness during anxiety.
	8. Blurred vision	Captures responses about the level of fear or concern felt when experiencing blurred vision during anxiety.
	9. Nausea	Captures responses about the level of fear or concern felt when experiencing nausea during anxiety.
	10. I feel sick to my stomach	Captures responses about the level of fear or concern felt when experiencing a sick feeling in the stomach during anxiety.
	11. If your stomach feels like it's in knots	Captures responses about the level of fear or concern felt when experiencing a knotted stomach during anxiety.

	12. I feel like something is stuck in my throat	Captures responses about the level of fear or concern felt when experiencing a sensation of something stuck in the throat during anxiety.
	13. If your legs are wobbly or shaky	Captures responses about the level of fear or concern felt when experiencing wobbly or shaky legs during anxiety.
	14. Sweating	Captures responses about the level of fear or concern felt when experiencing sweating during anxiety.
	15. Your mouth is dry	Captures responses about the level of fear or concern felt when experiencing a dry mouth during anxiety.
	16. I feel confused and disoriented	Captures responses about the level of fear or concern felt when experiencing confusion and disorientation during anxiety.
	17. Some parts of my body feel like my body, but other parts don't feel like my body	Captures responses about the level of fear or concern felt when experiencing a disassociation with parts of the body during anxiety.
	1. Summarize the scores of the somatosensory scale group 1	Records the total score for the Somatosensory Scale, combining the responses to the individual questions.
	Final Results	Captures the final compiled result of the survey or questionnaire, providing an overall assessment of the individual's somatosensory experiences and related anxiety.
ACQ.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Skip Question	Indicates whether the participant skipped the survey (Yes/No).
	The following questions are designed to find out how people feel about interpersonal situations. Please read each question carefully and select the view that best describes you these days (over the past month, including today).	This column introduces a series of questions about how individuals feel and react in various interpersonal and social situations over the past month.
	1. Talking to people	Captures responses about the level of comfort or discomfort experienced when talking to people in social situations.
	2. Getting in your car and going through an automatic car wash	Captures responses about the level of comfort or discomfort experienced when going through an automatic car wash.
	3. Doing strenuous exercise on a very hot day	Captures responses about the level of comfort or discomfort experienced when doing strenuous exercise in hot weather.
	4. Blowing air into an air bed quickly with your mouth	Captures responses about the level of comfort or discomfort experienced when inflating an air bed manually.

5. Eating in front of other people	Captures responses about the level of comfort or discomfort experienced when eating in front of others.
6. Hiking a mountain on a very hot day	Captures responses about the level of comfort or discomfort experienced when hiking in hot weather.
7. Getting anesthesia at the dentist	Captures responses about the level of comfort or discomfort experienced when receiving anesthesia at the dentist.
8. Interrupting people during a meeting	Captures responses about the level of comfort or discomfort experienced when interrupting others in a meeting.
9. Giving a story or speech in front of a group of people	Captures responses about the level of comfort or discomfort experienced when speaking in front of a group.
10. Exercising vigorously by yourself	Captures responses about the level of comfort or discomfort experienced when exercising alone.
11. Going to a place far from home alone	Captures responses about the level of comfort or discomfort experienced when traveling far from home alone.
12. Introducing yourself in a large group of people	Captures responses about the level of comfort or discomfort experienced when introducing oneself in a large group.
13. Walking alone in an isolated place where no one is around	Captures responses about the level of comfort or discomfort experienced when walking alone in an isolated area.
14. Driving on the highway	Captures responses about the level of comfort or discomfort experienced when driving on the highway.
15. Wearing clothes that stand out from the crowd	Captures responses about the level of comfort or discomfort experienced when wearing noticeable clothing.
16. Being in a situation where you might get lost	Captures responses about the level of comfort or discomfort experienced when potentially getting lost.
17. Drinking very strong coffee	Captures responses about the level of comfort or discomfort experienced when drinking strong coffee.
18. Sitting in the middle of the theater watching a movie	Captures responses about the level of comfort or discomfort experienced when sitting in the middle of a theater.
19. Running up a flight of stairs	Captures responses about the level of comfort or discomfort experienced when running up stairs.
20. Taking the subway	Captures responses about the level of comfort or discomfort experienced when taking the subway.
21. Talking on the phone	Captures responses about the level of comfort or discomfort experienced when talking on the phone.
22. Meeting people you don't know	Captures responses about the level of comfort or discomfort experienced when meeting new people.
23. Writing in front of other people	Captures responses about the level of comfort or discomfort experienced when writing in front of others.
24. Going into a room full of people	Captures responses about the level of comfort or discomfort experienced when entering a crowded room.

	25. Going to a place far from home and staying overnight	Captures responses about the level of comfort or discomfort experienced when staying overnight far from home.
	26. Feeling intoxicated	Captures responses about the level of comfort or discomfort experienced when feeling intoxicated.
	27. Crossing a long bridge that is low and low-slung	Captures responses about the level of comfort or discomfort experienced when crossing a low and long bridge.
	Albany Fear-Panic Scale Factors 1. Agoraphobia Score Total	Records the total score for the Agoraphobia Factor of the Albany Fear-Panic Scale.
	2. Albany Fear-Panic Scale Factor 2. Sum of Social Fear Scores	Records the total score for the Social Fear Factor of the Albany Fear-Panic Scale.
	3. Albany Fear-Panic Scale Factor 3. Internalizing Fear Score Sum	Records the total score for the Internalizing Fear Factor of the Albany Fear-Panic Scale.
	Final Results	Captures the final compiled result of the survey or questionnaire, providing an overall assessment of the individual's fear and panic responses in various situations.
KOSSSF.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Survey skipped	Indicates whether the participant skipped the survey (Yes/No).
	Please read each statement and select the appropriate view.	This column introduces a series of statements about job-related stress and satisfaction, asking respondents to select the view that best describes their experiences and feelings.
	1. I have a lot of work and am always pressed for time.	Captures responses about the perception of workload and time pressure at work.
	2. My workload has increased significantly.	Captures responses about changes in workload over time.
	3. I am given enough breaks (short breaks) during the work day.	Captures responses about the adequacy of break times provided during the workday.
	4. I have to do several things at the same time.	Captures responses about the necessity of multitasking at work.
	5. My job requires creativity.	Captures responses about the level of creativity required in the job.
	6. My job requires a high level of skill or knowledge to perform my duties.	Captures responses about the skill or knowledge level required for the job.
	7. I am given the authority to make decisions and have influence over my working hours and work process.	Captures responses about the level of decision-making authority and influence over work schedules and processes.
	8. I can control my own workload and work schedule.	Captures responses about the ability to control workload and work schedule.
	9. My supervisor is supportive in helping me complete my work.	Captures responses about the level of support provided by the supervisor.

	10. My coworkers help me get my work done.	Captures responses about the level of assistance provided by coworkers.
	11. I have people at work who recognize and understand that I am having a hard time when I am having a hard time.	Captures responses about the level of empathy and understanding from colleagues when facing difficulties.
	12. My job situation is unstable and my future is uncertain.	Captures responses about job stability and future prospects.
	13. There have been or are expected to be undesirable changes in my working conditions or situation (e.g., restructuring).	Captures responses about anticipated or experienced negative changes in working conditions.
	14. My workplace has fair and reasonable performance evaluations and personnel systems (promotions, departmental assignments, etc.).	Captures responses about the fairness and reasonableness of performance evaluations and personnel systems.
	15. I am well supported by the people, space, facilities, equipment, training, etc. needed to do my job.	Captures responses about the level of support provided by the workplace in terms of resources and training.
	16. There is no friction between my department and other departments, and we cooperate well.	Captures responses about the level of cooperation and absence of friction between departments.
	17. I have opportunities and channels to reflect my ideas about my work.	Captures responses about opportunities to provide input and feedback about work.
	18. Considering all my efforts and accomplishments, I am properly respected and trusted at work.	Captures responses about the level of respect and trust received for efforts and accomplishments.
	19. I don't mind working hard when I know that my situation will get better in the future.	Captures responses about willingness to work hard with the expectation of future improvements.
	20. I am given opportunities to develop and demonstrate my abilities.	Captures responses about opportunities for personal and professional development.
	21. I feel uncomfortable at the dinner table.	Captures responses about the level of comfort during meals, potentially indicating work-related stress.
	22. I receive work instructions with no standards or consistency.	Captures responses about the consistency and standardization of work instructions received.
	23. The atmosphere at work is authoritarian and hierarchical.	Captures responses about the work environment's organizational culture and hierarchy.
	24. I am penalized because of my gender (male or female).	Captures responses about experiences of gender-based penalties at work.
	1. Summing group scores for the Short Form of Job Stress Scale 1	Records the total score for the Short Form of Job Stress Scale.
	Final Result	Captures the final compiled result of the survey or questionnaire, providing an overall assessment of job-related stress and satisfaction.
KRQ.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.

Survey completion date	The date on which the participant finished and submitted their survey responses.
Survey skipped	Indicates whether the participant skipped the survey (Yes/No).
Please read each statement and select the appropriate view.	Introduction to a series of statements asking respondents to select the view that best describes their experiences and feelings.
1. I am able to control my emotions when faced with difficult situations.	Captures responses about emotional control during difficult situations.
2. I am able to recognize when I am thinking about something and how it will affect my mood.	Captures responses about self-awareness and mood regulation.
3. I can control my emotions when discussing controversial issues with family and friends.	Captures responses about emotional control during discussions with family and friends.
4. When I have something important to focus on, I tend to feel more stressed than excited.	Captures responses about feelings of stress or excitement when focusing on important tasks.
5. I am easily swayed by my emotions.	Captures responses about susceptibility to emotional influence.
6. Sometimes my emotional problems make it hard for me to concentrate when studying or working at school or work.	Captures responses about the impact of emotional problems on concentration.
7. If there is something that needs to be done right away, I am good at overcoming any temptations or distractions to do it.	Captures responses about the ability to overcome distractions and temptations.
8. No matter how embarrassing or difficult a situation is, I know what I'm thinking.	Captures responses about self-awareness in difficult or embarrassing situations.
9. If someone is angry with me, I listen to them first.	Captures responses about listening skills when others are angry.
10. I tend to give up easily when things don't work out the way I think they should.	Captures responses about perseverance and giving up.
11. I don't usually plan my finances or how much I spend.	Captures responses about financial planning habits.
12. I tend to improvise rather than plan ahead.	Captures responses about planning versus improvisation.
13. When a problem arises, I try to think of several possible solutions before I try to solve it.	Captures responses about problem-solving approaches.
14. When I encounter a difficult problem, I try to think carefully about its causes before I try to solve it.	Captures responses about analytical thinking when solving problems.
15. I believe I know the cause of a problem in most situations.	Captures responses about confidence in identifying problem causes.

16. I am often told that I don't have a good grasp of events or situations.	Captures responses about feedback received from others regarding understanding of events.
17. I am often told that I jump to conclusions when problems arise.	Captures responses about feedback received from others regarding jumping to conclusions.
18. When something difficult happens, I think it's better to solve it quickly, even if I don't fully understand the cause.	Captures responses about the approach to solving difficult problems.
19. I can lead a conversation well, depending on the mood and the person I'm talking to.	Captures responses about conversational skills.
20. I am good at making witty jokes.	Captures responses about the ability to make witty jokes.
21. I am good at finding the right phrase or word for what I want to express.	Captures responses about verbal expression skills.
22. I feel comfortable talking to people in authority.	Captures responses about comfort levels when talking to authority figures.
23. I often lose track of what is being said because I am thinking about something else during a conversation.	Captures responses about attention during conversations.
24. I often hesitate in conversation, not saying everything I want to say.	Captures responses about hesitation in conversations.
25. I can tell how people are feeling by looking at their facial expressions.	Captures responses about the ability to read facial expressions.
26. When I see someone sad, angry, or embarrassed, I can tell a lot about what they are thinking.	Captures responses about empathy and understanding others' emotions.
27. If a coworker is angry, I have a pretty good idea why.	Captures responses about understanding coworkers' emotions.
28. I sometimes find it difficult to understand how people behave.	Captures responses about difficulty in understanding behavior.
29. I often hear the phrase "you don't understand me" from close friends, lovers, or spouses.	Captures responses about feedback received from close relationships.
30. My coworkers and friends say I don't listen to them very well.	Captures responses about listening skills feedback.
31. I feel loved and cared for by the people around me.	Captures responses about feeling loved and cared for.
32. I really like my friends.	Captures responses about feelings toward friends.
33. The people around me are very understanding of my feelings.	Captures responses about understanding from others.
34. I don't have many friends who help each other.	Captures responses about reciprocal help among friends.
35. Most of the people I see regularly end up disliking me.	Captures responses about perceptions of others' feelings toward the respondent.
36. I have few friends with whom I can talk openly.	Captures responses about openness in friendships.
37. I believe that hard work will always be rewarded.	Captures responses about beliefs in the value of hard work.

	38. I think it's good to believe that "no matter how difficult a problem is, I can solve it," whether it's true or not.	Captures responses about positive thinking.
	39. I am confident that everything will work out in the end, even if I am faced with a difficult situation.	Captures responses about confidence in positive outcomes.
	40. When I finish a task, I worry that people around me will judge me negatively.	Captures responses about concerns of negative judgment.
	41. I believe that most problems that happen to me are caused by circumstances beyond my control.	Captures responses about external locus of control.
	42. When someone asks me about my future, I have a hard time envisioning myself as successful.	Captures responses about difficulty envisioning future success.
	43. My life is close to my ideal life.	Captures responses about life satisfaction.
	44. Many of the conditions in my life are satisfactory.	Captures responses about satisfaction with life conditions.
	45. I am satisfied with my life.	Captures responses about overall life satisfaction.
	46. I have all the things I consider important in my life.	Captures responses about having important life elements.
	47. I would like to live my current life again if I were reborn.	Captures responses about wanting to relive one's life.
	48. I am grateful for many different kinds of people.	Captures responses about feelings of gratitude towards others.
	49. If I were to write down all the things I am grateful for, it would be a very long list.	Captures responses about the extent of gratitude.
	50. The older I get, the more grateful I am for the people, events, and life that have become part of my life.	Captures responses about increasing gratitude with age.
	51. I don't have much to be thankful for.	Captures responses about the perception of having little to be thankful for.
	52. When I look around the world, there is not much to be thankful for.	Captures responses about global perceptions of gratitude.
	53. I don't feel grateful for people or things until a long time later.	Captures responses about delayed gratitude.
	1. Summing Resilience Scale 1 Group Scores	Instructions to sum the responses to the Resilience Scale to get a total score.
	Final Result	The final compiled results of the survey or questionnaire.
Suicide_history.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.

Whether to skip the questionnaire	Indicates whether the participant skipped the survey (Yes/No).
This questionnaire is about things you may experience in your daily life. Please read the following statements carefully and select the number that best describes how you feel in your daily life.	Introduction to a series of statements asking respondents to reflect on their daily experiences and feelings.
1. How do you wish to live?	Captures responses about the respondent's desired way of living.
2. How do you want to die?	Captures responses about the respondent's thoughts on how they would prefer to die.
3. Why do you want to live/ Why do you want to die?	Captures responses about the reasons behind wanting to live or die.
4. Do you have the desire to actually attempt suicide?	Captures responses about the desire to attempt suicide.
5. When do you have passive suicidal thoughts that are not very active?	Captures responses about the occurrence of passive suicidal thoughts.
6. How long do suicidal thoughts last?	Captures responses about the duration of suicidal thoughts.
7. How often do you have suicidal thoughts?	Captures responses about the frequency of suicidal thoughts.
8. What is your attitude toward suicidal thoughts or wishes?	Captures responses about the respondent's attitude towards their suicidal thoughts or wishes.
9. Can you control the urge to kill yourself?	Captures responses about the ability to control suicidal urges.
10. Are there any obstacles to actually making a suicide attempt (e.g., family members, thoughts of not living again, etc.)?	Captures responses about obstacles that prevent suicide attempts.
11. Why have you ever thought deeply about suicide?	Captures responses about the reasons for deeply considering suicide.
12. When you thought deeply about suicide, did you even plan a specific way to do it?	Captures responses about whether specific plans were made during suicidal thoughts.
13. If you have thought deeply about how to commit suicide, how realistically feasible do you think it is, and do you think you have the opportunity to try it?	Captures responses about the feasibility and opportunity for committing suicide.
14. Do you think you have the ability to actually commit suicide?	Captures responses about the perceived ability to commit suicide.
15. Are you really sure that you would make a suicide attempt?	Captures responses about certainty in making a suicide attempt.
16. Have you actually prepared anything to carry out your suicidal thoughts?	Captures responses about any preparations made for suicide.
17. Have you ever written a suicide note (suicide note)?	Captures responses about whether a suicide note has ever been written.
1. Sum the scores for questions 1-17 of the Suicide Scale	Instructions to sum the responses to the Suicide Scale to get a total score.

	Final Result	The final compiled results of the survey or questionnaire.
Alcohol_drinking_his tory.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Skip Questionnaire	Indicates whether the participant skipped the survey (Yes/No).
	1.How often do you drink alcohol?	This question measures the frequency of alcohol consumption by respondents.
	2.On a typical drinking day, how many drinks do you consume?	This question assesses the quantity of alcohol consumed on a typical drinking day.
	3.How often do you drink more than 1 bottle of shochu or 4 beers on a single occasion?	This question evaluates the frequency of consuming large amounts of alcohol in one sitting.
	4.In the past year, how often have you realized that once you start drinking alcohol, you can't stop?	This question measures the frequency of experiencing an inability to stop drinking once started.
	5.In the past year, how often have you failed to do something you normally could have done because you were drinking?	This question assesses the impact of alcohol consumption on daily responsibilities and tasks.
	6.In the past year, how often have you needed a pick-me-up the morning after a night of heavy drinking to get back to work?	This question evaluates the frequency of needing a recovery drink after heavy drinking to function the next day.
	7.In the past year, how often have you felt guilty or regretful after drinking alcohol?	This question measures the frequency of feelings of guilt or regret following alcohol consumption.
	8.In the past year, how often have you had trouble remembering things that happened the night before because of your drinking?	This question assesses the frequency of experiencing memory lapses or blackouts due to drinking.
	9.Have you ever hurt yourself or someone else because of your drinking?	This question measures the incidence of physical harm caused by drinking.
	10.Has a relative, friend, or doctor ever worried about your drinking or suggested that you stop drinking?	This question evaluates external concern or intervention regarding the respondent's drinking habits.
	1.Sum the scores for questions 1 through 10 on the Alcoholism Scale	This is the total score summing up all responses to the alcoholism questions, providing an overall measure of alcohol-related issues.
	Final Result	This column contains the final compiled results of the survey or questionnaire related to alcoholism.
	12.I often worry that I will make a mistake or not do a good job.	This question assesses the frequency of respondents' worries about making mistakes or not performing well, often used to gauge anxiety related to performance.

	1.Sum group scores for Fear Scale 1	This is the total score summing up all responses to the fear-related questions, providing an overall measure of fear or anxiety.
	Final Result	This column contains the final compiled results of the survey or questionnaire related to fear or anxiety.
Smoking_history.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Skip Question	Indicates whether the participant skipped the survey (Yes/No).
	1.How long after you wake up in the morning do you empty your first cigarette?	This question measures the time interval between waking up and smoking the first cigarette of the day, which is an indicator of nicotine dependence.
	2.How many cigarettes do you usually smoke per day?	This question assesses the daily cigarette consumption to evaluate the level of smoking habit and nicotine addiction.
	1.Sum your scores on questions 1 and 2 of the Nicotine Addiction Scale	This column contains the total score summing up responses to the two nicotine addiction questions, providing an overall measure of the respondent's nicotine dependence.
	Final Results	This column contains the final compiled results of the survey or questionnaire related to nicotine addiction.
Substance abuse screening.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Skip Question	Indicates whether the participant skipped the survey (Yes/No).
	The following questions provide information related to substance abuse. Substance abuse is defined as (1) excessive use of prescribed or pharmacy drugs or (2) use of drugs for non-medical purposes. Please read each statement carefully and answer the questions	This question assesses if the respondent has ever used drugs for non-medical purposes, indicating potential substance abuse.
	1.Have you ever used drugs for purposes other than medical treatment?	This question evaluates if the respondent has a history of misusing medications prescribed by a healthcare professional.
	2.Have you ever abused prescribed medications?	This question examines if the respondent has engaged in polysubstance abuse, which can increase the risk of adverse effects.

3. Have you ever abused more than one type of drug at a time?	This question checks for periods of abstinence from drug use, indicating the ability or attempt to quit.
4. Have you ever gone a week without using drugs (not for treatment)?	This question assesses the respondent's perceived control over their drug use, which is crucial for understanding addiction severity.
5. Can you stop using drugs whenever you want to?	This question looks at the regularity of the respondent's drug abuse behavior.
6. Have you ever abused drugs consistently?	This question evaluates attempts to control or moderate drug use in specific contexts.
7. Have you ever tried to limit your drug use in some situations?	This question identifies if the respondent has experienced cognitive impairments or memory loss associated with drug use.
8. Have you ever had any film jerks or memory loss due to substance use?	This question gauges the respondent's awareness or acknowledgment of the negative aspects of substance abuse.
9. Have you ever thought that substance abuse is bad?	This question assesses the impact of substance use on familial relationships and if it has been a source of conflict.
10. Has your spouse or family ever criticized your substance use?	This question evaluates the social awareness and potential stigmatization of the respondent's drug use.
11. Do your friends or relatives know or suspect that you are abusing drugs?	This question examines if substance abuse has directly affected the respondent's marital or intimate relationships.
12. Has your substance abuse ever caused problems between you and your spouse?	This question checks if family members have intervened or sought external help for the respondent's substance abuse issues.
13. Has your family ever sought other help for your substance abuse problems?	This question assesses the social consequences of substance abuse.
14. Have you lost friends because of your substance use?	This question evaluates the impact of substance abuse on responsibilities and daily functioning.
15. Have you ever neglected your family or missed work because of your substance use?	This question examines if substance abuse has led to professional or employment-related issues.
16. Has your substance abuse gotten you in trouble at work?	This question checks if substance abuse has resulted in job termination.
17. Have you ever been fired from a job due to substance abuse?	This question looks at aggressive or violent behavior associated with drug use.
18. Have you ever gotten into a fight while under the influence of drugs?	This question assesses legal issues stemming from drug-induced behavior.
19. Have you ever been arrested for acting strangely due to the effects of drugs?	This question checks for DUI incidents related to drug use.
20. Have you ever been arrested for driving under the influence of drugs?	This question examines if the respondent has committed crimes to procure drugs.
21. Have you ever engaged in illegal activities to obtain drugs?	This question assesses if the respondent has had legal trouble for possessing controlled substances.
22. Have you ever been arrested for possession of illegal drugs?	This question evaluates the presence and severity of withdrawal symptoms, indicating physical dependence.

	23. Have you ever experienced withdrawal symptoms after using drugs heavily?	This question checks for health complications associated with drug use.
	24. Have you ever had medical problems (memory problems, money loss, hepatitis, epilepsy, bleeding, etc.) due to drug use?	This question assesses if the respondent has sought help or counseling for substance abuse issues.
	25. Have you ever talked to someone to get help with a drug problem?	This question looks at severe health issues that required hospitalization due to drug use.
	26. Have you ever been hospitalized for a medical problem related to your drug use?	This question evaluates if the respondent has participated in any formal substance abuse treatment programs.
	27. Have you ever been in a treatment program for drug use?	This question assesses if the respondent has received outpatient care for substance abuse issues.
	28. Have you ever been to outpatient treatment for a problem related to substance use?	This column contains the total score summing up responses to all substance abuse questions, providing an overall measure of the respondent's substance abuse issues.
	1. Sum the scores for questions 1-28 of the Substance Abuse Scale	This column contains the final compiled results of the survey or questionnaire related to substance abuse.
	Final Result	The final compiled results of the survey or questionnaire.
Internet habits.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Survey skipped	Indicates whether the participant skipped the survey (Yes/No).
	We'd like to learn about your internet usage habits. Internet usage includes all the things you can do over the internet, such as "playing games, using social networking services (SNS), watching videos, watching live streams, and surfing the web". Please read each statement and check the four boxes that apply to your internet usage habits over the past month.	This question assesses the level of preoccupation with internet usage in the respondent's daily activities.
	1. I often think about the internet while doing other things.	This question evaluates the anticipation and eagerness to use the internet, indicating possible dependency.
	2. I anxiously await the time to go online again.	This question examines if the respondent sacrifices sleep for internet use, which can affect overall well-being.
	3. I stay up all night on the internet without sleeping.	This question checks if internet use impacts the respondent's ability to stay alert in academic or professional settings.
	4. I am tired from using the Internet and fall asleep in class or at work.	This question evaluates the frequency and habitual nature of checking the internet.

5.I habitually check the internet too much (e.g., social networking services, e.g., KakaoTalk, Facebook, Instagram, etc.)	This question assesses if the respondent requires increasing amounts of internet use to achieve satisfaction, indicating potential tolerance.
6. I need to spend more time on the internet to feel as satisfied as I used to.	This question examines the emotional response to being unable to use the internet.
7.I get irritated or angry when I can't go online.	This question evaluates the anxiety or nervousness associated with not being able to use the internet.
8.I feel anxious or nervous when I can't go online.	This question checks if the internet is used as a coping mechanism for negative emotions.
9.I use the internet when I'm feeling bad (e.g., angry, irritable, anxious, guilty, etc.) and it makes me feel better.	This question assesses attempts to limit internet use and the difficulty in doing so.
10.I try to reduce my internet use, but it doesn't work.	This question evaluates the discrepancy between reported and actual internet usage.
11.I talk about using the internet less than I actually do.	This question examines the loss of time awareness while using the internet.
12.I don't realize how much time has passed when I'm online.	This question checks if others have noticed and commented on the respondent's internet use.
13.People around me point out that I use the Internet a lot.	This question evaluates if internet use leads to neglect of important responsibilities.
14.I skip school, academy, or work to go to places where I can use the Internet.	This question assesses the perceived need for external assistance to reduce internet usage.
15.I don't think I can cut back on the internet on my own without help from others.	This question examines if the respondent persists in using the internet despite physical discomfort or health issues.
16.I continue to use the Internet despite feeling ill (e.g., sleep deprivation, eye strain, blurred vision, headaches, hand or back pain).	This question checks the financial impact of internet use.
17.I spend most of my pocket money or paycheck on the internet (e.g., paying for a PC, buying items, etc.).	This question evaluates if internet use causes delays or tardiness in fulfilling commitments.
18.I'm late to school, work, or appointments because I'm using the internet (e.g., school, work, appointments).	This question examines if internet use interferes with regular eating habits.
19. I skip meals or use the internet while eating.	This question assesses if internet use leads to procrastination or neglect of essential tasks.
20.I use the internet instead of doing things I should be doing (e.g., work, homework, chores, etc.).	This question evaluates the preference for online interactions over in-person socialization.
21.I prefer the internet to meeting and socializing with friends.	This question checks if internet use takes precedence over family interactions.
22. I prefer the Internet to spending time with my family.	This question examines if internet use leads to conflicts with family members.
23. I get into fights with my family because I use the internet.	This question assesses if the respondent finds other activities less enjoyable compared to using the internet.

	24. Nothing else is fun except playing on the Internet.	This question evaluates the social impact of internet use on relationships.
	25. I have become distant from my friends and coworkers since using the Internet.	This question checks the respondent's self-assessment of internet addiction.
	26. I think I am addicted to the Internet.	This question assesses the desire to modify internet usage behavior.
	27. I want to change my current Internet habits.	This question evaluates the respondent's perception of excessive internet use.
	28. I think I use the Internet too much.	This column contains the total score summing up responses to all internet usage questions, providing an overall measure of the respondent's internet addiction.
	1.Group scores for Internet Addiction Scale 1 summed up	This column contains the final compiled results of the survey or questionnaire related to internet usage habits.
	Final Results	The final compiled results of the survey or questionnaire.
Smart-phone habits.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Survey skipped	Indicates whether the participant skipped the survey (Yes/No).
	We'd like to learn about your smartphone usage habits. Smartphone use includes all the things you can do with your smartphone, such as "calling, texting, socializing, playing games, surfing the web, and watching videos. Read each statement and check the four boxes that apply to your smartphone usage habits over the past month.	This question assesses the level of preoccupation with smartphone usage in the respondent's daily activities.
	1.I can't stop thinking about my smartphone.	This question evaluates the frequency and habitual nature of checking the smartphone.
	2.I use my smartphone whenever I have a moment.	This question examines if the respondent sacrifices sleep for smartphone use, which can affect overall well-being.
	3. I stay up all night on my phone instead of sleeping.	This question checks if smartphone use interferes with academic or professional responsibilities.
	4.I use my smartphone during class or work (but not for work).	This question evaluates the frequency of checking social networking services and other online activities.
	5.I check my smartphone excessively for social networking services (e.g., KakaoTalk, Facebook, Instagram, etc.), email, blogs, etc.	This question assesses if the respondent requires increasing amounts of smartphone use to achieve satisfaction, indicating potential tolerance.
	6. I need to spend more time on my smartphone to be as satisfied as I used to be.	This question examines the emotional response to being unable to use the smartphone.

7. I get irritable or anxious when I don't have access to my smartphone.	This question evaluates the anxiety associated with not having the smartphone nearby.
8. I feel anxious if my smartphone is not around.	This question checks the level of anxiety related to missing notifications and updates.
9. I feel anxious about new posts, messages, game alerts, etc. if I don't have access to my phone.	This question examines if the smartphone is used as a coping mechanism for negative emotions.
10. When I'm in a bad mood (e.g., angry, irritable, anxious, guilty, etc.), I use my phone to escape it.	This question assesses attempts to limit smartphone use and the difficulty in doing so.
11. I try to reduce my smartphone use, but it doesn't work.	This question evaluates the lack of control over smartphone use.
12. I end up spending more time on my smartphone than I originally planned.	This question examines the discrepancy between reported and actual smartphone usage.
13. I tell people I spend less time on my smartphone than I actually do.	This question checks if others have noticed and commented on the respondent's smartphone use.
14. My parents or family members point out that I use my smartphone a lot	This question assesses the perceived need for external assistance to reduce smartphone usage.
15. I don't think I can cut down on my screen time without help from others.	This question examines if the respondent persists in using the smartphone despite physical discomfort or health issues.
16. I continue to use my smartphone even though it is causing me physical problems (e.g., sleep deprivation, eye strain, blurred vision, headaches, hand or shoulder pain)	This question checks the financial impact of smartphone use.
17. I spend a lot of money on my smartphone (e.g., data plan, purchasing items, etc.).	This question evaluates the loss of time awareness while using the smartphone.
18. I don't know how much time has passed while using my smartphone.	This question examines if smartphone use leads to unsafe behaviors.
19. I often use my smartphone in dangerous situations that could cause an accident (e.g., while driving, walking on the road, etc.)	This question evaluates if smartphone use causes delays or tardiness in fulfilling commitments.
20. I'm often late to school, work, or appointments because I'm using my smartphone (e.g., school, work, appointments, etc.).	This question assesses if smartphone use leads to procrastination or neglect of essential tasks.
21. I use my smartphone instead of doing things I should be doing (e.g., work, homework, etc.).	This question evaluates the preference for online interactions over in-person socialization.
22. I prefer playing on my phone to meeting and socializing with friends.	This question checks if smartphone use takes precedence over family interactions.
23. I would rather play on my smartphone than spend time with my family.	This question examines if smartphone use leads to conflicts with family members.

	24.I have fought with my family about my excessive smartphone use.	This question assesses if the respondent finds other activities less enjoyable compared to using the smartphone.
	25.I have no fun doing anything except playing on my smartphone.	This question checks the respondent's self-assessment of smartphone addiction.
	26.I think I am addicted to my smartphone.	This question assesses the desire to modify smartphone usage behavior.
	27. I want to change my current smartphone usage habits.	This question evaluates the respondent's perception of excessive smartphone use.
	28. I think I use my smartphone too much.	This column contains the total score summing up responses to all smartphone usage questions, providing an overall measure of the respondent's smartphone addiction.
	1.Sum the group scores for the Smartphone Addiction Scale 1	This column contains the final compiled results of the survey or questionnaire related to smartphone usage habits.
	Final Results	The final compiled results of the survey or questionnaire.
CSM.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey End Date	The date on which the participant completed the survey.
	Survey Completion Date	The date on which the participant finished and submitted their survey responses.
	Survey skipped	Indicates whether the participant skipped the survey (Yes/No).
	For each question, please select the answer that best describes your case.	Instructions for respondents to choose the option that most accurately represents their situation for each question.
	1.If you were free to organize your day, what time would you prefer to wake up, taking into account your physical condition?	This question identifies the respondent's preferred wake-up time if they could freely organize their day, considering their physical health and condition.
	2.If you were free to plan your evening activities, what time would you go to bed, taking into account your physical condition?	This question determines the respondent's preferred bedtime if they had complete control over their evening activities, considering their physical condition.
	3.If you slept in ideal conditions, how easy is it for you to get up in the morning?	This question assesses the respondent's ease of waking up in the morning after sleeping in optimal conditions.
	4.How clear do you think your mind is in the first 30 minutes after waking up in the morning?	This question evaluates the respondent's mental clarity within the first 30 minutes after waking up.
	5.To what extent do you feel tired in the first 30 minutes after waking up in the morning?	This question measures the level of tiredness the respondent feels shortly after waking up in the morning.
	6.A friend suggests that you do morning exercise for an hour, twice a week, and that you do it between 7 and 8 a.m.	This question assesses the respondent's ability and willingness to participate in morning exercise between 7 and 8 a.m. if they have no other commitments.

	Assuming you don't have school, work, or other commitments, how well would you be able to do it?	
	7.At what time in the evening do you feel tired and think it's time to go to bed?	This question identifies the time in the evening when the respondent typically feels tired and ready to go to bed.
	8.You want to get the best possible score on a test. If you knew the test would take two hours, and you could choose any time to take the test to feel your best, which of the following would you choose?	This question determines the respondent's preferred time of day for taking a test to perform at their best.
	9.It is said that there are morning people and evening people. Which do you think you are?	This question assesses whether the respondent identifies more as a morning person or an evening person.
	10.Assuming you work an 8-hour day, if you could set your own hours, when would you prefer to wake up?	This question evaluates the respondent's preferred wake-up time for an 8-hour workday if they could set their own schedule.
	11.If you always had to wake up at 6am, how would you feel about that?	This question assesses the respondent's feelings and reactions to consistently waking up at 6 a.m.
	12.How long does it usually take you to "wake up" after sleeping through the night?	This question measures the time it typically takes for the respondent to feel fully awake after a night's sleep.
	13.When are you most active, in the morning or evening?	This question determines whether the respondent feels more active and energetic in the morning or evening.
	1.Sum the scores of questions 1-13 on the combination scale	This field contains the total score summing up responses to all daily routine and preference questions, providing an overall measure of the respondent's daily rhythm and preferences.
	Final Result.	This field contains the final compiled results of the survey or questionnaire related to daily routines and preferences.
SPAQ.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Whether to skip the questionnaire	Indicates whether the participant skipped the survey (Yes/No).
	1.Please enter the appropriate 'month' for the following question (ex. August -> 8). If there is no difference between all months, please enter '0'.	
	1-1.I feel best during the months of the year.	Identifies the month in which the respondent feels their best.
	1-2.I feel the worst in the month of the year.	Identifies the month in which the respondent feels their worst.
	1-3.I eat the most during the month of January.	Identifies the month in which the respondent eats the most.

1-4.I eat the least during the month of January.	Identifies the month in which the respondent eats the least.
1-5.I gain the most weight during the month of January.	Identifies the month in which the respondent gains the most weight.
1-6.I weigh the least during the months of the year.	Identifies the month in which the respondent weighs the least.
1-7.I sleep the most during the moon months of the year.	Identifies the month in which the respondent sleeps the most.
1-8.I sleep the least during the months of the year.	Identifies the month in which the respondent sleeps the least.
1-9.I have the most energy during the moon months of the year.	Identifies the month in which the respondent has the most energy.
1-10.I have the least energy during the moon months of the year.	Identifies the month in which the respondent has the least energy.
1-11.I am most social during the moon months of the year.	Identifies the month in which the respondent is most social.
1-12.I am the least social during the months of the year.	Identifies the month in which the respondent is least social.
2.The following items are to assess the extent to which you change with the seasons. If the year is divided into two periods, summer (April through September) and winter (October through March), to what extent is there a difference between summer and winter in the following areas? Please select a view.	
2-1.Sleeping time (including naps)	Assesses the change in sleeping time between summer and winter.
2-2.Interpersonal relationships (socializing with friends, family, etc.)	Assesses the change in interpersonal relationships between summer and winter.
2-3.Overall mood	Assesses the change in overall mood between summer and winter.
2-4.Weight	Assesses the change in weight between summer and winter.
2-5.Vitality (how much physical and mental energy you have)	Assesses the change in vitality between summer and winter.
2-6.Appetite	Assesses the change in appetite between summer and winter.
3.If you notice seasonal changes in your body and mood, to what extent do you feel this impacts your life negatively or positively? Please check the appropriate box.	Evaluates the perceived impact of seasonal changes on the respondent's life.
4.To what extent does your weight fluctuate during the year?	
5.Please select approximately how many hours you usually sleep in each season (including naps)	Evaluates the extent of weight fluctuation throughout the year.
5-1.Winter	Hours of sleep during winter.
5-2.Spring	Hours of sleep during spring.
5-3.Summer	Hours of sleep during summer.
5-4.Fall	Hours of sleep during fall.

	1.Sum group scores for Seasonality Aspects Scale Question 2	The cumulative scores from the seasonal change assessment.
	2.Scores for question 3 of the Seasonality Aspect Scale	The scores indicating the impact of seasonal changes on the respondent's life.
	Final Results	The final compiled results of the survey or questionnaire.
BRIAN.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Survey skipped	Indicates whether the participant skipped the survey (Yes/No).
	For the questions below, please select the best description of your condition over the past 15 days.	Instructions for respondents to evaluate their condition based on their experiences over the past 15 days.
	Sleep	
	1.Do you have trouble falling asleep at your usual bedtime, and how often?	Assesses the frequency of difficulty in falling asleep at the usual bedtime over the past 15 days.
	2.Do you have trouble waking up at your usual time? How often?	Measures how often the respondent has trouble waking up at their usual wake-up time over the past 15 days.
	3.Do you have trouble getting out of bed after waking up? How often?	Evaluates the frequency of difficulty in getting out of bed after waking up over the past 15 days.
	4.With your usual amount of sleep, do you find it difficult to feel rested (in terms of how well you feel and in performing daily tasks such as driving or working)? How often?	Assesses how often the respondent feels unrested despite their usual amount of sleep, impacting daily tasks over the past 15 days.
	5.Do you find it difficult to stay awake during rest periods? How often?	Measures the frequency of difficulty in staying awake during rest periods over the past 15 days.
	Activity	
	6.Do you find it difficult to stay on task at work? How often?	Evaluates the frequency of difficulty in staying focused on work tasks over the past 15 days.
	7.Do you have difficulty keeping up with your household chores? How often?	Assesses how often the respondent struggles with maintaining household chores over the past 15 days.
	8.Do you have difficulty following a regular routine (e.g., taking the bus or subway to work or exercising regularly)? How often?	Measures the frequency of difficulty in following a regular routine over the past 15 days.
	9.Do you have difficulty performing daily activities on time? How often?	Evaluates how often the respondent has trouble completing daily activities on time over the past 15 days.
	10.Do you have difficulty maintaining your usual sex drive or sexual activity? How often?	Assesses the frequency of difficulty in maintaining usual sexual drive or activity over the past 15 days.
	Social Activities	

	11.Do you have difficulty with interpersonal relationships or communication with significant others? How often?	Measures how often the respondent has trouble with interpersonal relationships or communication over the past 15 days.
	12.Do you overuse electronic devices (TV, internet, etc.) to the point that it interferes with your interpersonal relationships? How often?	Assesses the frequency of overusing electronic devices that interfere with relationships over the past 15 days.
	13.Do you have difficulty coordinating your routine and sleep patterns with your significant others (family, friends, spouse)? How often?	Evaluates how often the respondent struggles to align their routine and sleep patterns with significant others over the past 15 days.
	14.Do you have difficulty getting attention from people who are important to you (family, friends, spouse)? How often?	Measures the frequency of difficulty in receiving attention from important people in the respondent's life over the past 15 days.
	Eating Patterns	
	15.Do you have difficulty scheduling regular meal times? How often?	Assesses how often the respondent struggles to schedule regular meal times over the past 15 days.
	16.Do you skip meals? How often?	Measures the frequency of skipping meals over the past 15 days.
	17.Do you have trouble keeping your portion sizes consistent? How often?	Evaluates how often the respondent has difficulty maintaining consistent portion sizes over the past 15 days.
	18.Do you have difficulty using stimulants (coffee, cola, chocolate, etc.) without overdoing it? How often?	Assesses the frequency of difficulty in using stimulants without excess over the past 15 days.
	Temporal (The following questions are about the past year.)	
	19.I am more active at night in my work and interpersonal relationships.	Measures the respondent's level of activity at night in work and interpersonal relationships over the past year.
	20.I feel more productive in the morning.	Assesses the respondent's sense of productivity in the morning over the past year.
	21.Have your days and nights been reversed?	Evaluates if the respondent's daily schedule has flipped between day and night over the past year.
	1.Biological Rhythms Rating Scale 1 Hidden Group Summation	The total score summing up responses to the questions regarding biological rhythms, indicating overall patterns and tendencies.
	Final Results	The final compiled results of the survey or questionnaire.
Negative_feeling.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Survey skipped	Indicates whether the participant skipped the survey (Yes/No).

For the questions below, please select the best description of your condition over the past 15 days.	Instructions for respondents to evaluate their condition based on their experiences over the past 15 days.
Sleep	
1.Do you have trouble falling asleep at your usual bedtime, and how often?	Assesses the frequency of difficulty in falling asleep at the usual bedtime over the past 15 days.
2.Do you have trouble waking up at your usual time? How often?	Measures how often the respondent has trouble waking up at their usual wake-up time over the past 15 days.
3.Do you have trouble getting out of bed after waking up? How often?	Evaluates the frequency of difficulty in getting out of bed after waking up over the past 15 days.
4.With your usual amount of sleep, do you find it difficult to feel rested (in terms of how well you feel and in performing daily tasks such as driving or working)? How often?	Assesses how often the respondent feels unrested despite their usual amount of sleep, impacting daily tasks over the past 15 days.
5.Do you find it difficult to stay awake during rest periods? How often?	Measures the frequency of difficulty in staying awake during rest periods over the past 15 days.
Activity	
6.Do you find it difficult to stay on task at work? How often?	Evaluates the frequency of difficulty in staying focused on work tasks over the past 15 days.
7.Do you have difficulty keeping up with your household chores? How often?	Assesses how often the respondent struggles with maintaining household chores over the past 15 days.
8.Do you have difficulty following a regular routine (e.g., taking the bus or subway to work or exercising regularly)? How often?	Measures the frequency of difficulty in following a regular routine over the past 15 days.
9.Do you have difficulty performing daily activities on time? How often?	Evaluates how often the respondent has trouble completing daily activities on time over the past 15 days.
10.Do you have difficulty maintaining your usual sex drive or sexual activity? How often?	Assesses the frequency of difficulty in maintaining usual sexual drive or activity over the past 15 days.
Social Activities	
11.Do you have difficulty with interpersonal relationships or communication with significant others? How often?	Measures how often the respondent has trouble with interpersonal relationships or communication over the past 15 days.
12.Do you overuse electronic devices (TV, internet, etc.) to the point that it interferes with your interpersonal relationships? How often?	Assesses the frequency of overusing electronic devices that interfere with relationships over the past 15 days.
13.Do you have difficulty coordinating your routine and sleep patterns with your significant others (family, friends, spouse)? How often?	Evaluates how often the respondent struggles to align their routine and sleep patterns with significant others over the past 15 days.
14.Do you have difficulty getting attention from people who are important	Measures the frequency of difficulty in receiving attention from important people in the respondent's life over the past 15 days.

	to you (family, friends, spouse)? How often?	
	Eating Patterns	
	15.Do you have difficulty scheduling regular meal times? How often?	Assesses how often the respondent struggles to schedule regular meal times over the past 15 days.
	16.Do you skip meals? How often?	Measures the frequency of skipping meals over the past 15 days.
	17.Do you have trouble keeping your portion sizes consistent? How often?	Evaluates how often the respondent has difficulty maintaining consistent portion sizes over the past 15 days.
	18.Do you have difficulty using stimulants (coffee, cola, chocolate, etc.) without overdoing it? How often?	Assesses the frequency of difficulty in using stimulants without excess over the past 15 days.
	Temporal (The following questions are about the past year.)	
	19.I am more active at night in my work and interpersonal relationships.	Measures the respondent's level of activity at night in work and interpersonal relationships over the past year.
	20.I feel more productive in the morning.	Assesses the respondent's sense of productivity in the morning over the past year.
	21.Have your days and nights been reversed?	Evaluates if the respondent's daily schedule has flipped between day and night over the past year.
	1.Biological Rhythms Rating Scale 1 Hidden Group Summation	The total score summing up responses to the questions regarding biological rhythms, indicating overall patterns and tendencies.
	Final Results	The final compiled results of the survey or questionnaire.
Positive_energy.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Whether to skip the questionnaire	Indicates whether the participant skipped the survey (Yes/No).
	This survey is designed to find out about the physical activity people do on a regular basis. It asks about the amount of time you spent being physically active in the past seven days. Please answer each question even if you don't consider yourself active. Please include activities you do at work and at home, activities you do when using transportation, activities you do in your spare time, and exercise or sports.	
	Think about any vigorous activity you have done in the past 7 days. Vigorous physical activity is any activity that involves hard movement and makes you much more out of breath than usual. Please only think of activities that lasted at least 10 minutes at a time.	
	1.In the past 7 days, how many days did you do vigorous physical activity, such as carrying heavy objects, running, aerobics, cycling at a fast pace, etc. (Please enter the number of days.) (If you did not do vigorous physical activity, please enter 0.)	Records the number of days the respondent engaged in vigorous physical activity that involved hard movement and made them much more out of breath than usual. Activities must last at least 10 minutes at a time.

2. On those days, how much time did you usually spend doing vigorous physical activity per day? Please enter in minutes (or enter 0 if you don't know or are unsure).	Records the average amount of time (in minutes) the respondent spent on vigorous physical activity per day on the days they engaged in such activities.
Think about all the moderate physical activity you have done in the past 7 days. Moderate physical activity is any activity that is moderately strenuous and makes you a little more out of breath than usual. Please only think of activities that lasted at least 10 minutes at a time.	
3. In the past 7 days, on how many days did you do moderate physical activity, such as carrying light loads, biking at a moderate pace, or playing doubles tennis? Do not include walking. Please enter the number of days (if you did not engage in moderate physical activity, please enter 0).	Records the number of days the respondent engaged in moderate physical activity that was moderately strenuous and made them a little more out of breath than usual. Activities must last at least 10 minutes at a time.
4. On those days, how much time did you usually spend doing moderate physical activity per day? Please enter in fractions. (If you don't know or are unsure, please enter 0.)	Records the average amount of time (in minutes) the respondent spent on moderate physical activity per day on the days they engaged in such activities.
Think about the amount of time you walked in the last 7 days. Include walking to work, home, and transportation, as well as walking for recreation, sports, exercise, and leisure time.	
5. In the last 7 days, how many days did you walk for at least 10 minutes at a time? Please enter the number of days (enter 0 if you did not engage in vigorous physical activity).	Records the number of days the respondent walked for at least 10 minutes at a time, including walking to work, home, transportation, recreation, sports, exercise, and leisure.
6. On one of those days, how much time did you usually spend walking? Please enter the number of minutes (or enter 0 if you don't know or are unsure).	Records the average amount of time (in minutes) the respondent spent walking on one of those days.
The final question is about how much time you spent sitting during the week in the past 7 days. This includes time spent sitting for school or leisure at work and at home. It also includes time spent sitting at a desk, meeting friends, sitting while reading, and sitting or lying down to watch television.	Records the amount of time (in minutes) the respondent spent sitting during a typical weekday, including time spent sitting for school, leisure, work, at home, at a desk, meeting friends, reading, and watching television.
"7.7. During the past 7 days, on a typical weekday, how much time did you spend sitting down? Please enter in minutes (or enter 0 if you don't know or are not sure)."	
1. Physical Activity Scale 1 High Intensity Days	The total number of days the respondent engaged in high-intensity physical activity.
2. Physical Activity Scale No. 3 Moderate days	The total number of days the respondent engaged in moderate-intensity physical activity.
3. Physical Activity Scale Question 5 Walking days	The total number of days the respondent engaged in walking for at least 10 minutes at a time.

	4.Physical Activity Scale questions 1, 3, and 5 combined	The combined total number of days the respondent engaged in vigorous physical activity, moderate physical activity, and walking.
	5.Physical Activity Scale Question 2 Vigorous Intensity Time (minutes)	The total time (in minutes) spent on vigorous physical activity per day.
	6.Physical Activity Scale Question 4 Moderate Intensity Time (minutes)	The total time (in minutes) spent on moderate physical activity per day.
	7.Physical Activity Scale #6 Walking time (minutes)	The total time (in minutes) spent walking per day.
	8.Physical Activity Scale High Intensity METs	The metabolic equivalent of task (MET) score for high-intensity physical activities.
	9.Physical Activity Scale Moderate-intensity METs	The MET score for moderate-intensity physical activities.
	10.Physical Activity Scale Walking METs	The MET score for walking activities.
	11.Physical Activity Scale MET Total	The total MET score combining high-intensity, moderate-intensity, and walking activities.
	Final Result	The final compiled results of the survey or questionnaire.
Medication.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Survey skipped	Indicates whether the participant skipped the survey (Yes/No).
	The following questions are designed to help us understand your attitudes toward drugs. Please read the statements and select "yes" if you think they are true or "no" if you think they are false. If you can't agree with a statement exactly, please mark the closest answer.	
	1.Medication does more good than harm to me.	Assesses the respondent's perception of the overall benefit versus harm of taking medication.
	2.I get a strange feeling when I take medication, like I'm in a daze.	Evaluates whether the respondent experiences unusual feelings or a sense of being in a daze when taking medication.
	3.I take medication against my will.	Measures if the respondent feels coerced or unwilling when taking medication.
	4.I feel more relaxed when I take drugs.	Assesses if the respondent experiences increased relaxation when taking medication.
	5.I feel tired and sluggish when I take medication.	Evaluates if the respondent feels tired and sluggish as a side effect of taking medication.
	6.I only take medication when I am sick.	Measures if the respondent's medication intake is limited to times of illness.
	7.I feel more normal when I take medicine.	Assesses if the respondent feels more like their normal self when taking medication.
	8.It is unnatural for my body and mind to be controlled by medication.	Evaluates the respondent's belief about the naturalness or unnaturalness of using medication to control their body and mind.

	9. I think more clearly when I take medication.	Assesses if the respondent experiences improved clarity of thought when taking medication.
	10.I will not get worse if I continue to take my medication.	Measures the respondent's belief in the efficacy of medication in preventing the worsening of their condition.
	1.Summing the scores of group 1 of the Drug Attitudes Scale	The total score summing up responses to the above questions, providing an overall measure of the respondent's attitudes towards medication.
	Final Results	The final compiled results of the survey or questionnaire.
CTQ.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Skip questionnaire	Indicates whether the participant skipped the survey (Yes/No).
	The following statements represent experiences you had between you and your parents or other family members before you were 18 years old. Read carefully and circle 1 if you never had such an experience and 5 if you think it always happened.	
	1.I was never fed.	Assesses whether the respondent experienced neglect related to basic needs, specifically food provision.
	2. I had someone who cared and protected me.	Evaluates the presence of a nurturing and protective figure in the respondent's life.
	3.My family made fun of me for being stupid, lazy, stupid, and sick.	Measures experiences of verbal or emotional abuse where family members belittled the respondent.
	4.My parents were too drunk to take care of me.	Indicates the extent to which substance abuse by parents interfered with their caregiving ability.
	5.There was someone in my family who made me feel important and special.	Assesses if the respondent had a family member who provided positive reinforcement and emotional support.
	6. I used to dress dirty.	Evaluates the level of neglect in terms of physical care, specifically personal hygiene and appearance.
	7. I felt loved and cared for.	Measures the respondent's sense of being loved and nurtured by their family.
	8. My parents said they wished I had never been born.	Indicates verbal abuse where parents expressed regret or resentment about the respondent's existence.
	9.I have been to the pharmacy or hospital because someone in my family was beaten badly.	Assesses exposure to domestic violence where family members required medical attention.
	10.My family was very happy and there was nothing that needed to change.	Evaluates the respondent's perception of a positive, harmonious family environment.
	11.One of my family members has hit me so hard that I have cuts and bruises.	Indicates experiences of physical abuse resulting in visible injuries.

12.I have been beaten with a hard object, such as a whip, belt, or wooden stick.	Assesses the severity of physical abuse through specific instances involving objects.
13.My family took good care of each other.	Measures the presence of mutual care and responsibility within the family unit.
14.I had a family member who said offensive or hurtful things to me.	Indicates verbal or emotional abuse involving offensive language directed at the respondent.
15.I have been physically abused.	General measure of whether the respondent has experienced physical harm at the hands of family members.
16. My childhood was unremarkable in the South.	A context-specific question that might assess a sense of normalcy or lack of trauma in a particular setting.
17. I have been beaten so badly that teachers, neighbors, or relatives noticed.	Indicates the severity of physical abuse to the extent that others observed the harm.
18.There is someone in my family who hates me.	Measures the presence of negative and hostile emotions directed toward the respondent within the family.
19. Everyone in my family was close.	Assesses the respondent's sense of family closeness and bonding.
20.I have had someone touch my genitals or make me touch their genitals.	Evaluates instances of sexual abuse involving inappropriate physical contact.
21.Someone threatened to hurt me if I didn't do something sexual as they told me to do.	Indicates coercive sexual abuse, where threats were used to manipulate the respondent.
22. My family was the best thing in the world.	Assesses the respondent's positive view of their family environment.
23. Someone made me do sexual acts or look at sexual magazines or videos.	Evaluates exposure to sexual abuse, including forced involvement in or exposure to sexual material.
24. Someone (of the opposite sex) flirted with me sexually.	Indicates sexual harassment or inappropriate interactions from an adult or peer.
25. I was emotionally abused.	General assessment of emotional abuse experiences.
26.My family took me to the doctor when I was sick.	Measures the level of care and responsiveness to the respondent's health needs.
27. I was sexually abused.	General assessment of experiences involving sexual abuse.
28.My family gave me strength and supported me.	Assesses whether the respondent felt supported and empowered by their family.
Childhood Trauma Scale Factor 1. Summing the Emotional Neglect Scores	Sum of responses indicating a lack of emotional support, care, and basic needs provided by family members.
2.Childhood Trauma Scale Factor 2. Total Physical Abuse Scores	Total of responses related to experiences of physical harm inflicted by family members.
3.Childhood Trauma Scale Factor 3. Sexual Abuse Total Score	Sum of responses that pertain to instances of sexual abuse or exploitation experienced by the respondent.
4.Childhood Trauma Scale Factor 4. Emotional Abuse Scores Summed	Sum of responses that reflect experiences of verbal and emotional mistreatment by family members.
5.Childhood Trauma Scale Factor 5. Physical Neglect Scores Summed	Total of responses related to neglect in providing basic physical care, including hygiene, food, and medical attention.
Final Results	The final compiled results of the survey or questionnaire.

Positive_feeling.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Skip Questionnaire	Indicates whether the participant skipped the survey (Yes/No).
	Below are questions about your spiritual well-being (sense of well-being). As you read through each statement, please circle "v" for the statement that you think applies to you. Please note that the gods listed in the questions are not necessarily the gods of any particular religion, so if you are not religious, please think of the absolute.	
	1.I don't get much satisfaction from private prayer with God.	Measures satisfaction derived from private prayer.
	2.I don't know who I am, where I came from, or where I'm going.	Measures sense of identity and direction in life.
	3.I believe that God loves and cares for me.	Measures belief in a caring and loving deity.
	4. I feel that life is a positive experience.	Measures overall perception of life as positive.
	5. I believe that God is not personal to me and does not care about my daily life.	Measures belief in an impersonal deity.
	6. I feel anxious about my future.	Measures anxiety about the future.
	7. I have a deep, personally meaningful relationship with God.	Measures depth and personal meaning of the relationship with God.
	8. I feel fairly fulfilled and satisfied with my life.	Measures overall life satisfaction.
	9. I don't get much personal strength and support from my God.	Measures perceived strength and support from God.
	10.I feel a sense of well-being (happiness) about the direction of my life.	Measures happiness about life's direction.
	11. I believe that God cares about my problems.	Measures belief in God's concern for personal problems.
	12.I do not enjoy life very much.	Measures overall enjoyment of life.
	13.I do not have a personally satisfying relationship with God.	Measures satisfaction with the relationship with God.
	14. I am optimistic (positive) about my future.	Measures optimism about the future.
	15.My relationship with God helps me feel less alone.	Measures the effect of the relationship with God on feelings of loneliness.
	16.I feel that life is full of conflict and unhappiness.	Measures perception of life as conflicted and unhappy.
	17.I feel most fulfilled when I am in deep conversation with God.	Measures fulfillment from deep conversations with God.

	18.Life does not give me much meaning.	Measures the perceived meaninglessness of life.
	19.My relationship with God contributes to my sense of well-being (happiness).	Measures the impact of the relationship with God on well-being.
	20.I believe that there is some true purpose to my life.	Measures belief in life's true purpose.
	1.Spiritual Well-Being Scale Group 1 Scores Totaled	The total score of the respondent's answers to the statements, representing their overall spiritual well-being.
	Final Result	The final compiled results of the survey or questionnaire.
Negative_energy.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Survey skipped	Indicates whether the participant skipped the survey (Yes/No).
	As you read each statement, please check the box that you feel applies to you.	
	1.I experience spiritual things (transcendent, absolute, universal power, God, True Self, etc.) beyond the body and mind.	Measures experiences of spiritual phenomena beyond physical and mental realms.
	2.I communicate with spiritual things (transcendent, absolute, universal power, God, True Self, etc.)	Measures communication with spiritual entities or forces.
	3.I practice the will of a spiritual being (transcendent, absolute, universal power, God, True Self, etc.) in my life.	Measures the extent to which respondents follow the guidance of a spiritual being.
	4.I commune deeply with a spiritual being (transcendent, absolute, universal power, God, True Self, etc.).	Measures deep communion with spiritual entities.
	5.I find meaning in life through a spiritual source (transcendent, absolute, cosmic power, God, True Self, etc.) when I am discouraged.	Measures finding meaning through spiritual sources during times of discouragement.
	6.I have an encounter with a spiritual power (transcendent, absolute, universal power, God, True Self, etc.).	Measures encounters with spiritual powers.
	7.I feel fulfilled when I have an encounter with something spiritual (transcendent, absolute, universal power, God, True Self, etc.).	Measures fulfillment from spiritual encounters.
	8.I seek the spiritual (transcendent, absolute, universal power, God, True Self, etc.) without regard to circumstances or situations.	Measures the pursuit of spiritual experiences regardless of external conditions.

	9.I immerse myself in a spiritual being (transcendent, absolute, universal power, God, True Self, etc.).	Measures immersion in spiritual entities or forces.
	10.I overcome challenges because of a spiritual being (transcendent, absolute, universal power, God, True Self, etc.).	Measures overcoming challenges through the support of spiritual entities.
	11.I find meaning in life beyond myself or my circumstances through something spiritual (transcendent, absolute, universal power, God, True Self, etc.).	Measures finding meaning beyond personal circumstances through spirituality.
	12.I strive to find my spiritual self.	Measures the effort to discover one's spiritual identity.
	1.Spirituality Scale Group 1 scores totaled	The total score of the respondent's checked statements, representing their overall spiritual well-being.
	Final Result	The final compiled results of the survey or questionnaire.
Annoying.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Survey skipped	Indicates whether the participant skipped the survey (Yes/No).
	Please read each statement and select the answer that best describes your condition.	
	1.I often don't know how I am feeling right now.	Measures current awareness of personal emotions.
	2.Sometimes I have trouble finding the right words to describe my feelings.	Measures difficulty in articulating emotions.
	3.I have sensations in my body that are difficult for doctors to understand.	Measures physical sensations that are challenging to explain medically.
	4.I can easily express my feelings to others.	Measures ease of emotional expression.
	5.I tend to analyze problems rather than describe them.	Measures preference for problem analysis over emotional description.
	6.When I am very upset, I sometimes don't know whether I am sad, surprised, or angry.	Measures confusion in identifying specific emotions when upset.
	7.You often panic when you feel strange sensations in your body.	Measures tendency to panic in response to unusual physical sensations.
	8.When something happens, you tend to let it go rather than trying to figure out why it happened.	Measures tendency to move on from events without analyzing them.
	9.I have feelings (emotions) that I don't know how to describe.	Measures difficulty in describing emotions.
	10.I think it is very important to feel emotions.	Measures the value placed on experiencing emotions.
	11.I find it difficult to explain my feelings to others.	Measures difficulty in communicating emotions to others.

	12. Other people encourage me to express my feelings more.	Measures external encouragement to express emotions.
	13. I am not sure what is going on in my heart.	Measures uncertainty about personal emotional state.
	14. I often don't know why I am angry.	Measures difficulty in identifying the cause of anger.
	15. I prefer to talk about other people's daily activities rather than how they feel.	Measures preference for discussing activities over emotions.
	16. I prefer light entertainment movies to serious dramas.	Measures preference for lighter entertainment over more emotionally intense content.
	17. I find it difficult to tell my true feelings, even to my closest friends.	Measures difficulty in sharing true feelings with close friends.
	18. I can feel close to someone even if we don't say anything to each other.	Measures ability to feel closeness without verbal communication.
	19. I find it helpful to reflect on my feelings when solving my own problems.	Measures the perceived helpfulness of reflecting on emotions for problem-solving.
	20. Thinking about the hidden meaning of a movie or play makes it less interesting.	Measures interest in analyzing deeper meanings in media content.
	1. Total group scores on the Inability to Express Emotions Scale 1	The total score of the respondent's answers to the statements, representing their overall ability to express emotions.
	Final Results	The final compiled results of the survey or questionnaire.
31 Exercise.xlsx	Non-identifying keys	Unique identifiers for participants, ensuring anonymity while tracking data.
	Survey Start Date	The date on which the participant began the survey.
	Survey end date	The date on which the participant completed the survey.
	Survey completion date	The date on which the participant finished and submitted their survey responses.
	Whether to skip the questionnaire	Indicates whether the participant skipped the survey (Yes/No).
	This questionnaire is about how you feel about your quality of life, health, and different areas of your life. Please answer all questions without skipping any. If you are unsure about the answer to a question, choose the answer that seems most appropriate. Think about your norms, hopes (wishes), joys, and interests. This questionnaire is asking you how you feel about your life in the last two weeks (including today).	
	Read each of the following questions, assess how you feel, and choose the answer that best describes you.	
	1. How would you rate your quality of life?	Measures overall perceived quality of life.
	2. How satisfied are you with your health?	Measures satisfaction with personal health.
	The following questions ask how many of the following things you have experienced in the past two weeks (including today).	
	3. To what extent do you feel that (physical) pain prevents you from doing the things you need to do?	Measures the impact of physical pain on daily activities.

4.How much treatment do you need to function well in your daily life?	Measures the amount of medical or therapeutic treatment required.
5.To what extent do you enjoy your life?	Measures enjoyment of life.
6.Do you feel that your life is meaningful?	Measures the perceived meaningfulness of life.
7.To what extent are you able to concentrate well?	Measures ability to concentrate.
8.To what extent do you feel safe in your daily life?	Measures feelings of safety.
9.How healthy of a living environment do you live in?	Measures the healthiness of the living environment.
The following questions ask about how fully you have experienced or been able to do certain things in the past two weeks (including today).	
10.Do you have enough energy for your daily activities?	Measures energy levels for daily activities.
11.Are you satisfied with your physical appearance?	Measures satisfaction with physical appearance.
12.Do you have enough money to meet your needs?	Measures financial sufficiency.
13.To what extent is it easy for you to get the information you need in your daily life?	Measures ease of accessing necessary information.
14.To what extent do you have opportunities for leisure (recreational) activities?	Measures availability of leisure opportunities.
15.How well are you able to get around?	Measures mobility and ability to navigate daily environments.
These are questions about how satisfied, happy, and good you have been in various areas of your life in the past two weeks (including today).	
16.How satisfied are you with your sleep (sleeping well)?	Measures satisfaction with sleep quality.
17.How satisfied are you with your ability to perform activities of daily living?	Measures satisfaction with performing daily activities.
18.How satisfied are you with your ability to work?	Measures satisfaction with work ability.
19.How satisfied are you with yourself?	Measures overall self-satisfaction.
20.How satisfied are you with your personal interpersonal relationships?	Measures satisfaction with personal relationships.
21.How satisfied are you with your sex life?	Measures satisfaction with sexual life.
22.How satisfied are you with the support you receive from your friends?	Measures satisfaction with social support from friends.
23.How satisfied are you with the condition of the place where you live?	Measures satisfaction with living conditions.
24.How satisfied are you with the ease with which you can get medical care?	Measures satisfaction with access to medical care.

25.How satisfied are you with the transportation you use?	Measures satisfaction with transportation options.
The following questions ask about how often you have experienced or felt threatened by things like, for example, needing help from your family or friends, or feeling unsafe.	
26.How often do you feel negative emotions such as low mood, hopelessness, anxiety, or depression?	Measures frequency of negative emotions.
1.Physical Health Total Raw Score	Total score for questions related to physical health.
2.Psychological health composite raw score	Total score for questions related to psychological health.
3.Social Relationships Total Raw Score	Total score for questions related to social relationships.
4.Environmental health composite raw score	Total score for questions related to environmental health.
5.Overall health summed raw score	Total score for all health-related questions.
6.Physical Health Product Score	Calculated product score for physical health.
7.Psychological Health Product Score	Calculated product score for psychological health.
8.Social Relationships Product Score	Calculated product score for social relationships.
9.Environmental Health Product Score	Calculated product score for environmental health.
10.Overall Health Product Score	Calculated product score for overall health.
11.Physical Health Score	Final score for physical health.
12.Psychological Health Score	Final score for psychological health.
13.Social Relationships Score	Final score for social relationships.
14.Environmental Health Score	Final score for environmental health.
15.Overall Health Score	Final score for overall health.
Final Results	The final compiled results of the survey or questionnaire.