

A Level Computer Science

H446/01 Computer Systems

Friday 16 June 2017 – Morning

Time allowed: 2 hours 30 minutes



Do not use:		
 a calculator 		



First name	
Last name	
Centre number	Candidate number

INSTRUCTIONS

- Use black ink.
- Complete the boxes above with your name, centre number and candidate number.
- · Answer all the questions.
- Write your answer to each question in the space provided. Additional paper may be
 used if required but you must clearly show your candidate number, centre number and
 question number(s).
- Do **not** write in the barcodes.

INFORMATION

- The total mark for this paper is **140**.
- The marks for each question are shown in brackets [].
- Quality of extended responses will be assessed in questions marked with an asterisk (*).
- · This document consists of 28 pages.

Answer all questions.

An	An architect firm specialises in designing skyscrapers.				
(a)		The firm uses high end computers with high performance CPUs, GPUs and large amounts of RAM.			
	(i)	Give one use the firm might have for GPUs.			
		[1]			
	(ii)	Describe what is meant by the term 'RAM'.			
		[2]			
	(iii)	State one characteristic a high performance CPU might have.			
		[1]			
(b)	Eac	ch computer has a multi-tasking operating system installed.			
	(i)	State the name of and describe two methods that the operating system can use to divide the contents of RAM.			
		Method 1			
		Name			
		Description			
		Method 2			
		Name			
		Description			

[4]

1

	(ii)	Explain, giving an example, why the firm's computers use operating systems capable of multi-tasking.
		[2]
(c)	The	computers in the office are connected to a LAN which is connected to the Internet.
	(i)	The LAN is set up in a client-server network.
		Give one advantage and one disadvantage to the architects' firm of a client-server set up rather than a peer to peer setup.
		Advantage
		Disadvantage
		[2]
	(ii)	The LAN is connected to the Internet via a firewall. Describe the term 'firewall'.
	(iii)	State why the architects' firm would use a firewall.
		[1]

2	A coach	company	offers	tours	of the	IJK
_		Company	Olicis	touis	OI LIIC	UIV.

Oxford

London

(a)	A linked list stores	the names of cities on a	a coach tour in the	order they are	visited
(a)	A III INCU IISI SIOI CS	the harres of cities of the	a coacii toui iii tiic	Oldel they are	violicu.

Describe what is meant by the term 'linked list'.

Birmingham

Manchester null

(ii) The tour is amended. The new itinerary is: London, Oxford, Manchester then York. Explain how Birmingham is removed from the linked list and how York is added. You may use the diagram below to illustrate your answer.

London Oxford ■ Birmingham ■ Manchester	null
	[4]

The program stores records about its customers.

the Customer ID. Explain why a hash table is better suited than a linked list to store to customer records, particularly as the company acquires more customers.	_
	[4]

A charitable organisation is trying to make the works of William Shakespeare available to more

(a)	dow	organisation decides to make a copy of Shakespeare's entire works available as a inloadable text file from its website. It further decides to compress the file before making it ilable to download.
	(i)	State an advantage to the website's visitors of the file being compressed.
		F41
	(ii)	Explain why the company should use lossless and not lossy compression.
		[3]
(b)*		organisation looks at using either run length encoding or dictionary encoding to compress file described in part (a) .
		cuss the two compression methods and justify which you would recommend. You may r to the extract of text below to illustrate your argument.
	Ву а	at's in a name? that which we call a rose any other name would smell as sweet; Romeo would, were he not Romeo call'd, [12]

3

people.

		8
4	A ci	nema offers discounted tickets, but only under one of the following conditions: Customer is under 18 and has a student card. Customer is over 60 and has ID which proves this.
	Let:	
	A be	e Customer is under 18
	B b	e Customer has a student card
	C b	e Customer is over 60
	D b	e Customer has ID
	Q b	e Discount ticket issued
	(a)	Complete the Boolean expression below:
		Q =
		[3
	(b)	The cinema has a voucher which promises free popcorn when the voucher is produced whils buying a soft drink or bottle of water.
		Let:
		E be Voucher is shown
		F be Soft drink is bought

G be Bottle of water is bought

R be Free popcorn given.

This could be written as:

$$\mathsf{R} \equiv (\mathsf{E} {\wedge} \mathsf{F}) \vee (\mathsf{E} {\wedge} \mathsf{G})$$

(i) Complete the truth table below.

E	F	G	(E∧F)	(E∧G)	(E∧F)∨(E∧G)
1	1	1			
1	1	0			
1	0	1			
1	0	0			
0	1	1			
0	1	0			
0	0	1			
0	0	0			

			0	0	0						
	(ii)	Simplif	y the	exp	ressi	on					[4]
		(E∧F) `	√ (E/	\G)							
											[2]
film	5 da		ore th	ne re	eleas	e date via a			ws cinemas t wants to en		
(c)	Des earl		ne te	echn	ical ı	measure the	e studio cou	ıld use to	ensure that	films are no	ot showr

© OCR 2017 Turn over

5	(a)	Below is part of a program written using the Little Man Computer instruction set. This section
		of code can exit by either jumping to the code labelled pass or fail depending on what
		value is in the accumulator when the code is run.

test	SUB	ten
	BRZ	pass
	BRP	test
	BRA	fail
ten	DAT	10

(i)	Explain what the line ten DAT 10 does.

(ii) Complete the table below determining whether the program branches to pass or fail given the following values in the Accumulator when it is run.

Starting value in Accumulator	pass or fail
29	
30	
31	

[3]

(b)	The	con	nplete p	rogram is show	n below:						
			INP								
	mai	n	STA	entry							
			BRA	test							
	fai	1	LDA	entry							
			ADD	one							
			BRA	main							
	tes	t	SUB	ten							
			BRZ	pass							
			BRP	test							
			BRA	fail							
	pas	S	LDA	entry							
			OUT								
			HLT								
	ent	ry	DAT								
	ten		DAT	10							
	one		DAT	1							
	(ii)		ınter.	struction in the	program tha	 ecuted, c	changes	the val	ue in t	the Pro	gram
	(iii) (iv)			alue the code o		 					[1]
	(v)	 Des	scribe th	e purpose of th							

.....[2]

(a)	(i)	Convert the denary number 188 to an unsigned 8-bit binary number.
	(ii)	Convert the denary number 188 to hexadecimal.
		[1]
(b)	(i)	Convert the denary number -44 to an 8-bit binary number with sign and magnitude representation.
		[1]
	(ii)	Convert the denary number -44 to an 8-bit binary number with two's complement representation.
		F41
		[1]
(c)	Exp	lain how, using bit shift, the unsigned binary number 00101100 can be divided by 4.
		[2]

(d)	Demonstrate subtraction on the two numbers below, both stored in normalised floating point format, using 6 bits for their mantissa and 4 for their exponent. Show the result in the same format. Show your working.
	010010 0100 - 010010 0010
	[6]

- 7 A web forum stores all its content in a database.
 - (a) The forum stores details of its users in the table called Users. An extract of Users is shown below.

userID	username	passwordHash	locked
1	Zeus	8dfa46a79248037752bba6166fcb34f8	1
2	Hera	74d39d60507eb55e000c6ec5c1265891	0
3	Poseidon	b015d770d0208ddcce2c2c719fe29371	0

	Des	cribe what is meant by the term 'primary key', giving an example from the table above.
		[2]
(b)		user's password is passed to a function that generates a hash and the result is stored in swordHash.
	(i)	Describe what is meant by the term 'hash'.
		[1]
	(ii)	Describe one advantage to storing the password as a hash.
		[2]

(c)	Write an SQL statement to get just the passwordHash and locked values of the user Apollo.
	[3]
(d)	Sometimes users can have their accounts locked if they behave inappropriately. When this is the case the $locked$ field is set to 1 rather than 0.
	Write an SQL statement that locks the account of the user Hades
	[3]

(e)	The function checkAccess takes in the password the user has entered (givenPassword) along with the password hash (passwordHash) and locked value (locked).
	passwordHash and locked have already been extracted from the database before being passed to the function. It should return the value true if a user should be allowed access to a system and false if they aren't.
	Your function should make use of the pre-written function $hash()$ which takes in a string and returns the hash of that string.
	e.g.
	hash("Hello") returns f7ff9e8b7bb2e09b70935a5d785e0cc5d9d0abf0
	Complete the function checkAccess.
	function checkAccess(givenPassword, passwordHash, locked)

endfunction

D:	use whether or not you garee with this statement
וט	uss whether or not you agree with this statement.
•••	
•••	
• • •	
•••	
• • •	
• • •	

9 A website contains the following HTML:

```
<html>
<head>
   <title>Boris' Cake Shop</title>
   <link rel="stylesheet" type="text/css" href="style.css">
</head>
<body>
   <h1>Boris' Cake Shop</h1>
   Welcome to Boris' cake shop.
      <script>
         var hour = new Date().getHours();//gets the hour value of the
current time
         if (hour>9 && hour<17)
            document.write("We are currently open.");
         else
            document.write("We are closed, come visit us when we are
open (09:00 - 17:00).");
      </script>
   <div class="customerQuote">
      Boris makes the best cupcakes I have ever tasted.
   </div>
</body>
</html>
(a) Explain the difference between a HTML id attribute and a HTML class attribute.
```

(b)	The	html file is linked to the CSS file style.css					
	Text	between h1 tags should be in the font Arial.					
	The	customer quote should be on a background with the colour E8C3E1.					
	The	introduction text should be dark red (using the named colour darkRed).					
	Write	e the code that should go in style.css to give this formatting.					
		[ı	6]				
(c)		code between the script tags is supposed to display a different message during the o's opening hours of 09:00 and 17:00.	ıe				
	(i)	State the name of the language used between the script tags.					
		[1]				
	Some users have reported that there is a bug and the site says the shop is closed when they log on between 9 and 10 in the morning.						
	(ii)	Explain how this bug can be fixed.					
			1]				
	(iii)	Give one disadvantage of this code being run client side rather than server side.					
		[

10	Asc	oftware development team is writing a word game.
	The	team is using Rapid Application Development.
	(a)	Describe the Rapid Application Development process.
		[4]
	lette	vers are given 10 random letters and asked to find the largest word they can make from those ers. Each letter can only be used once. The length of the word determines the number of points arded. e.g. a word with 6 letters would mean 6 points are awarded.
	play from doe	function validateAnswer takes in the randomLetters as an array of letters and the ver's answer as a string. It then checks if the word the player has entered only contains letters in the 10 random letters with each letter being used only once. (At this stage the program sn't check if the answer provided is an actual word.) It then returns a score, out of 10, for a dword or 0 for an invalid word.
	Exa	mple
	If th	e random letters are
	OPX	CMURETN
	The	word COMPUTER returns 8
	Whe	ereas
	The	word POST returns 0 (there is no S in the random letters).
	And	
	The	word RETURN returns 0 (there is only one R in the random letters).

	21
(b)	Complete the function validateAnswer
	<pre>function validateAnswer(answer, randomLetters[])</pre>
	endFunction
	[6]

(c) Code is to be added to check if the word is an actual English word. All English words are stored in a binary search tree.

Give **one** advantage of storing the words in a binary search tree over an array.

[1]

(d) The software team use a prebuilt library to create the Graphical User Interface.

(i)	Give two advantages to the software team of using a library.
	1
:	2
	[2]

u	he library becomes part of the finished program, justifying why each stage is necessar
•	
•	

11 A half adder has the truth table shown below:

Α	В	Sum	Carry
1	1	0	1
1	0	1	0
0	1	1	0
0	0	0	0

(a) Draw a half adder using logic gates.

(b) Draw the logic gates represented by the Karnaugh Map below. Show your working.

			AB		
		00	01	11	10
	00	1	1	0	0
CD	01	1	1	0	0
	11	0	0	1	1
	10	0	0	1	1

[4]

END OF QUESTION PAPER

26 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

27 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

PLEASE DO NOT WRITE ON THIS PAGE



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

 $For queries \ or \ further \ information \ please \ contact \ the \ Copyright \ Team, \ First \ Floor, 9 \ Hills \ Road, \ Cambridge \ CB2 \ 1GE.$

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© OCR 2017