Small function track · declaration

DECLARED

Reference	SFT-2026-01
Prepared by	sole researcher
Reports to	none; independent researcher with no reporting line
Registered	2026-10-12
Completed	2026-10-12
Printed	2026-10-12
Check code	`387a9f9dc1fb0b99ea3acab72b0f7137b3430eae3e765364ca679e4dcb290df1`
Code sent to	the public, via a post on the repository's Discussions page ("Declarations"), 2026-10-12

Declared is a self-description of the engagement's conditions, not a conformity claim. Attach to the technical documentation for the system under review, alongside the instructions for use.

1 · Engagement, dates

Subject	Recode of the frontier safety frameworks in the Zenodo dataset (10.5281/zenodo.22004430) against the coding frame fixed on 2026-10-12. A keyword search returns the candidate passages; a language model proposes a code for each; the researcher accepts, changes or rejects every one
Scope agreed	2026-10-12
Work starts	2026-10-12, 1 session of about 2 hours
Period under review set by	the function: the researcher sets the snapshot date of the documents

2 · Function

One researcher, independent, unpaid by any developer in the sample

3 · In scope / out of scope

In: All frameworks in the dataset as published on the snapshot date; every code in the frame, including the added code capability_operationalized; the authority condition recorded as a separate code

Out: Framework versions published after the snapshot date; how any framework operates inside the developer; whether any framework works; other developer documents (model cards, system cards, blog posts)

4 · Evidence against time

Volume	Time	Budget or credits
7 framework documents; 57 coded passages	1 session of about 2 hours	None beyond a model subscription paid by the researcher

No ratio is computed.

5 · Portion delegated, to what

Read end to end by a person	Read by a tool only	Spot-checks planned
every passage returned by the keyword search; 57 passages	the remainder of each document, searched by keyword and not read	Calibration: all passages, coded by the researcher before the model is run; disagreement rate recorded

Tools: A keyword search over all seven documents with the term list from the first pass; a language model given the frozen frame as instruction and asked to propose one code per passage; a spreadsheet for the code log. Relation of the tools to the subject: The model is built by one of the developers whose framework is in the sample. Its output on that developer's own document is not neutral evidence.

6 · Verification of that work

Every model-proposed code is read against the source passage by the researcher before acceptance. All passages are coded blind first, and the disagreement rate between blind codes and model-assisted codes is published with the recode. No second human coder is available; this is stated, not proxied. Passages that use other words for the same thing are not returned by the search and are not coded; the term list is published.

7 · What would have prevented detection

9 applying · 1 none known · 0 not considered.

Route	Answer	How
Communication outside the captured record	applies	Developers hold internal versions and practices that the published frameworks do not show. The recode reads what is published and claims nothing about the rest
Incompleteness of the captured record	applies	The sample is the frameworks public on the snapshot date. Developers without a published framework, and revisions after that date, are outside it. So are passages that use words not on the term list
Records altered by the subjects	applies	Developers revise frameworks in place, often without version numbers. The dataset records the snapshot date and keeps the copy coded
Deletion after the fact	applies	Earlier versions are withdrawn from developer sites. Archived copies are used where they exist and their source is recorded
Error by the analysis tool	applies	Model-proposed codes carry an error rate. Every code is reviewed by the researcher; the calibration subset measures the residual disagreement
Bias of the analysis tool	applies	A model built by one developer in the sample may read that developer's framework more favourably. Codes on that document are checked in full by hand
Deception by the analysis tool	applies	The model's developer is a subject of the study. Its proposals on its own developer's document are treated as prompts to read, never as evidence
No access to the primary subject	applies	The study reads documents. It has no access to how any framework is applied inside the developer, and makes no claim about that
Scope set by the subject	applies	Each developer decides what its framework publishes. What a framework omits cannot be found by reading it; absence of a code means absence from the text

Editorial control by the subject	*none known*	No developer reviews the frame, the term list, the codes or the paper before publication

Absence of a known route is not evidence there was none: it means the team did not find one. A route not considered was not examined.

8 · Independence available

Structural: Unpaid by any developer in the sample; no employment or advisory relationship with any; right to publish. Operational: None: the same person fixed the frame, runs the coding and reads the result. Tooling: Model supplied by one of the subjects, on a subscription paid by the researcher.

8a · Registered condition to decline

If blind codes and model-assisted codes disagree on more than 20% of the calibration passages, the recode is reported as not completed and the first-pass codes stand. If the frame or the term list changes during the pass, the pass stops and is re-registered before restarting

9 · Status

Declared. Basis: Limits published in full: one researcher, no second coder. Keyword-first search, term list published; passages worded outside the list not coded. Model built by one of the subjects; its proposals treated as prompts, not evidence; every accepted code read against its passage. Calibration: all 57 passages across 7 documents were blind-coded before the model was run, as registered; 0 of 57 blind codes differed from the model-assisted code. Zero differences shows agreement between this coder and the model on these passages; it does not show that an independent coder would reproduce them, and a reader cannot distinguish full agreement from an unexercised review. The blind codes and the model proposals are both published. The condition in 8a was not met.

10 of 10 fields stated.

10 · What it does not support

Any claim that a second, independent coder would reproduce these codes. Any claim about passages the term list did not return. Any claim about how a framework is applied inside the developer, or whether it works. Any claim that the model’s proposals were correct beyond the 57 passages reviewed. Any claim that a reader of the paper can tell, from the paper alone, whether a given passage was coded wrong.

About the check code. A code computed from the registered text (SHA-256 of the header and fields 1 to 8a, as saved in the record file). If any registered field is changed, the code no longer matches. It shows the text was not altered after registration; it does not show when it was registered or whether it is true. The date becomes checkable when the code is sent to someone outside the function on the day it is computed; a dated email, ticket or public post is enough.

Purpose limitation: this is a control-design format. It creates no performance data about individuals and supports no inference about anyone's competence. The values supported, recorded, qualified and not determined belong to a full round and do not apply here. Roles, not names, appear on this document. Format: supervisory-capacity-assessment repository (dturkina99), CC BY 4.0; the format is provided for information and is not legal, compliance or audit advice. The content of this document is the preparing organisation's own. Assembled with the document builder, version 0.1 · 2026-10-12, which computes no results; counts shown are of entries made in it.