Smart Contracts for e-Learning

Tsz Yiu Lam

1443964

Supervisor: Dr. Brijesh Dongol

Department of Computer Science
Brunel University London

A report submitted in partial fulfillment of the requirements for the degree of
BSc (Hons) Business Computing

Academic Year 2017 - 2018

I would like to dedicate this paper to Mum, Dad, Vivien, Viviana and Jorden.

Abstract

The properties of a distributed ledger could bring new features to e-Learning. Properties such as immutability and peer executed smart contracts could bring a new level of trust, transparency and personalisation to the education market.

This project focused on features that would improve the experiences of students and teachers in assessments, and curriculum personalisation. They were identified as two of the key concerns in the current UK higher education industry that can be improved by a distributed ledger powered e-Learning platform.

The logic of the smart contracts and data models for such a platform were proposed. A working prototype was also developed based on the IBM Hyperledger Composer project.

Acknowledgements

I would like to acknowledge the people listed below (in alphabetical order) for their time and effort spent on helping me complete the project:

- Dr. Fang Wang
- Prof. Rob Macredie

The formatting of this report is done by branching Krishna Kumar's Cambridge University Engineering Department PhD thesis LaTeX template on GitHub, and with referrence to a Microsoft Word template provided by Dr. Simon Kent.

Declaration

I hereby declare that except where specific reference is made to the work of others, the contents of this dissertation are original and have not been submitted in whole or in part for consideration for any other degree or qualification in this, or any other university. This dissertation is my own work and contains nothing which is the outcome of work done in collaboration with others, except as specified in the text and Acknowledgements.

Tsz Yiu Lam

1443964

Academic Year 2017 - 2018

Table of contents

List of figures

List of tables

Chapter 1

Introduction

The global e-Learning industry already generates US$60 billion per year, and by 2019, over half of all courses will be taken online (Pantò and Comas-Quinn, 2013, p.17). This rising trend presents an opportunity to improve higher education.

Some current problems in higher education are related to transparency. [TODO: what is transparency?] Tension exists between the educational provider and the learners over assessments. "There is abundant evidence that assessors are not particularly good at making exams valid, reliable, or transparent to students." (Brown Jr, 1999, p.62).

There is also a lack of curriculum personalisation for higher education learners in the UK [TODO: due to..., ref Rob] Condie and Munro (2007) pointed out that the personalisation of the education curriculum for learners helps "overcome barriers, raising self-esteem and achievement". Current web, mobile and computer technologies today can provide more personalisation of education curricula, but lacks [TODO: common marketplace? promise of delivery? transparency for employers?]

Being able to deliver education curricula and conduct assessments in a transparent, conflict-free way would be central to a future e-Learning marketplace that is open, trusted

and autonomous. This is where immediate value could be provided by distributed ledger systems and smart contracts.

A distributed ledger is a type of database that is spread across multiple sites, such as different institutions, companies or participants. Validators or operators of this ledger are trusted not to collude and defraud actors in a transaction. The technology enabling this distributed ledger is popularly known as a blockchain, where a block of records is chained to the next with a cryptographic signature, creating immutable records through a consensus corroborated by all the operators. (Walport, 2016, p.17) The security, immutability and verifiability of all actions on a blockchain provides the system with maximal transparency. [TODO: cite something]

Smart contracts are "contracts" that are "defined by the code and executed (or enforced) by the code" (Swan, 2015, p.16). They are logic embedded in a blockchain that defines the rules and penalties around an agreement and automatically enforce those obligations (Gulhane, 2017), and can be used to exchange or transfer digital assets when certain conditions are met.

The potential of blockchain enabled systems in education has been noted by the community, with Swan (2015, p.62) proposing that “learning smart contracts could automatically confirm the completion of learning modules through standardized online tests”. Appropriate configurations in permissions and visibility can also provide improved security and privacy to e-Learning.

1.1 Aims and Objectives

The aim of the project is to:

Design a system that fulfill educational assessments and rewards with smart contracts on a blockchain.

To satisfy this aim, the following two objectives are planned:

1. Propose smart contract logic and data models for assets and participants in the proposed blockchain for e-Learning.

2. Build a demonstrator that includes client side applications for learners and teachers.

1.2 Project Approach

1. Review literature on current issues in e-Learning and higher education, and existing work in blockchain in education.

2. Design smart contract logic and data models for assets and participants in the proposed blockchain solution.

3. Analyse popular blockchain development platforms that can be used to produce the desired solution.

4. Build the distributed ledger network and client side applications for learners and teachers.

5. Evaluate the design of the deliverables using interviews with stakeholders and relevant subject matter experts.

1.3 Dissertation Outline

Traditionally, dissertations tend to contain a description of each chapter:

Chapter 2, discusses the background for my project, and identifies some key techniques that can be adopted during the development of the proposed solution. Chapter 3 explains how the project will be undertaken . . . etc, etc.

This approach is acceptable, however it can make quite bland reading. You might like to consider drawing a flow-chart of your project, showing how information such as background data, questionnaire data, results of studies, running computer programs, or undertaking user studies act as input to, or output from your chapters. You can also indicate how each chapter relates to your objectives. This kind of diagram can help to add clarity for your reader, and can help you to get your head round the structure of your project.

Chapter 2

Background

2.1 Reasonably long section title

I'm going to randomly include a picture Figure 2.1.

If you have trouble viewing this document contact Krishna at: kks32@cam.ac.uk or raise an issue at https://github.com/kks32/phd-thesis-template/

Enumeration

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed vitae laoreet lectus. Donec lacus quam, malesuada ut erat vel, consectetur eleifend tellus. Aliquam non feugiat lacus. Interdum et malesuada fames ac ante ipsum primis in faucibus. Quisque a dolor sit amet dui malesuada malesuada id ac metus. Phasellus posuere egestas mauris, sed porta arcu vulputate ut. Donec arcu erat, ultrices et nisl ut, ultricies facilisis urna. Quisque iaculis, lorem non maximus pretium, dui eros auctor quam, sed sodales libero felis vel orci. Aliquam neque nunc, elementum id accumsan eu, varius eu enim. Aliquam blandit ante et ligula tempor pharetra. Donec molestie porttitor commodo. Integer rutrum turpis ac erat tristique



Fig. 2.1 This is just a long figure caption for the minion in Despicable Me from Pixar

cursus. Sed venenatis urna vel tempus venenatis. Nam eu rhoncus eros, et condimentum elit. Quisque risus turpis, aliquam eget euismod id, gravida in odio. Nunc elementum nibh risus, ut faucibus mauris molestie eu. Vivamus quis nunc nec nisl vulputate fringilla. Duis tempus libero ac justo laoreet tincidunt. Fusce sagittis gravida magna, pharetra venenatis mauris semper at. Nullam eleifend felis a elementum sagittis. In vel turpis eu metus euismod tempus eget sit amet tortor. Donec eu rhoncus libero, quis iaculis lectus. Aliquam erat volutpat. Proin id ullamcorper tortor. Fusce vestibulum a enim non volutpat. Nam ut interdum nulla. Proin lacinia felis malesuada arcu aliquet fringilla. Aliquam condimentum, tellus eget maximus porttitor, quam sem luctus massa, eu fermentum arcu diam ac massa. Praesent ut quam id leo molestie rhoncus. Praesent nec odio eget turpis bibendum eleifend non sit amet mi. Curabitur placerat finibus velit, eu ultricies risus imperdiet ut. Suspendisse lorem orci, luctus porta eros a, commodo maximus nisi.

Nunc et dolor diam. Phasellus eu justo vitae diam vehicula tristique. Vestibulum vulputate cursus turpis nec commodo. Etiam elementum sit amet erat et pellentesque. In eu augue sed tortor mollis tincidunt. Mauris eros dui, sagittis vestibulum vestibulum vitae, molestie a velit. Donec non felis ut velit aliquam convallis sit amet sit amet velit. Aliquam vulputate, elit in lacinia lacinia, odio lacus consectetur quam, sit amet facilisis mi justo id magna. Curabitur aliquet pulvinar eros. Cras metus enim, tristique ut magna a, interdum egestas nibh. Aenean lorem odio, varius a sollicitudin non, cursus a odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae;

1. The first topic is dull
2. The second topic is duller
    (a) The first subtopic is silly
    (b) The second subtopic is stupid

3. The third topic is the dullest

Morbi bibendum est aliquam, hendrerit dolor ac, pretium sem. Nunc molestie, dui in euismod finibus, nunc enim viverra enim, eu mattis mi metus id libero. Cras sed accumsan justo, ut volutpat ipsum. Nam faucibus auctor molestie. Morbi sit amet eros a justo pretium aliquet. Maecenas tempor risus sit amet tincidunt tincidunt. Curabitur dapibus gravida gravida. Vivamus porta ullamcorper nisi eu molestie. Ut pretium nisl eu facilisis tempor. Nulla rutrum tincidunt justo, id placerat lacus laoreet et. Sed cursus lobortis vehicula. Donec sed tortor et est cursus pellentesque sit amet sed velit. Proin efficitur posuere felis, porta auctor nunc. Etiam non porta risus. Pellentesque lacinia eros at ante iaculis, sed aliquet ipsum volutpat. Suspendisse potenti.

Ut ultrices lectus sed sagittis varius. Nulla facilisi. Nullam tortor sem, placerat nec condimentum eu, tristique eget ex. Nullam pretium tellus ut nibh accumsan elementum. Aliquam posuere gravida tellus, id imperdiet nulla rutrum imperdiet. Nulla pretium ullamcorper quam, non iaculis orci consectetur eget. Curabitur non laoreet nisl. Maecenas lacinia, lorem vel tincidunt cursus, odio lorem aliquet est, gravida auctor arcu urna id enim. Morbi accumsan bibendum ipsum, ut maximus dui placerat vitae. Nullam pretium ac tortor nec venenatis. Nunc non aliquet neque.

Itemize

- The first topic is dull
- The second topic is duller
  - The first subtopic is silly
  - The second subtopic is stupid

- The third topic is the dullest

Description

The first topic is dull

The second topic is duller

The first subtopic is silly

The second subtopic is stupid

The third topic is the dullest

2.2 Hidden section

Lorem ipsum dolor sit amet, *consectetur adipiscing elit*. In magna nisi, aliquam id blandit id, congue ac est. Fusce porta consequat leo. Proin feugiat at felis vel consectetur. Ut tempus ipsum sit amet congue posuere. Nulla varius rutrum quam. Donec sed purus luctus, faucibus velit id, ultrices sapien. Cras diam purus, tincidunt eget tristique ut, egestas quis nulla. Curabitur vel iaculis lectus. Nunc nulla urna, ultrices et eleifend in, accumsan ut erat. In ut ante leo. Aenean a lacinia nisl, sit amet ullamcorper dolor. Maecenas blandit, tortor ut scelerisque congue, velit diam volutpat metus, sed vestibulum eros justo ut nulla. Etiam nec ipsum non enim luctus porta in in massa. Cras arcu urna, malesuada ut tellus ut, pellentesque mollis risus.Morbi vel tortor imperdiet arcu auctor mattis sit amet eu nisi. Nulla gravida urna vel nisl egestas varius. Aliquam posuere ante quis malesuada dignissim. Mauris ultrices tristique eros, a dignissim nisl iaculis nec. Praesent dapibus tincidunt mauris nec tempor. Curabitur et consequat nisi. Quisque viverra egestas risus, ut sodales enim blandit at. Mauris quis odio nulla. Cras euismod turpis magna, in facilisis diam congue non. Mauris faucibus nisl a orci dictum, et tempus mi cursus.

Etiam elementum tristique lacus, sit amet eleifend nibh eleifend sed [1]. Maecenas dapibu augue ut urna malesuada, non tempor nibh mollis. Donec sed sem sollicitudin, convallis velit aliquam, tincidunt diam. In eu venenatis lorem. Aliquam non augue porttitor tellus faucibus porta et nec ante. Proin sodales, libero vitae commodo sodales, dolor nisi cursus magna, non tincidunt ipsum nibh eget purus. Nam rutrum tincidunt arcu, tincidunt vulputate mi sagittis id. Proin et nisi nec orci tincidunt auctor et porta elit. Praesent eu dolor ac magna cursus euismod. Integer non dictum nunc.

[1] My footnote goes blah blah blah! ...



(a) Tom and Jerry (b) Wall-E (c) Minions

Fig. 2.2 Best Animations

Subplots

I can cite Wall-E (see Fig. 2.2b) and Minions in despicable me (Fig. 2.2c) or I can cite the whole figure as Fig. 2.2

Chapter 3

Methodology

3.1 First section of the third chapter

And now I begin my third chapter here . . .

And now to cite some more people Ancey et al. (1996); Read (1985)

3.1.1 First subsection in the first section

. . . and some more

3.1.2 Second subsection in the first section

. . . and some more . . .

First subsub section in the second subsection

. . . and some more in the first subsub section otherwise it all looks the same doesn't it? well we can add some text to it . . .

3.1.3 Third subsection in the first section

. . . and some more . . .

First subsub section in the third subsection

. . . and some more in the first subsub section otherwise it all looks the same doesn't it? well we can add some text to it and some more and some more and some more and some more and some more and some more and some more . . .

Second subsub section in the third subsection

. . . and some more in the first subsub section otherwise it all looks the same doesn't it? well we can add some text to it . . .

3.2 Second section of the third chapter

and here I write more . . .

3.3 The layout of formal tables

This section has been modified from "Publication quality tables in LaTeX*" by Simon Fear.

The layout of a table has been established over centuries of experience and should only be altered in extraordinary circumstances.

When formatting a table, remember two simple guidelines at all times:

1. Never, ever use vertical rules (lines).

2. Never use double rules.

Table 3.1 A badly formatted table

	Species I		Species II	
Dental measurement	mean	SD	mean	SD
I1MD	6.23	0.91	5.2	0.7
I1LL	7.48	0.56	8.7	0.71
I2MD	3.99	0.63	4.22	0.54
I2LL	6.81	0.02	6.66	0.01
CMD	13.47	0.09	10.55	0.05
CBL	11.88	0.05	13.11	0.04

These guidelines may seem extreme but I have never found a good argument in favour of breaking them. For example, if you feel that the information in the left half of a table is so different from that on the right that it needs to be separated by a vertical line, then you should use two tables instead. Not everyone follows the second guideline:

There are three further guidelines worth mentioning here as they are generally not known outside the circle of professional typesetters and subeditors:

3. Put the units in the column heading (not in the body of the table).

4. Always precede a decimal point by a digit; thus 0.1 *not* just .1.

5. Do not use ‘ditto’ signs or any other such convention to repeat a previous value. In many circumstances a blank will serve just as well. If it won’t, then repeat the value.

A frequently seen mistake is to use ‘\begin{center}’ . . . ‘\end{center}’ inside a figure or table environment. This center environment can cause additional vertical space. If you want to avoid that just use ‘\centering’

Table 3.2 A nice looking table

Dental measurement	Species I		Species II	
	mean	SD	mean	SD
I1MD	6.23	0.91	5.2	0.7
I1LL	7.48	0.56	8.7	0.71
I2MD	3.99	0.63	4.22	0.54
I2LL	6.81	0.02	6.66	0.01
CMD	13.47	0.09	10.55	0.05
CBL	11.88	0.05	13.11	0.04

Table 3.3 Even better looking table using booktabs

Dental measurement	Species I		Species II	
	mean	SD	mean	SD
I1MD	6.23	0.91	5.2	0.7
I1LL	7.48	0.56	8.7	0.71
I2MD	3.99	0.63	4.22	0.54
I2LL	6.81	0.02	6.66	0.01
CMD	13.47	0.09	10.55	0.05
CBL	11.88	0.05	13.11	0.04

Chapter 4

Methodology

4.1 First section of the third chapter

And now I begin my third chapter here . . .

And now to cite some more people Ancey et al. (1996); Read (1985)

4.1.1 First subsection in the first section

. . . and some more

4.1.2 Second subsection in the first section

. . . and some more . . .

First subsub section in the second subsection

. . . and some more in the first subsub section otherwise it all looks the same doesn't it? well we can add some text to it . . .

4.1.3 Third subsection in the first section

. . . and some more . . .

First subsub section in the third subsection

. . . and some more in the first subsub section otherwise it all looks the same doesn't it? well we can add some text to it and some more and some more and some more and some more and some more and some more and some more . . .

Second subsub section in the third subsection

. . . and some more in the first subsub section otherwise it all looks the same doesn't it? well we can add some text to it . . .

4.2 Second section of the third chapter

and here I write more . . .

4.3 The layout of formal tables

This section has been modified from "Publication quality tables in LaTeX*" by Simon Fear.

The layout of a table has been established over centuries of experience and should only be altered in extraordinary circumstances.

When formatting a table, remember two simple guidelines at all times:

1. Never, ever use vertical rules (lines).

2. Never use double rules.

Table 4.1 A badly formatted table

	Species I		Species II	
Dental measurement	mean	SD	mean	SD
I1MD	6.23	0.91	5.2	0.7
I1LL	7.48	0.56	8.7	0.71
I2MD	3.99	0.63	4.22	0.54
I2LL	6.81	0.02	6.66	0.01
CMD	13.47	0.09	10.55	0.05
CBL	11.88	0.05	13.11	0.04

These guidelines may seem extreme but I have never found a good argument in favour of breaking them. For example, if you feel that the information in the left half of a table is so different from that on the right that it needs to be separated by a vertical line, then you should use two tables instead. Not everyone follows the second guideline:

There are three further guidelines worth mentioning here as they are generally not known outside the circle of professional typesetters and subeditors:

3. Put the units in the column heading (not in the body of the table).

4. Always precede a decimal point by a digit; thus 0.1 *not* just .1.

5. Do not use ‘ditto’ signs or any other such convention to repeat a previous value. In many circumstances a blank will serve just as well. If it won’t, then repeat the value.

A frequently seen mistake is to use ‘\begin{center}’ . . . ‘\end{center}’ inside a figure or table environment. This center environment can cause additional vertical space. If you want to avoid that just use ‘\centering’

Table 4.2 A nice looking table

Dental measurement	Species I		Species II	
	mean	SD	mean	SD
I1MD	6.23	0.91	5.2	0.7
I1LL	7.48	0.56	8.7	0.71
I2MD	3.99	0.63	4.22	0.54
I2LL	6.81	0.02	6.66	0.01
CMD	13.47	0.09	10.55	0.05
CBL	11.88	0.05	13.11	0.04

Table 4.3 Even better looking table using booktabs

Dental measurement	Species I		Species II	
	mean	SD	mean	SD
I1MD	6.23	0.91	5.2	0.7
I1LL	7.48	0.56	8.7	0.71
I2MD	3.99	0.63	4.22	0.54
I2LL	6.81	0.02	6.66	0.01
CMD	13.47	0.09	10.55	0.05
CBL	11.88	0.05	13.11	0.04

Chapter 5

Methodology

5.1 First section of the third chapter

And now I begin my third chapter here . . .

And now to cite some more people Ancey et al. (1996); Read (1985)

5.1.1 First subsection in the first section

. . . and some more

5.1.2 Second subsection in the first section

. . . and some more . . .

First subsub section in the second subsection

. . . and some more in the first subsub section otherwise it all looks the same doesn't it? well we can add some text to it . . .

5.1.3 Third subsection in the first section

. . . and some more . . .

First subsub section in the third subsection

. . . and some more in the first subsub section otherwise it all looks the same doesn't it? well we can add some text to it and some more and some more and some more and some more and some more and some more and some more . . .

Second subsub section in the third subsection

. . . and some more in the first subsub section otherwise it all looks the same doesn't it? well we can add some text to it . . .

5.2 Second section of the third chapter

and here I write more . . .

5.3 The layout of formal tables

This section has been modified from "Publication quality tables in LaTeX*" by Simon Fear.

The layout of a table has been established over centuries of experience and should only be altered in extraordinary circumstances.

When formatting a table, remember two simple guidelines at all times:

1. Never, ever use vertical rules (lines).

2. Never use double rules.

Table 5.1 A badly formatted table

	Species I		Species II	
Dental measurement	mean	SD	mean	SD
I1MD	6.23	0.91	5.2	0.7
I1LL	7.48	0.56	8.7	0.71
I2MD	3.99	0.63	4.22	0.54
I2LL	6.81	0.02	6.66	0.01
CMD	13.47	0.09	10.55	0.05
CBL	11.88	0.05	13.11	0.04

These guidelines may seem extreme but I have never found a good argument in favour of breaking them. For example, if you feel that the information in the left half of a table is so different from that on the right that it needs to be separated by a vertical line, then you should use two tables instead. Not everyone follows the second guideline:

There are three further guidelines worth mentioning here as they are generally not known outside the circle of professional typesetters and subeditors:

3. Put the units in the column heading (not in the body of the table).

4. Always precede a decimal point by a digit; thus 0.1 *not* just .1.

5. Do not use ‘ditto’ signs or any other such convention to repeat a previous value. In many circumstances a blank will serve just as well. If it won’t, then repeat the value.

A frequently seen mistake is to use ‘\begin{center}’ . . . ‘\end{center}’ inside a figure or table environment. This center environment can cause additional vertical space. If you want to avoid that just use ‘\centering’

Table 5.2 A nice looking table

Dental measurement	Species I		Species II	
	mean	SD	mean	SD
I1MD	6.23	0.91	5.2	0.7
I1LL	7.48	0.56	8.7	0.71
I2MD	3.99	0.63	4.22	0.54
I2LL	6.81	0.02	6.66	0.01
CMD	13.47	0.09	10.55	0.05
CBL	11.88	0.05	13.11	0.04

Table 5.3 Even better looking table using booktabs

Dental measurement	Species I		Species II	
	mean	SD	mean	SD
I1MD	6.23	0.91	5.2	0.7
I1LL	7.48	0.56	8.7	0.71
I2MD	3.99	0.63	4.22	0.54
I2LL	6.81	0.02	6.66	0.01
CMD	13.47	0.09	10.55	0.05
CBL	11.88	0.05	13.11	0.04

Chapter 6

Evaluation

Chapter 7

Conclusion

7.1 Future Work

and here I write more ...

References

Ancey, C., Coussot, P., and Evesque, P. (1996). Examination of the possibility of a fluid-mechanics treatment of dense granular flows. *Mechanics of Cohesive-frictional Materials*, 1(4):385–403.

Brown Jr, J. (1999). *Assessment matters in higher education*. McGraw-Hill Education (UK).

Condie, R. and Munro, B. (2007). The impact of ict in schools: Landscape review.

Gulhane, I. (2017). Create and execute blockchain smart contracts - ibm code.

Pantò, E. and Comas-Quinn, A. (2013). The challenge of open education. *Journal of E-learning and Knowledge Society*, 9(1):11–22.

Read, C. J. (1985). A solution to the invariant subspace problem on the space l_1. *Bull. London Math. Soc.*, 17:305–317.

Swan, M. (2015). *Blockchain: Blueprint for a new economy*. " O'Reilly Media, Inc.".

Walport, M. (2016). Distributed ledger technology: beyond block chain. *UK Government Office for Science*.

Appendix A

How to install LaTeX

Windows OS

TeXLive package - full version

1. Download the TeXLive ISO (2.2GB) from
   https://www.tug.org/texlive/
2. Download WinCDEmu (if you don't have a virtual drive) from
   http://wincdemu.sysprogs.org/download/
3. To install Windows CD Emulator follow the instructions at
   http://wincdemu.sysprogs.org/tutorials/install/
4. Right click the iso and mount it using the WinCDEmu as shown in
   http://wincdemu.sysprogs.org/tutorials/mount/
5. Open your virtual drive and run setup.pl

or

Basic MikTeX - TeX distribution

1. Download Basic-MiKTeX(32bit or 64bit) from
   http://miktex.org/download
2. Run the installer
3. To add a new package go to Start » All Programs » MikTex » Maintenance (Admin)
   and choose Package Manager

4. Select or search for packages to install

TexStudio - TEX editor

1. Download TexStudio from
   http://texstudio.sourceforge.net/#downloads

2. Run the installer

Mac OS X

MacTeX - TEX distribution

1. Download the file from
   https://www.tug.org/mactex/

2. Extract and double click to run the installer. It does the entire configuration, sit back and relax.

TexStudio - TEX editor

1. Download TexStudio from
   http://texstudio.sourceforge.net/#downloads

2. Extract and Start

Unix/Linux

TeXLive - TEX distribution

Getting the distribution:

1. TexLive can be downloaded from
   http://www.tug.org/texlive/acquire-netinstall.html.

2. TexLive is provided by most operating system you can use (rpm,apt-get or yum) to get TexLive distributions

Installation

1. Mount the ISO file in the mnt directory

   ```
   mount -t iso9660 -o ro,loop,noauto /your/texlive####.iso /mnt
   ```

2. Install wget on your OS (use rpm, apt-get or yum install)

3. Run the installer script install-tl.

   ```
   cd /your/download/directory
   ./install-tl
   ```

4. Enter command 'i' for installation

5. Post-Installation configuration:
   http://www.tug.org/texlive/doc/texlive-en/texlive-en.html#x1-320003.4.1

6. Set the path for the directory of TexLive binaries in your .bashrc file

For 32bit OS

For Bourne-compatible shells such as bash, and using Intel x86 GNU/Linux and a default directory setup as an example, the file to edit might be

```
edit $~/.bashrc file and add following lines
PATH=/usr/local/texlive/2011/bin/i386-linux:$PATH;
export PATH
MANPATH=/usr/local/texlive/2011/texmf/doc/man:$MANPATH;
export MANPATH
INFOPATH=/usr/local/texlive/2011/texmf/doc/info:$INFOPATH;
export INFOPATH
```

For 64bit OS

```
edit $~/.bashrc file and add following lines
PATH=/usr/local/texlive/2011/bin/x86_64-linux:$PATH;
export PATH
MANPATH=/usr/local/texlive/2011/texmf/doc/man:$MANPATH;
export MANPATH
```

```
INFOPATH=/usr/local/texlive/2011/texmf/doc/info:$INFOPATH;
export INFOPATH
```

Fedora/RedHat/CentOS:

```
sudo yum install texlive
sudo yum install psutils
```

SUSE:

```
sudo zypper install texlive
```

Debian/Ubuntu:

```
sudo apt-get install texlive texlive-latex-extra
sudo apt-get install psutils
```

Appendix B

Installing the CUED class file

LaTeX.cls files can be accessed system-wide when they are placed in the <texmf>/tex/latex directory, where <texmf> is the root directory of the user's TeXinstallation. On systems that have a local texmf tree (<texmflocal>), which may be named "texmf-local" or "localtexmf", it may be advisable to install packages in <texmflocal>, rather than <texmf> as the contents of the former, unlike that of the latter, are preserved after the LaTeXsystem is reinstalled and/or upgraded.

It is recommended that the user create a subdirectory <texmf>/tex/latex/CUED for all CUED related LaTeXclass and package files. On some LaTeXsystems, the directory look-up tables will need to be refreshed after making additions or deletions to the system files. For TeXLive systems this is accomplished via executing "texhash" as root. MIKTeXusers can run "initexmf -u" to accomplish the same thing.

Users not willing or able to install the files system-wide can install them in their personal directories, but will then have to provide the path (full or relative) in addition to the filename when referring to them in LaTeX.