Smart Contracts for e-Learning

Tsz Yiu Lam

1443964

Supervisor: Dr. Brijesh Dongol

Department of Computer Science
Brunel University London

A report submitted in partial fulfillment of the requirements for the degree of
BSc (Hons) Business Computing

Academic Year 2017 - 2018

I would like to dedicate this paper to Mum, Dad, Vivien, Viviana and Jorden.

Abstract

The properties of a distributed ledger could bring new features to e-Learning. Properties such as immutability and peer executed smart contracts could bring a new level of trust, transparency and personalisation to the education market.

This project focused on features that would improve the experiences of students and teachers in assessments, and curriculum personalisation. They were identified as two of the key concerns in the current UK higher education industry that can be improved by a distributed ledger powered e-Learning platform.

The logic of the smart contracts and data models for such a platform were proposed. A working prototype was also developed based on the IBM Hyperledger Composer project.

Acknowledgements

I would like to acknowledge the people listed below (in alphabetical order) for their time and effort spent on helping me complete the project:

- Dr. Fang Wang
- Prof. Rob Macredie

The formatting of this report is done by branching Krishna Kumar's Cambridge University Engineering Department PhD thesis LaTeX template on GitHub, and with referrence to a Microsoft Word template provided by Dr. Simon Kent.

Declaration

I hereby declare that except where specific reference is made to the work of others, the contents of this dissertation are original and have not been submitted in whole or in part for consideration for any other degree or qualification in this, or any other university. This dissertation is my own work and contains nothing which is the outcome of work done in collaboration with others, except as specified in the text and Acknowledgements.

Tsz Yiu Lam

1443964

Academic Year 2017 - 2018

Table of contents

List of figures

List of tables

Chapter 1

Introduction

The global e-Learning industry already generates US$60 billion per year, and by 2019, over half of all courses will be taken online (Pantò and Comas-Quinn, 2013, p.17). This rising trend presents an opportunity to improve higher education.

Some current problems in higher education are related to transparency. [TODO: what is transparency?] Tension exists between the educational provider and the learners over assessments. "There is abundant evidence that assessors are not particularly good at making exams valid, reliable, or transparent to students." (Brown Jr, 1999, p.62).

There is also a lack of curriculum personalisation for higher education learners in the UK [TODO: due to..., ref Rob] Condie and Munro (2007) pointed out that the personalisation of the education curriculum for learners helps "overcome barriers, raising self-esteem and achievement". Current web, mobile and computer technologies today can provide more personalisation of education curricula, but lacks [TODO: common marketplace? promise of delivery? transparency for employers?]

Being able to deliver education curricula and conduct assessments in a transparent, conflict-free way would be central to a future e-Learning marketplace that is open, trusted and autonomous. This is where immediate value could be provided by distributed ledger systems and smart contracts.

A distributed ledger is a type of database that is spread across multiple sites, such as different institutions, companies or participants. Validators or operators of this ledger are trusted not to collude and defraud actors in a transaction. The technology enabling this distributed ledger is popularly known as a blockchain, where a block of records is chained to the next with a cryptographic signature, creating immutable records through a consensus corroborated by all the operators. (Walport, 2016, p.17) The security, immutability and verifiability of all actions on a blockchain provides the system with maximal transparency. [TODO: cite something]

Smart contracts are "contracts" that are "defined by the code and executed (or enforced) by the code" (Swan, 2015, p.16). They are logic embedded in a blockchain that defines the rules and penalties around an agreement and automatically enforce those obligations (Gulhane, 2017), and can be used to exchange or transfer digital assets when certain conditions are met.

The potential of blockchain enabled systems in education has been noted by the community, with Swan (2015, p.62) proposing that “learning smart contracts could automatically confirm the completion of learning modules through standardized online tests”. Appropriate configurations in permissions and visibility can also provide improved security and privacy to e-Learning.

1.1 Aims and Objectives

The aim of the project is to:

Design a system that fulfill educational assessments and rewards with smart contracts on a blockchain.

To satisfy this aim, the following two objectives are planned:

1. Propose smart contract logic and data models for assets and participants in the proposed blockchain for e-Learning.
2. Build a demonstrator that includes client side applications for learners and teachers.

1.2 Project Approach

1. Review literature on current issues in e-Learning and higher education, and existing work in blockchain in education.
2. Design smart contract logic and data models for assets and participants in the proposed blockchain solution.
3. Analyse popular blockchain development platforms that can be used to produce the desired solution.
4. Build the distributed ledger network and client side applications for learners and teachers.
5. Evaluate the design of the deliverables using interviews with stakeholders and relevant subject matter experts.

1.3 Dissertation Outline

Chapter 2 discusses the background for my project, and identifies some key techniques that can be adopted during the development of the proposed solution.

Chapter 3 explains how the project will be undertaken . . . etc, etc.

Chapter 4 design

Chapter 5 implementation

Chapter 6 evaluation

Chapter 7 conclusion, future work

Chapter 2

Background

2.1 Review of Relevant Education Research

The objectives of the project is to demonstrate how the application of blockchain technologies can improve transparency in assessments and curriculum personalisation.

2.1.1 Transparency in Assessments

Suhre et al. (2013) looked into motivation on study progress in a higher education setting by collecting data from 168 first-year university students for six months. The study found three main factors that motivates academic progress: intrinsic abilities, personal motivations such as a need to achieve or fear of failure, and transparency in exams and assessments.

- Students' perceptions of degree programme organization and transparency of exams are also significantly correlated with academic performance;

- Academic pressure is substantially influenced by the perceived transparency of assessments.

2.1.2 Personalisation in Education

2.2 Review of Relevant e-Learning Research

El-Khatib et al. (2003) noted that "While many advances have been made in the mechanics of providing online instruction, the needs for privacy and security have to-date been largely ignored. At best they have been accommodated in an ad-hoc, patchwork fashion."

IEEE P1484.1/D9: the Learning Technology Systems Architecture (LTSA)

2.3 Properties of Blockchain Technologies

Impossible to collude: executed by transparent code, increase trust and enables reputation building for even new entrants to the education market Protects learner: guaranteed records and rewards Administration costs of higher education Smart Contract: secure and cutting the middleman

Characteristics of a blockchain ledger such as Hyperledger: 1. Shared Ledger: shared across education and government authorities 2. Smart Contract: Swan (2015, p.62) proposed that "rules embedded in learning smart contracts could automatically confirm the completion of learning modules through standardized online tests". 3. Privacy: a. Appropriate Visibility b. Transactions are secure, authenticated and verifiable 4. Consensus: All shared ledger parties agree to transactions

Openness and transparency of online courses and online assessments is encouraged: using an interpreted language, instead of a compiled one, to write the smart contract, so the actual code is visible on the blockchain and can be easily inspected be removed or altered Resilient to loss of infrastructure: records are distributed over a network of participating computers

2.4 Existing Efforts in Blockchain for Education

A current blockchain in education use case: Blockcerts Blockcerts is an MIT backed open standard for blockchain certificates. Education providers can use it to store the records of certifications they have awarded, in a way where they are immutable and decentralised.

Chapter 3

Approach

3.1 Agile Project Management

3.2 Software Development and Testing

Chapter 4

Requirements Elicitation

4.1 Interviews with Education Professionals

And now I begin my third chapter here . . .

4.2 Interviews with Student Representatives

Chapter 5

Design

5.1 Participants and Assets in the Blockchain Network

And now I begin my third chapter here …

5.2 Logic and Events in Smart Contract

Chapter 6

Implementation

6.1 CLI and API

6.2 Learner Client Application

6.3 Teacher Client Application

Chapter 7

Evaluation

7.1 Future Work

and here I write more . . .

References

Brown Jr, J. (1999). *Assessment matters in higher education*. McGraw-Hill Education (UK).

Condie, R. and Munro, B. (2007). The impact of ict in schools: Landscape review.

Gulhane, I. (2017). Create and execute blockchain smart contracts - ibm code.

Pantò, E. and Comas-Quinn, A. (2013). The challenge of open education. *Journal of E-learning and Knowledge Society*, 9(1):11–22.

Suhre, C. J., Jansen, E. P., and Torenbeek, M. (2013). Determinants of timely completion: the impact of bachelor's degree programme characteristics and student motivation on study progress. *Higher Education Research & Development*, 32(3):479–492.

Swan, M. (2015). *Blockchain: Blueprint for a new economy*. " O'Reilly Media, Inc.".

Walport, M. (2016). Distributed ledger technology: beyond block chain. *UK Government Office for Science*.

Appendix A

How to install LaTeX

Windows OS

TeXLive package - full version

1. Download the TeXLive ISO (2.2GB) from https://www.tug.org/texlive/
2. Download WinCDEmu (if you don't have a virtual drive) from http://wincdemu.sysprogs.org/download/
3. To install Windows CD Emulator follow the instructions at http://wincdemu.sysprogs.org/tutorials/install/
4. Right click the iso and mount it using the WinCDEmu as shown in http://wincdemu.sysprogs.org/tutorials/mount/
5. Open your virtual drive and run setup.pl

or

Basic MikTeX - TeX distribution

1. Download Basic-MiKTeX(32bit or 64bit) from http://miktex.org/download
2. Run the installer
3. To add a new package go to Start » All Programs » MikTex » Maintenance (Admin) and choose Package Manager

4. Select or search for packages to install

TexStudio - TEX editor

1. Download TexStudio from http://texstudio.sourceforge.net/#downloads

2. Run the installer

Mac OS X

MacTeX - TEX distribution

1. Download the file from https://www.tug.org/mactex/

2. Extract and double click to run the installer. It does the entire configuration, sit back and relax.

TexStudio - TEX editor

1. Download TexStudio from http://texstudio.sourceforge.net/#downloads

2. Extract and Start

Unix/Linux

TeXLive - TEX distribution

Getting the distribution:

1. TexLive can be downloaded from http://www.tug.org/texlive/acquire-netinstall.html.

2. TexLive is provided by most operating system you can use (rpm,apt-get or yum) to get TexLive distributions

Installation

1. Mount the ISO file in the mnt directory

   ```
   mount -t iso9660 -o ro,loop,noauto /your/texlive####.iso /mnt
   ```

2. Install wget on your OS (use rpm, apt-get or yum install)

3. Run the installer script install-tl.

   ```
   cd /your/download/directory
   ./install-tl
   ```

4. Enter command ‘i’ for installation

5. Post-Installation configuration:
   http://www.tug.org/texlive/doc/texlive-en/texlive-en.html#x1-320003.4.1

6. Set the path for the directory of TexLive binaries in your .bashrc file

For 32bit OS

For Bourne-compatible shells such as bash, and using Intel x86 GNU/Linux and a default directory setup as an example, the file to edit might be

```
edit $~/.bashrc file and add following lines
PATH=/usr/local/texlive/2011/bin/i386-linux:$PATH;
export PATH
MANPATH=/usr/local/texlive/2011/texmf/doc/man:$MANPATH;
export MANPATH
INFOPATH=/usr/local/texlive/2011/texmf/doc/info:$INFOPATH;
export INFOPATH
```

For 64bit OS

```
edit $~/.bashrc file and add following lines
PATH=/usr/local/texlive/2011/bin/x86_64-linux:$PATH;
export PATH
MANPATH=/usr/local/texlive/2011/texmf/doc/man:$MANPATH;
export MANPATH
```

```
INFOPATH=/usr/local/texlive/2011/texmf/doc/info:$INFOPATH;
export INFOPATH
```

Fedora/RedHat/CentOS:

```
sudo yum install texlive
sudo yum install psutils
```

SUSE:

```
sudo zypper install texlive
```

Debian/Ubuntu:

```
sudo apt-get install texlive texlive-latex-extra
sudo apt-get install psutils
```

Appendix B

Installing the CUED class file

LATEX.cls files can be accessed system-wide when they are placed in the <texmf>/tex/latex directory, where <texmf> is the root directory of the user's TEXinstallation. On systems that have a local texmf tree (<texmflocal>), which may be named "texmf-local" or "localtexmf", it may be advisable to install packages in <texmflocal>, rather than <texmf> as the contents of the former, unlike that of the latter, are preserved after the LATEXsystem is reinstalled and/or upgraded.

It is recommended that the user create a subdirectory <texmf>/tex/latex/CUED for all CUED related LATEXclass and package files. On some LATEXsystems, the directory look-up tables will need to be refreshed after making additions or deletions to the system files. For TEXLive systems this is accomplished via executing "texhash" as root. MIKTEXusers can run "initexmf -u" to accomplish the same thing.

Users not willing or able to install the files system-wide can install them in their personal directories, but will then have to provide the path (full or relative) in addition to the filename when referring to them in LATEX.