

Операционные системы

Продвинутое использование git

Вахиш Дуаа Иссам Али Ахмед

2025-12-22

Цели и задачи работы

Процесс выполнения лабораторной работы

Выводы по проделанной работе

1. Цели и задачи работы

Получение навыков правильной работы с репозиториями git.

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

2. Процесс выполнения лабораторной работы

```
duaavahish@duaavahish:~$ pnpm setup
Appended new lines to /home/duaavahish/.bashrc

Next configuration changes were made:
export PNPM_HOME="/home/duaavahish/.local/share/pnpm"
case "$PATH:" in
  *"$PNPM_HOME:") ;;
  *) export PATH="$PNPM_HOME:$PATH" ;;
esac

To start using pnpm, run:
source /home/duaavahish/.bashrc
duaavahish@duaavahish:~$ source ~/.bashrc
duaavahish@duaavahish:~$
```

Рисунок 1: Node.js

```
duaavahish@duaavahish:~$ pnpm add -g commitizen

Update available! 10.27.0 → 10.30.1.
Changelog: https://pnpm.io/v/10.30.1
To update, run: pnpm self-update

WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +149
+++++
Progress: resolved 149, reused 0, downloaded 149, added 149, done

/home/duaavahish/.local/share/pnpm/global/5:
+ commitizen 4.3.1

Done in 3.5s using pnpm v10.27.0
duaavahish@duaavahish:~$
```

Рисунок 2: установка commitizen

```
duaavahish@duaavahish:~$ pnpm add -g standard-changelog
WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +32
+++++
Progress: resolved 181, reused 149, downloaded 32, added 32, done

/home/duaavahish/.local/share/pnpm/global/5:
+ standard-changelog 7.0.1

Done in 2.7s using pnpm v10.27.0
duaavahish@duaavahish:~$
```

Рисунок 3: установка standard-changelog



Рисунок 4: package.json

Использование commitizen

```
duaavahish@duaavahish:~/git-extended$ git add .
duaavahish@duaavahish:~/git-extended$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:    Other changes that don't modify src or test
files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
  (4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master c2c5a99] chore: test
 1 file changed, 14 insertions(+)
 create mode 100644 package.json
duaavahish@duaavahish:~/git-extended$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.12 KiB | 1.12 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:duaavahish/git-extended.git
   d35cc9a..c2c5a99 master -> master
duaavahish@duaavahish:~/git-extended$
```

Рисунок 5: Отправка

```
duaavahish@duaavahish:~/git-extended$  
duaavahish@duaavahish:~/git-extended$ git flow init  
  
Which branch should be used for bringing forth production releases?  
- master  
Branch name for production releases: [master]  
Branch name for "next release" development: [develop]  
  
How to name your supporting branch prefixes?  
Feature branches? [feature/]  
Bugfix branches? [bugfix/]  
Release branches? [release/]  
Hotfix branches? [hotfix/]  
Support branches? [support/]  
Version tag prefix? [] v  
Hooks and filters directory? [/home/duaavahish/git-extended/.git/hooks]  
duaavahish@duaavahish:~/git-extended$ git branch  
* develop  
  master  
duaavahish@duaavahish:~/git-extended$ git push --all  
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
remote:  
remote: Create a pull request for 'develop' on GitHub by visiting:  
remote:      https://github.com/duaavahish/git-extended/pull/new/develop  
remote:  
To github.com:duaavahish/git-extended.git  
* [new branch]      develop -> develop  
duaavahish@duaavahish:~/git-extended$
```

Рисунок 6: Инициализация и загрузка изменений

```

duaavahish@duaavahish:~/git-extended$ git branch --set-upstream-to=origin/develop develop
branch 'develop' set up to track 'origin/develop'.
duaavahish@duaavahish:~/git-extended$ git flow release start 1.0.0
Switched to a new branch 'release/1.0.0'

Summary of actions:
- A new branch 'release/1.0.0' was created, based on 'develop'
- You are now on branch 'release/1.0.0'

Follow-up actions:
- Bump the version number now!
- Start committing last-minute fixes in preparing your release
- When done, run:

    git flow release finish '1.0.0'

duaavahish@duaavahish:~/git-extended$ standard-changelog --first-release
duaavahish@duaavahish:~/git-extended$ git add CHANGELOG.md
duaavahish@duaavahish:~/git-extended$ git commit -am 'chore(site): add changelog'
[release/1.0.0 906444c] chore(site): add changelog
 1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
duaavahish@duaavahish:~/git-extended$ git flow release finish 1.0.0
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 +++
 1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
Already on 'master'
Your branch is ahead of 'origin/master' by 2 commits.
(use "git push" to publish your local commits)
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'

```

Рисунок 7: Завершение релиза

Отправим данные на github

```
duaavahish@duaavahish:~/git-extended$  
duaavahish@duaavahish:~/git-extended$ git push --all  
Enumerating objects: 6, done.  
Counting objects: 100% (6/6), done.  
Delta compression using up to 8 threads  
Compressing objects: 100% (4/4), done.  
Writing objects: 100% (5/5), 2.67 KiB | 2.67 MiB/s, done.  
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
To github.com:duaa-vahish/git-extended.git  
   c2c5a99..27b1d65  develop -> develop  
   c2c5a99..32bbe58  master -> master  
duaavahish@duaavahish:~/git-extended$ git push --tags  
Enumerating objects: 1, done.  
Counting objects: 100% (1/1), done.  
Writing objects: 100% (1/1), 156 bytes | 156.00 KiB/s, done.  
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
To github.com:duaa-vahish/git-extended.git  
   * [new tag]         v1.0.0 -> v1.0.0  
duaavahish@duaavahish:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md  
https://github.com/duaa-vahish/git-extended/releases/tag/v1.0.0  
duaavahish@duaavahish:~/git-extended$
```

Рисунок 8: Отправка

```
duaavahish@duaavahish:~/git-extended$  
duaavahish@duaavahish:~/git-extended$ git flow feature start feature_branch  
Switched to a new branch 'feature/feature_branch'  
  
Summary of actions:  
- A new branch 'feature/feature_branch' was created, based on 'develop'  
- You are now on branch 'feature/feature_branch'  
  
Now, start committing on your feature. When done, use:  
  
    git flow feature finish feature_branch  
  
duaavahish@duaavahish:~/git-extended$ touch test2  
duaavahish@duaavahish:~/git-extended$ git flow feature finish feature_branch  
Switched to branch 'develop'  
Your branch is up to date with 'origin/develop'.  
Already up to date.  
Deleted branch feature/feature_branch (was 27b1d65).  
  
Summary of actions:  
- The feature branch 'feature/feature_branch' was merged into 'develop'  
- Feature branch 'feature/feature_branch' has been locally deleted  
- You are now on branch 'develop'  
  
duaavahish@duaavahish:~/git-extended$
```

Рисунок 9: Объединение веток

```
Summary of actions:
- Release branch 'release/1.2.3' has been merged into 'master'
- The release was tagged 'v1.2.3'
- Release tag 'v1.2.3' has been back-merged into 'develop'
- Release branch 'release/1.2.3' has been locally deleted
- You are now on branch 'develop'

duaavahish@duaavahish:~/git-extended$ git push --all
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 8 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 2.78 KiB | 2.78 MiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:duaavahish/git-extended.git
    27b1d65..52b9b8a  develop -> develop
    32bbe58..5dd159b  master -> master
duaavahish@duaavahish:~/git-extended$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 157 bytes | 157.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:duaavahish/git-extended.git
 * [new tag]          v1.2.3 -> v1.2.3
duaavahish@duaavahish:~/git-extended$ gh release create v1.2.3 -F CHANGELOG.md
https://github.com/duaavahish/git-extended/releases/tag/v1.2.3
duaavahish@duaavahish:~/git-extended$
```

Рисунок 10: Завершение релиза

Подготовка рабочего репозитория

```
duaavahish@duaavahish:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
duaavahish@duaavahish:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git add .
duaavahish@duaavahish:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:    Other changes that don't modify src or test
files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
  (4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 58b05ed] chore: test
 1 file changed, 11 insertions(+), 11 deletions(-)
duaavahish@duaavahish:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.11 KiB | 1.11 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:duaavahish/2026-1--study--os-intro.git
 4559565..58b05ed master -> master
duaavahish@duaavahish:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
```

Рисунок 11: package.json и коммит

```
Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged 'v1.0.0'
- Release tag 'v1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

duaaвахish@duaaвахish:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git push --all
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 2.76 KiB | 2.76 MiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:duaa-вахish/2026-1--study--os-intro.git
  58b05ed..18232a8  develop -> develop
  58b05ed..aafc86d  master -> master
duaaвахish@duaaвахish:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 156 bytes | 156.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:duaa-вахish/2026-1--study--os-intro.git
 * [new tag]          v1.0.0 -> v1.0.0
duaaвахish@duaaвахish:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
```

Рисунок 12: Завершение релиза

3. Выводы по проделанной работе

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.