

## **Sequence Bootstrap Instructions**

- **1.** To use the bootstrap first close your Sequence wallet and navigate to your Sequence data directory and BACKUP THE DATA DIRECTORY SOMEWHERE SAFE:
  - Windows: c:\users\<username>\appdata\roaming\Sequence\
  - Linux: ~/.Sequence
  - OSX: ~/Library/Application\ Support/Sequence
- \* Replace <username> with your username.
- 2. Delete all data apart from your wallet.dat, conf files and backup folder.
- 3. Download the bootstrap.dat to the Sequence data directory:

## Windows

- Download the latest bootstrap https://duality.solutions/duality/bootstraps/seq/bootstrap-latest.zip
- Unzip and place contents in C:\users\<username>\appdata\roaming\Sequence\

## Linux

- Open terminal.
- Type "cd ~/.Sequence && wget <a href="https://duality.solutions/duality/bootstraps/seq/bootstrap-latest.tar.gz">https://duality.solutions/duality/bootstraps/seq/bootstrap-latest.tar.gz</a> && tar -xvf bootstrap-latest.tar.gz" and hit enter.

## OSX

- Open terminal.
- Type "cd ~/Library/Application\ Support/Sequence && wget
  <a href="https://duality.solutions/duality/bootstraps/seq/bootstrap-latest.tar.gz">https://duality.solutions/duality/bootstraps/seq/bootstrap-latest.tar.gz</a> && tar-xvf bootstrap-latest.tar.gz" and hit enter.
- \* Replace <username> with your username.
- **4.** Start Sequence and import from bootstrap.dat:
- 4a. Qt users just need to start the wallet.
- 4b. Daemon users need to use the "-loadblock=" argument when starting Sequence, for example:
  - Linux: -loadblock=~/.Sequence/bootstrap.dat
  - Windows: loadblock=c:\users\<username>\appdata\roaming\Sequence\bootstrap.dat
  - OSX: -loadblock=~/Library/Application\ Support/Sequence/bootstrap.dat
- \*Replace <username> with your username.
  - 5. Grab a coffee, tea or other preference of beverage and relax.